

ORIGINAL PARTS CATALOG JIMNY JB64/74/23/33/43 and Other Models 2025



www.showd-ddrdde.



Representative number: For vehicle/complete car sales, inspection, ma and customization, please contact us


Phone.+81-568-56-2311 Facsimile. +81-568-56-2312

uiries about mail order, business sales and parts, please contact here. Phone.+81-568-29-8711 Facsimile.+81-568-29-8715

Showa Create Co., Ltd. 3-9, Kanegaguchi-cho, Kasugai, Aichi, 486-0813, Japan Business hours: 9:30-18:30 Closed on Mondays, 1st and 3rd Tuesdays 2025.2-2







Your Special Jimny from Showa GARAGE!

We offer original parts sales, customization consultation, various maintenance services and of course, complete cars, We provide total support for a reliable car life in the best condition.

The second second

We offer a variety of new car complete car packages at reasonable prices.

Showa GARAGE offers a variety of complete car packages, which are based on new cars and equipped with a full range of custom parts. The exterior, interior, suspension, and other parts have been assembled by professional mechanics, and are available at a reasonable package price. The package also includes a 3-year vehicle inspection and a manufacturer's warranty, making it possible for first-time buyers to drive a custom car with peace of mind. For more details, please refer to the separate complete car catalog.

INDEX

JB74	A COLUMN -	JB64/7
EXTERIOR	10	EXTER
IDC 4		LAMP
JB64		INTER
EXTERIOR	14	SUSPE

:0

JB23/33/64/74 WHEEL 16 21 JB23/33/43 24 VARIOUS PARTS 32 NSION

40

SOUP-UP

Photo cooperation:Old Lake Golf Club









MANUFACTURED by SHOWA GARAGE OUTDOOR STYLE






This off-road style is perfect for active people touring on forest roads, camping, etc. The stylish exterior is sure to attract attention on the streets. The Showa Style JB74 is a flexible all-round vehicle that can handle any situation.

-Showa Garage

www.showa-gara

《Image Video 回意說回





Contraction of the second

LNn02

JB74 Showa GARAGE Demo Car Parts Configuration

EXTERIOR

- ABS front bumper spoiler Black (grained)
 Skid plate Black
- ABS rear bumper spoiler Type 2 Black (grained)
- Rear bumper guard
- AES side garnish
- Side step Type 2
- ABS front grille Dark Gray Metallic
- Spare tire moving bracket, directly upward movement type
- Fuel lid cover Black (grained)
- ullet A-x Roof rack L size wide with foot (front)
- \bullet A-x Roof rack M size super wide with foot (rear)
- Awning mounting stays for A-x Roof rack with foot Set of 3
- A-x awning
- Rear ladder aluminum 30mm back wide type

LAMP

- LED fog light inner black white
- LED front blinker lamp type 2 clear
- LED side marker type 3 clear/inner black
- LED high mount stop lamp type 2
 LED sequential door mirror blinker type 2 smoked
- LED tail lamp clear/red bar
- LED tall lamp clear/red bar

ENGINE & POWER TRAIN

Links muffler
Powered ECU Spec1 regular specification

SUSPENSION

SG Adjustable Coil 75 X-SHOCK BA Set • SG Adjustable Coil 75 • X-SHOCK for 3-inch UP • Stainless steel mesh brake hose *1 • Rear shock spacer set • Brake hose down stay • Caster Dream ABS extension stay • Short sway bar link • Lateral rod correction bracket • Sway bar down spacer • Front and rear lateral rods • Propeller shaft spacer • Escape member • High capacity bump rubber • Reinforced leading arm Reinforced trailing arm Reinforced type • X-SHOCK Steering Damper

TIRE/WHEEL

*1: Optional

• TOYO OPEN COUNTRY M/T 225/75R 16 • SR432 16×6.0J -5 Matte bronze





EXTERIOR Exclusive exterior for JB74



ABS Front Bumper Spoiler For JB74

Unpainted E00600 With hole E00620 Without holes ¥48.000 each

Black (grained)* E00601 With hole E00621 Without holes ¥63,000 each

*Semi-glossy black like the genuine bumper. Genuine color (JPN), slightly darker and blacker than Genuine bumper.

● Genuine color (JPN) ★1 E00602 With hole E00622 Without holes ¥63,000 each

ABS front bumper spoiler designed to match the square exterior of JB74. The sporty look with a low profile and a good approach angle. Fits to the factory fog lamps (cutting of interfering parts is required). Our LED fog lamps (sold separately) are also compatible. Two types of headlight washers with holes (JC grade) and without

holes (JL grade) are available. Includes mesh net (black) to be attached to the front license plate bracket and duct. Installation of our optional skid plate is required.

Skid Plate For JB74

The skid plate greatly affects the impression of the front area. It protects the engine and parts under the floor from road protrusions and stones. Required when installing our front bumper spoiler. No drilling is required and it can be installed completely by bolt-on. The main body is made of aluminum with a thickness of 3 mm, and the mounting bracket is made of steel with a thickness of 3.2 mm, providing sufficient strength. Available in two colors: black anodized aluminum and silver (plain).







E00039 Silver (bare) ¥13,000

★1: Available genuine colors are Blueish Black Pearl 3 (ZJ3), Jungle Green (ZZC), Pure White Pearl (ZVR), White (26U), Kinetic Yellow (ZZB), Chiffon Ivory Metallic (ZVG), Brisk Blue Metallic (ZWY), Medium Gray (ZVL), and Silky Silver Metallic (Z2S).

ABS products do not generally require modification during installation due to the small individual differences that occur during production, but in rare cases, modification may be necessary. Please be sure to paint the product before use. Precaution






Rear Bumper Guard For JB74 E00153 ¥30,000



AES Side Garnish For JB74 E00207 ¥43,000



The side sill cover exclusively for JB74 is made of AES material with high weather resistance. Along with dressing up the vehicle, it protects the body from flying rocks and scratches when getting in and out of the vehicle. The design matches the wide fenders of the Jimny Sierra to enhance the sense of unity. * Side steps can be installed when this product is installed.

Side Step For JB74

Strong side steps made of steel. The simple design with only pipes makes it compatible with A-x Roof Rack and Rear Ladder (sold separately). The baked-in grained paint finish gives it a good quality feel. Can be bolted directly to the rudder frame. Long/short type selectable. Vehicle inspection compliant. *AES side garnish is required for installation.





Rear bumper guard designed in accordance with the standards of the anti-entry device regulations. This product is designed for vehicles with Showa Garage bumper spoiler and Lynx muffler. The steel body is coated with crystalline paint (wrinkle paint and condensation paint) for high strength and tough texture to protect the bar body. Installation is bolt-on only, and the mounting position and angle can be adjusted. Ideal for customizing the rear area of lifted vehicles.

[About Vehicle Inspection]

Pass/fail decisions may vary depending on the condition of the vehicle, installation method, and the inspector's opinion. For details, please check with the Transportation Branch Office with jurisdiction





Type 2 E00173 Right and left side set ¥105,000 E00174 Left side ¥53,000 E00175 Right side ¥53.000





Stylish exterior with a strong prese designed to match the silhouette.

The suspension was finished without any

compromise in comfort and driving performance.

From on to off duty, it will suit your lifestyle nd model that is sure to be It



JB64 Showa GARAGE Demo Car / Parts Configuration

• ABS front bumper spoiler Genuine color (JPN)

- Skid plate black
 ABS rear bumper spoiler type 1 Genuine color (JPN)
 ABS 9mm wide fender Genuine color (JPN)
- ABS 9mm wide fender Genuine color (JPN)
 ABS sports grille eye line style Black (grained)
 Carbon bonnet
 FRP rear Wing
 Door mirror visor cover

- LED license plate transfer kit (with drilling)

LAMP

- LED fog lamp inner black white
- LED front blinker lamp type 2 smoked
- LED side marker type 3 smoked/inner black
- LED high mount stop lamp Type 3
- LED sequential door mirror blinker Type 2 clear
- LED tail lamp clear/white bar

ENGINE & POWER TRAIN

- Links muffler
- Powered ECU Spec2 high-octane specification

SUSPENSION

1 Inch Up Kit Enapetal E-12 Lateral rods Set

- 1-inch Lift-up Coil
- Enapetal E-12 Shock Absorber
- Stainless Steel Brake Hose*1
- Front and Rear Lateral Rods
- Caster Bush
- X-SHOCK Steering Damper
- *1: Optional

TIRE/WHEEL

- TOYO OPEN COUNTRY R/T 185/85/R16
- TYPE-M 16×5.5J +20 White

(Made of ARS)

time as dressing up the car. By blacking out the lower part of the body, the height of the vehicle is visually raised. 9mm wide fenders can be used together with this garnish to create a more elegant look.

Side sill covers for JB64 finished with weather-resistant AES material. It protects the body from scratches caused by flying rocks or when getting in and out of the car at the same





★1: Available genuine colors are Blueish Black Pearl 3 (ZJ3), Jungle Green (ZZC), Pure White Pearl (ZVR*only XC), White (26U *only XL/XG), Kinetic Yellow (ZZB), Chiffon Ivory Metallic (ZVG), Brisk Blue Metallic (ZWY), Medium Gray (ZVL), Silky Silver Metallic (Z2S).

before installation

ABS products do not require any modification during installation due to the small individual differences that occur during production, but in rare cases, modification may be necessary. FRP products have many individual differences during production and require adjustment such as modification, processing, etc. and painting

Rear Bumper Spoiler Type 1 For JB64 *Up to Type3

This rear bumper spoiler is smartly designed to match the square exterior of JB64. The rea bumper spoiler covers the back part of the tail lamp to protect the lamp from rainwater and mud from the tires. Note that some cutting or other adjustments may be required to install the lamps. The license plate number and spare tire need to be moved. *Not compatible with Type 4 rear parking sensors.





Rear Bumper Spoilerr ALTO tail spec For JB64 *Up to Type3

Developed based on the tail lamp for ALTO (compatible model: for HA36 made by Embro or 415COBRA). Stylish finish. The back of the tail lamp is covered to protect the lamp from rainwater and mud that may splash from the tires. The FRP model has an unpainted gel coat finish. *Not compatible with Type 4 rear parking sensors.

(Made of ABS) E00420 Unpainted ¥44,000 E00421 Black (grained)* ¥59.000 *Semi-glossy black like the genuine bumper. Genuine color (JPN),slightly darker and blacker than Genuine bumper




Rear Bumper Guard For JB74 E00152 ¥28,000

Rear bumper guard designed in accordance with the standards of the anti-entry device regulations. This product is designed for vehicles with Showa Garage bumper spoiler and Lynx muffler. The steel body is coated with crystalline paint (wrinkle paint and condensation paint) for high strength and tough texture to protect the bar body. Installation is bolt-on only, and the

Genuine color *****1 **¥59,000**

mounting position and angle can be adjusted. Ideal for customizing the rear area of lifted vehicles.

[About Vehicle Inspection] Pass/fail decisions may vary depending on the condition of the vehicle, installation method, and the inspector's opinion. For details, please check with the Transportation Branch Office with jurisdiction




a point of interest to the exterior. The overall width after installation is within a certain range of 20mm (within 10mm on each side) of the width stated on the vehicle inspection certificate, and meets safety standards. Wide tires (TOYO OPEN COUNTRY MT 225/75R16, etc.) can also be mounted. In addition to double-sided tape, the front is secured with the factory clips. The rear is secured with bolts (drilling required) and nuts to prevent loosening and body corrosion. The black color with grains like the factory bumper tightens the undercarriage and emphasizes a bold image. (Semi-glossy black with factory-like grain, slightly darker and blacker than the factory bumper).

*This product must be used on registered vehicles that have obtained license plates.







111111

Strong side step for JB64 made of steel. The simple design with only pipes makes it compatible with A-x Roof Side Step For JB64 Rack and Rear Ladder (sold separately). Baked-in grained paint gives it a good quality feel. Can be bolted directly to the rudder frame. Long/short type selectable. Vehicle inspection compliant.



AES Side Garnish For JB64 E00206 ¥35,000

EXTERIOR Exclusive exterior for JB64

A sporty looking front bumper spoiler with a reduced top and bottom size.

• Unpainted E00300 With hole E00320 Without holes ¥45.000 each

Black (grained)* E00301 With hole E00321 Without holes ¥60,000 each

*Semi-glossy black like the genuine bumper. Genuine color slightly darker and blacker than Genuine bumper.

Front Bumper Spoiler For JB64

It matches the square exterior of JB64. Can be attached

to the factory fog lamps (cutting of interfering parts is

washer (XL and XG grade). Includes mesh net (black) to

(Made of FRP) E00040 Unpainted (gel coat finish) ¥37.000

The skid plate protects the engine and parts under the floor from

road protrusions and stones. It is a part that gives the front area

required). ABS type has a hole for headlight washer (XC grade) and FRP type has a hole for headlight

be attached to the front number bracket and duct.


Both require installation of our optional skid plate.

• Unpainted (gel coat finish) **±1 ¥60.000**

Skid Plate For JB64









«QR code is a link to the product video

EXTERIOR



Rear Bumper Spoiler Type2 For JB64 *Up to Type3 Based on the square silhouette rear bumper spoiler with impressive duct design, a license plate pocket is added. Only the spare tire needs to be moved and cost-saving customization is possible. Reliable dust-proof and drip-proof design protects tail lamps from rainwater and mud. Drilled holes for the factory rearview camera have been machined, allowing installation of JB64/74 factory and external tail lamps. Cutting and other

Dust-proof and drip-proof adjustments may be required for installation. *Not compatible with Type 4 rear parking sensors.



MBRO LED Tail Lamps for HA36 ¥30,000 each Tail lamps for Showa GARAGE's Rear bumper

spoiler (ALTO tail spec.)







About AES resin

AES resin is a weather- and impact-resistant resin in w the butadiene rubber of ABS resin is replaced by light- and heat-resistant ethylene propylene rubber. It is also environmentally friendly because it reduces painting costs as a byproduct, and is currently used in a wide range of fields including construction materials and automotive

exterior parts. Incidentally, some ABS resins deteriorate to white in less than a year when used outdoors without coating, but AES resins can be used outdoors for a relatively long period of time. *Durability depends on the environment in which the product is used



EXTERIOR Common exterior for JB64/74

Carbon Bonnet *Clear painted

FRP Bonnet *Unpainted gel coat finish For JB64/74 E00701 ¥72,000

This is a carbon hood made by L-RTM method. The carbon model weighs approximately 6.7kg, 4.8kg less than the factory model. The back side of the hood has a ribbed structure similar to that of the factory hood, with sufficient strength taken into consideration. Each catch and installation part is also highly precise. The For JB64/74 E00700 ¥120.000 product is beautifully clear coated to ensure durability. The L-RTM construction method allows for a smooth finish, and combined with the clear coating, the appearance is almost mirror-like. Even the corners of the product have an even weave. The carbon fiber grain uses a twill weave, which is considered to have a beautiful appearance. Generally speaking, the farther the weight is from the center of gravity of a car, the greater the effect on mobility. The hood is also highly effective in reducing weight due to its position, and has a great impact on handling and other aspects of the vehicle. For Jimny, which is not even lightweight, weight reduction is a major tune-up for its dynamic performance.

What is L-RTM method?

The L-RTM process is a molding method that uses male and female molds. After the fiber is set in the mold, a vacuum is created inside the mold. The resin is then injected into the



mold and cured to form the product. The thickness of the product is even and the strength is less likely o be uneven, making it lighter than conventional

roducts

60



FRP Rear Wing For JB64/74 E00710 ¥35.000

This FRP rear spoiler gives the JB64/74 a sportier look. Although small in size, it adds a little accent to the tail. The exquisite size and design make it look like a genuine



option without any sense of discomfort. The gate opening/closing and visibility of the high mount lamps are not affected at all, and it is just as easy to use as stock. No drilling or other modification to the body side is required for installation, and the included double-sided tape and metal clamps (4 pieces in total on both sides) can be used to firmly fix the product in place. *Unpainted gel coat finish. *Cannot be used in combination with our rear ladder.





ABS Sports Grille A four-bar design front grille made of impact-resistant ABS material. The spindle-shaped opening line is a perfect match with the front bumper spoiler. Choose from unpainted or colored settings that do not require painting. The original For JB64/74



★ 1: Available genuine colors are Jungle Green (ZZC), Pure White Pearl (ZVR), White (26U), Kinetic Yellow (ZZB), Chiffon Ivory Metallic (ZVG), Brisk Blue Metallic (ZWY), and Medium Gray (ZVL), Silky Silver Metallic (Z2S)

LED License Plate Transfer Kit For JB64/74

This is an essential part when there is no space to mount a license plate on the rear bumper. The normal spare tire position interferes with the plate, so the use of a spare tire transfer bracket (sold separately) or removal of the spare tire is required. Made in Japan.











Mesh Net General purpose



EXTERI

«QR code is a link to the product video.

EXTERIOR Common exterior for JB64/74

Rear Ladder Aluminum 30mm Back For JB64/74

E00148 Narrow type ¥34,000 E00157

Wide type **¥36,000** Rear ladder to be attached to the

rear gate hinge. Rust-resistant and highly durable aluminum material is used. Convenient when using a roof rack or other equipment. By attaching it to the hinge, the distance between the fulcrum and the point of force is shortened to reduce the load on the rear gate. The slim shape prevents interference even when large-diameter tires (225/75R16, etc.) are mounted diagonally right above the factory position. Compared to the previous model, the mounting portion has been extended by 30mm to allow a greater distance from the gate and make it easier to place a foot on the gate. A wider type with a width of approximately 55mm for even greater ease of use is also newly added to the lineup. The color is a heavy finish with the well-known Wrinkle coating (baked crystalline coating) of A-x roof racks. Made in Japan. By using the optional spacer, the clearance to the gate can be increased by 10mm, making it even easier to use. Please use the non-slip tape to prevent the gate from stepping off. *Cannot be used with FRP rear wing.

Anti-theft Bolt for **UNIFAS iGuard Rear Ladder** For JB64/74

E00143 For steel and stainless steel E00156 For aluminu

¥2,400 each

Innovative screw kit with high level of security, completed by a group of skilled screw craftsmen. Ideal for preventing theft of the rear ladder. The use of stainless steel makes it rust-resistant and aesthetically pleasing to the eye. The kit includes a special tool and two types of bolts (one long and one short). The long bolt is for the optional 10mm rear ladder spacer, and the short bolt is for when the 10mm spacer is not used.

Bonnet Damper E00154 Black ¥4,200 right and left set For JB64/74 E00155 Gunmetal ¥4,800 right and left set



Easily opens by hydraulic pressure. It does not get in the way like a hood stay and makes maintenance easier. Installation is completely bolt-on, requiring no drilling at all. Not for use on FRP or carbon fiber hoods.





10mm Spacer for Rear Ladder For JB64/74 E00145 um **¥2.800** each For alumin



Narrow type

By using this spacer, the clearance between the ladder and the rear gate is increased by 10mm. The toe can be placed further back, making it easier to put your foot on.

Non-slip Tape for Rear Ladder





Non-slip tape provides a secure grip. The standard tape is approximately 10 cm long, and the wide tape is approximately 13 cm long in strips. The back side is a sticker, so it is easy to apply and install.



¥800 5 pieces



For JB64 XC/74 JC

¥20,000 right and left set

Out mirror visor covers with a

E00250

For JB64/74

Door Mirror Visor Cover


distinctive pattern that changes expression depending on the angle of view. No modification is required, just replacement, to

add individuality to the door surroundings.

ABS Fuel Lid Cover

E00211 Black (grained) ¥5.800

E00210 Unpainted ¥2,500



product is excellent, and it can be installed on any body color. Easy to install with only double-sided tape. Fits perfectly to the factory fuel lid. Usability, such as opening and closing, will not change at all. *ABS resin has poor

Three ribs on the surface create a

tough image. The quality of the

weatherability, so we do not recommend using

Spare Tire Cover For JB64/74/23/43 Illustrated pattern ¥4,300 each



Spare tire cover to decorate the back of your Jimny. A wide variety is available. Can be installed on 175/80R16 (JB64, JB23 standard tire), 195/80R15 (JB74 standard tire), 205/70R15 (JB43 standard tire), and 185/85R16. Not for installation on 185/85R16.











Shows



E01002 Bud

E01005 Showa Garage A

EXTERIOF







-E00075 Tent Nature

E01001 Top

E00076 Lantern

E01006 Showa Garage B





K QR code is a link to the product video.

EXTERIOR



Muffler Cutter For JB64/74 E00052 ¥9,000

Designed exclusively for JB64/74, this muffler cutter gives a sporty look to the rear end. Manufactured by 5ZIGEN, a long-established muffler manufacturer. With dropout prevention mechanism. Made of stainless steel. Showa GARAGE logo. (JB74 Type 4 is not compatible.)











E00074 Tent Adventure



E00077 Compass



E01003 Type 74



E01007 A-x



E01000 Minnows



E01004 Special 64



E00070 ¥3,000



Designed exclusively for Jimny Light weight aluminum A-x roof rack For JB64/74

Fusion of lightweight aluminum and heavyweight steel.

The baked crystalline coating on the exterior gives it a lightweight aluminum appearance, yet it feels as heavy as steel. It does not rust. The uniquely designed wind shield suppresses air resistance and reduces wind noise. This roof rack is available in a wide range of sizes for multiple uses.

M Super Wide



¥56,000 Weight: 11.4kg Number of foot: 4pcs Dimensions (outside): Length 140cm, Width 125cm, Height 13cm

A-x roof rack Standard Type ML Half size General purpose E20011 ¥36,000

you like. It can also be used with various attachments such as a roof box and a cycle/winter carrier

Half-size is flexible and Weight: 6.9kg Dimensions (outside): can be used in any way Length 150cm, Width 62cm, Height 13cm Dimensions (inside): 120cm × 55cm



UNIFAS iGuard Anti-theft Bolt/Nut

General purpose Innovative screw kit wit F20033 a high degree For roof rack with foot of security. It **¥2.400** set of 2 is easy to E20037 remove and install using a special tool, and the For Roof Rack Standard stainless steel used makes it rust-resistant and **¥4,500** set of 2 protects the car in a visually pleasing manner.

A-x Awning General purpose

E20120 2.0m(W)x2.5m(L) approx. 8kg ¥33,000

The unified design of the same brand is even more impressive when combined with the A-x Roof Rack.

Easy to set up and take down. It fits neatly into the side of the roof rack without affecting the cargo bed, and the load capacity remains the same. The canvas is made of 420D oxford and has a water pressure resistance of 3000mm, which is a sufficient spec. The telescopic aluminum poles can be adjusted freely according to weather and sunlight. The soft case is also durable and can be used with peace of mind. Pegs and guy ropes are included. *Can also be attached to roof racks from other manufacturers if the size fits.

1

For A-x Roof Rack with Foot General purpose

Awning Mounting Stays General purpose E20110 Set of 2 ¥7.700

E20111 Set of 3 ¥9.000 Exclusive for A-x Roof Rack with Foot. Made of stainless steel, with bolts necessary for attaching to the roof rack. The long holes are compatible with all awning



manufacturers. The mounting pitch is 40-50mm, and the bolts are M6 or M8. Bolts and nuts for attaching awnings are not included

L Wide ¥72,000 Weight: 14.2kg Number of foot: 6pcs Dimensions (outside): Length 170cm, Width 125cm, Height 13cr

Ideal for securing outdoor gear such as containers and tents. The hooks are movable, allowing for a high

Cargo Net General purpose

E20045 S size (90cm×90cm) ¥2,700 *Compatible with A-x Roof Rack S size and M E20046 M size (100cm×100cm) ¥3.000 Compatible with A-x Roof Rack M Size Wide, M Size

Super Wide, L Size, and L Size Wide E20047 L size (120cm×100cm) ¥3,300 Compatible with A-x Roof Rack L Size, L Si L Super Wide, and LL Size

Base Sheet for Hooks IN103

General purpose



M size (100×100) 160×160

degree of freedom in adjusting the degree of cargo hanging. Made of resin that is resistant to breakage,

objects. Moderate elasticity of approximately 150%

provides both ease of use and fixing force.

Compatible roof rack sizes are for

The size of the corresponding net varies greatly depending on the actual roof rack used and the

shape and amount of cargo. Please select the size after considering the elongation ratio of the product.

150×150

180×160

Maximum dimension Elongation rate

166

160

150×160

strong, and has relatively low aggressiveness to

reference only.

Size

(cm)

L size (120×100)

S size (90×90)

penetrating for a long period of time and protects from **¥1.200** 6 sheets scratches. The special transparent sheet makes it inconspicuous.



For A-x Roof Rack Standard Type Awning Mounting Stays

Stainless steel stays for attaching an awning to the A-x Roof Rack Standard Type. Completely bolt-on, no E20112 Set of 2 ¥11.600 modification required. Includes all necessary bolts for E20113 Set of 3 ¥17,400 attaching to the roof rack. All bolts are made of rust-resistant stainless steel. The mounting pitch is 35-65mm, and the bolts are M6 or M8. Compatible n only with A-x awnings, but also

with awning products from other awning manufacturers: products from ARB and BLAST TRAIL have been tested for compatibility. *Bolts and nuts for attaching awnings are not included.







LED Fog Light Inner Black For JB64/74

Inner black for a calm look; 5W×3 LEDs; IP68 waterproof and dustproof design; aluminum housing with heat sink; lens and body made of polycarbonate. Aluminum housing with heat sink, lens and body made of polycarbonate, with optical axis adjustment function. Two colors are available: white for high visibility and fashionable, and yellow for easy visibility in bad weather such as rain, fog, and snow.





E20032 For 4 hooks **¥800** 4 sheets E20034 For 6 hook





...........

eds als als











JB64/74

LAMP Lamps for JB64/74

LED Front Blinker Lamp Type 2 For JB64/74

Transparent and clear lenses give a clean impression around the front. With illumination ring. Includes high-flash prevention resistor and a branch tap for wiring. Optional "Coupler-on Resistor Set for LED Blinker" allows for secure installation without troublesome wiring modification.



E00094 ¥8,000 right/left set











Smoked lenses



E00109 ¥8,000 right/left set

Sequential **Door Mirror** Blinker Type 2 For JB64/74

Sequential type door mirror indicator which is standard equipment for JB64XC and JB74JC. The edgy LED design lights up from the inside to the outside in a smooth spreading manner ECE standard product.







E00191 ¥13,400 right/left set





LED **Sequential Door Mirror Blinker Type 1** For JB64/74

This LED sequential blinker fits perfectly to the genuine door mirrors of JB64XC and JB74JC, and lights up in a line-like gradation without any noticeable LED particles (bulbs). ECE standard product.









LED Side Marker Type 3 For JB64/74

Equipped with high brightness 3030 SMD chip, 10 LEDs emit vivid light. Two types of lenses are available: clear lenses with high transparency and smoked lenses with subdued tones.



F00112 Inner black ¥4.200

for LED Blinker

For JB64/74 E00089 ¥1,800 set of 2 These resistors prevent the high-flash that occurs when converting from incandescent bulbs to LED Blinkers. It is a general-purpose product and can be used with our LED front . winker lamps. No damage to the wiring, just plug in the coupler. It works reliably and has excellent durability.





LED High Mount Stop Lamp Type 3 For JB64/74 E00085 ¥4,800





INTERIOR Common interior for JB64/74

Combination Steering Wheel Real Carbon ¥36,000 each



100220

Red Stitching

Steering Wheel

Slightly thicker than the factory steering wheel, with a cross-sectional shape that emphasizes operability. It is easy to grip and has a great feel to the touch. The shape of the thumb rest (the hollow part at 9-3 handle position) has also been optimized to ensure comfort. The frame is made of lightweight yet strong aluminum. It contributes to rigidity and safety. The air bag, switches, and covers are used as they are from the factory, making it compatible with all grades of JB64/74. All fabrics are made of genuine leather.

Beautiful texture unique to real carbon. The natural depth that cannot be expressed by printing such as hydraulic transfer is realized. Layers and layers of clear paint also make the carbon cloth stand out even more. Stitching color can be selected

from red and black.



Combination Steering Mat ¥22,000 each

Matte finish for a calm and chic atmosphere. The smooth feel makes steering operation more light. Available in walnut, white ash and ebony. Stitch color can be selected from red or black. *The wood look is not natural wood.

White Ash 100223 100222 **Red Stitching** Black Stitchi

100221

Black Stitching

Walnut





100115

Red Stitching



Combination Steering Wheel Gloss ¥22.000 each

Available in brown wood and piano black and Walnut. Stitching colors are red and black. *Brown wood is not natural wood but wood style.





100116

Black Stitching

Leather-wrapped Steering Wheel High-end Model ¥34,000 each

Handstitched by Japanese craftsmen. Higher grade leather is used than the standard model, and smooth leather and perforated leather are used according to the part to be operated to improve the quality feel. Baseball type stitch pattern is used. It is less likely to come into direct





Steering Boss For JB64/74 100109 ¥13,000

This boss is indispensable when converting to an external steering wheel such as NARDI or MOMO. The steering wheel is a part that is in constant contact with the driver's body, so it is important that the steering wheel is easy to operate and feels comfortable to the touch. You can choose from small diameter, large diameter, D-shape, deep cone type, etc., and convert it to your favorite steering wheel for a comfortable driving experience. The atmosphere around the cockpit that cannot be experienced with a stock steering wheel will surely enhance your mood. Harness and screws necessary for installation are included. Compliant with safety standards. Made by Works Bell.

Steering Wheel Cover For JB64/74 ¥3,200 each

PU leather is used, which has elasticity close to that of genuine leather and is pleasant to the touch. The steering wheel cover is made of staggered and flat stitches, which are elastic and strong. The more you use this handmade product, the more comfortable it becomes in your hand and the more stable it becomes even after long hours of driving. The vintage feel of this product coordinates well with the Seat Cover Old Series.







INTERIOR

Leather-wrapped Steering Wheel **Standard Model**



INTERIOR

¥22,000 each

Perforated genuine leather is used for a comfortable feel in the hand and improved texture. European type stitching is used, and the red stitch color adds accent to the all-black steering wheel. Black stitch color is also available, so please choose according to your preference.











I 00230 Black





100232 Dark Brown


INTERIOR Common interior for JB64/74

Seat Cover Old Brown×Check For JB64/74

Front and rear set ¥45,000 each *Not available for XG Front set ¥30,500 each

Glen check gives the interior a traditional image. The fabric has excellent air permeability and heat retention properties, so it can be used comfortably all year round regardless of the season. The seat sides are made of PU leather with a vintage feel. The texture is similar to that of genuine leather, and it is easy to maintain.





Dark brown

are compatible with fde altrbace

Carage seat











Seat Cover Mocha×Check For JB64/74

I 00197 Front and rear set ¥45,000 *Not available for XG I 00198

Front set **¥30,500**

Seat covers with a nostalgic antique look. They make the interior bright and warm. The PVC leather sides have a grainy finish to reproduce the texture of genuine leather. Highly water-resistant and stain-resistant, so it can be used without hesitation. It is a perfect match with comfortable fabrics for all seasons.

INTERIOR









covers have a different look as they are used more and more, and can be enjoyed as they age. The back pockets on the back of the front seats are similar to those of denim pants. *The seat cover has been treated to prevent staining, but in rare

Denim fabric is used to give a casual look to the interior. The seat

cases, the color may migrate

Seat Cover Old Series Piping For JB64/74

Front and rear set ¥42,000 each *Not available for XG Front set ¥25,500 each

Piping is applied to the Old Series seat covers, which are vintage in both design and texture, giving them a pop American taste of the good old days. The retro atmosphere reminiscent of the American cars of the 60's is added while maintaining the high quality of the Old Series.





Seat Cover Old Series For JB64/74

Front and rear set ¥35,000 each *Not available for XG Front set ¥20,800 each

Luxurious PU leather used for high-class sofas is utilized to create a vintage taste in both design and texture. Although it is synthetic leather, it is also generally referred to as fake leather, and its look, feel, and elasticity can be mistaken for genuine leather.













I 00188 Front and rear set I 00189 Front set




INTERIO





I 00191 Front and rear set I 00192 Front set







I 00137 Front and rear set I 00138 Front set







I 00134 Front and rear set I 00135 Front set



INTERIOR Common exterior for JB64/74

Seat Cover Black Piping For JB64/74

Front and rear set ¥23.000 each *Not available for XG

Front set ¥17.000 each

NTERIOR


Piping processing applied to the seat sides adds just the right amount of color and accent to the interior. The seat surface skin as well as the piping are grained for a high quality finish. The PVC leather is easy to wipe off rain, dirt, and dust, and is easy to maintain.













I 00148 Front and rear set I 00149 Front set

Seat Cover Black For JB64/74

100101 Front and rear set ¥18.000 *Front set for JB64 XC/XL and JB74 JC/JL 100104 Front and rear set ¥18,000 *Front set for JB64 XG

Seat cover with simple design. The front seats have rear pockets. The material is PVC leather. Unlike the genuine fabric, it is highly water-resistant and easy to maintain, allowing for more active use.



Showa GARAGE is an authorized dealer of RECARO seats.

The monocoque frame structure was adopted to achieve uncompromising hold, comfort, and safety. The combination of high uncompromising noid, comfort, and sarety. The combination of high density and high quality urethane foam, exclusively designed with our original know-how, is effective for long distance and long hours driving. The seat is ergonomically shaped to trace an ideal posture for a driver to avoid fatigue. RECARO has been developing lightweight models for many years by using a resin composite framework that has little effect on weight, and its reliable quality has made it a genuine product of many automobile manufacturers in Europe, the U.S. and Japan.

RECARO LX-F WU110 R00190 General purpose

Tuning of urethane foam hardness, seat depth and shoulder support. Comfort model with flatter seat cushion shape. The sides will be covered with ultra-suede.

Color:Black×Silver×Black Brown×Silver×Black

Without armrest attachment holes ¥128,000 each With armrest attachment holes* ¥131,000 each

Please specify for right side or left side seat. WU110H R00194 General purpose Equipped with 2-stage adjustable seat heater. Without armrest attachment holes ¥147.000 each With armrest attachment holes ¥150.000 each

*Please specify for right side or left side seat.

RECARO LX-F WL110H (R00198) General purpose



The LX-F series is designed to secure RECARO's ideal driving position by adopting high quality urethane foam. It features a stylish form with Euro taste. The center of the seat is made of original mesh material. Laur. A new standard model of comfort seat equipped with seat heater and adjustable air lumbar support. Color: Black × Silver × Black

White × Silver × Black Without armrest attachment holes ¥162,000 each

With armrest attachment holes* ¥165.000 each *Please specify for right side or left side seat.

Armrest General purpose Armrests for LX-F and SR-C. R00050 For right side seat ¥11,000 each For left side seat ¥11,000 each

*A base that can be attached to the seat itself is required to install the armrest.







K QR code is a link to the product video.

RECARO SR-S BK100 R00150 General purpose



This model combines Kamui, a raised material with high grip, and Brilliant Mesh, a new material with excellent breathability. A global standard sports seat with high seating performance and a comfortable hold.

Color: Black × Black, Black × Red, Black × Silver, Black × Blue

¥109.000 each

BK100H R00160 General purpose This model is equipped with a two-stage adjustable seat heater. ¥119,000 each

RECARO SR-S UT100 [R00170] General purpose

Standard model of RECARO sports seat, combining high-quality textured ultra-suede and highly durable artifical leather (artificial leather). The three dimensional form, which focuses on seating performance, enhances the enjoyment of sports driving.

Color: Black × Charcoal Gray Red×Charcoal Gray Surge Gray × Melange Gray

¥139,000 each

Black×Red

UT100H R00180 General purpose

This model is equipped with a two-stage adjustable seat heater.

¥149.000 each

Black×Charcoal Gray

RECARO SR-C BK100 (R00100) General purpose

A highly convenient sports and comfort seat that combines breathable brilliant mesh and grippy Kamui.enjoyment of sports driving. Color: Black × Black, Black × Red



Black×Silver, Black×Blue Without armrest attachment holes ¥109,000 each With armrest attachment holes* ¥112.000 each *Please specify for right side or left side seat.

BK100H R00120 General purpose Equipped with 2-stage adjustable seat heater. Without armrest attachment holes ¥119,000 each With armrest attachment holes* ¥122,000 each *Please specify for right side or left side seat.

Black×Blue

RECARO SR-C UT100 R00130 General purpose

Advanced flat type seat cushion is adopted. The SR-C series is ideal for vehicles with high vehicle height and seating posture.

Color: Black × Charcoal Gray Red×Charcoal Gray Surge gray × melange gray

Without armrest attachment holes ¥139.000 each

With armrest attachment holes* ¥142,000 each

*Please specify for right side or left side seat.

UT100H R00140 General purpose

Equipped with 2-stage adjustable seat heater. Without armrest attachment holes ¥149,000 each

With armrest attachment holes* ¥152,000 each

*Please specify for right side or left side seat.



Red×Charcoal Gray

RECARO Genuine Base Frame For JB64/74/23/33/43/JA22/11

¥22,000 each R00001 JB64/74 Right (Driver)



Genuine RECARO base frame that fits different car models. RECARO, which also develops genuine seats R00002 JB64/74 Left (Passenger's seat) for automobile manufacturers, developed the base frame while taking into consideration not only floor installation and positioning of the seat itself, but also forward visibility, steering wheel and pedal positions, and other aspects of in-car packaging. The base frame is designed to comply with safety standards when the genuine base frame is used and the RECARO seat is installed correctly.

INTERIOR

INTERIOR Common interior for JB64/74

Armrest For JB64/74 Convenient armrest that also serves as a console box. The L-shaped design allows for easy access to the side brake without obstruction. Designed specifically for the vehicle, installation is as simple as inserting it into the center console. The front of the lid



locks to prevent contents from being scattered. For storing drinks that have been left out of their place due to the installation of armrests, please use the separately available drink holder (Item No. 100040), which can be attached to the air conditioner vent or left and right doors.



Shift Side Storage Case For JB64/74AT 100180 ¥2,500

Storage pocket exclusively for JB64/74AT models. It is easy to reach when you need it and convenient to put in and out. It does not interfere with shifting, steering wheel operation, or pedal operation. Two gusseted pockets, two mesh pockets, and one removable pocket can be used for different purposes. There is also a storage pocket on the passenger's side, which is a nice feature for passengers. Installation is as simple as placing it over the shift section. It is designed specifically for the car model, so it fits perfectly. Durable fabric is used to prevent scratches around the shift area.



Drink Holder For JB64/74

100040 ¥2,300

and doors.

This drink holder is designed

exclusively for JB64 and JB74.

canned coffee to PET bottles. Can be attached to the driver's

and passenger's seat air outlets

Can be used for everything from

Showa Garage

Aluminum Assist Grip For JB64/74



one			I 00172			
¥2,500 each	I 00171	Black	100173	Blue		
Set of 3			I00177			
¥7,000 each	100176	Black	I 00178	Blue		
High-grade aluminum material is anodized in a colorf						



in a colorful finish. The glossy texture with good coloring adds color to the interior. The high rigidity of the assist grips is evident when gripping them, which is not the case with the stock grips. The grip is comfortable to hold and provides an excellent fit. The anodized surface is resistant to rust and corrosion and durable. Easy installation with a single screwdriver. *Installation screws included.

LED Room Lamp For JB64/74 High brightness 3-chip SMD is used for outstanding brightness. For ¥2.000 each front lamps and rear luggage with remote control ¥3.800 lamps. The remote control type has 16 levels of brightness adjustment.





3D Non-slip Mat For JB64/74

Excellent durability and water resistance. Lightweight. The mat and luggage will not shift easily.

Perfect size for JB64/74. The 3D structure prevents leaks and stains. The tray-like outer perimeter and edges on the sides prevent mud and dust from splattering. Washable in cold water and easy to clean even when soiled. The material is excellent in heat resistance, weather resistance, ozone resistance, and durability against deterioration over time. Front floor mats and luggage mats are embossed on the surface to prevent slipping.



3D Non-slip Floor Mats for **Front Seats** 100150 For MT 100151 For AT ¥9.000 each set for driver's seat and front passenger's seat



3D Non-Slip Floor Mat For Rear Seat



100152 ¥6,000

Non-slip Luggage Mat Type 2 For JB64/74 100157 ¥6,300 *XG is not available. Flat type luggage mat exclusively designed for JB64/74 and made of highly durable material. The surface of the product is embossed to prevent slipping. When not in use, it can be rolled up for storage to make effective use of the rear seat and luggage space. Comes with a bright blue Showa Garage tag.













INTERIOR

From city driving to off-roading, it can be used for all kinds of purposes.

Showa GARAGE Undercarriage Development Concept Based on the idea that "even tough suspension that can handle rough roads can also be comfortable for city driving", we first thoroughly test the bike under various on-road conditions, and then finish it off to a state that is fully satisfactory. After that, we carry out careful testing again off-road, and then make final adjustments beforecompleting the product On-road, it has a comfortable ride and natural handling with minimal unwanted rolling. Off-road, it has excellent maneuverability and good road-holding, so you can ride with peace of mind. For those who want to go off-road in earnest, simply removing the front stabilizer will dramatically improve its off-road performance.

SUSPENSION Suspension Parts for JB64/74

20mm Lift-up Kit For JB64/74

This kit allows you to easily lift up the suspension without changing the ride guality. The shock extension bracket prevents the shocks from stretching out. Recommended tires are [JB64]185/85R16 or [JB74]215/75R15, which are one size larger than the stock tires.

Set includes Aluminum coil spacer, Long brake hose, Shock extension bracket soo300 ¥24.800

1-inch Lift-up Kit For JB64/74

The amount of lift-up is 1 inch (25-30mm) when installed on JB64. The spring rate is increased compared to the stock, and the ride quality becomes more firm. We recommend larger tires [JB64] 185/85R16 or [JB74] 215/75R15. An extension bracket is included to prevent the shocks from stretching out.

1-inch Lift-up Kit

Set includes	1-inch up coil, Long brake hose * 1, Rear shock extension bracket					
Silver Spring	S00320	For JB64	S00350	For JB74	¥35,000 each	
Black Spring	S00340	For JB64	S00354	For JB74		

1-inch	Lift-up	Kit	Latte	Set	

Set includes 1-inch up coil, Long brake hose *1, Caster bush, Rear shock extension bracket, Front and rear lateral rods *2 Silver Spring S00330 For JB64 S00352 For JB74 ¥82.000 each Black Spring S00342 For JB64 S00356 For JB74

OHLINS Shock Absorber 500141 ¥400,000



forJimny exclusivel





Coil Spring

Coil Spring

Showa GARAGE is an authorized dealer of Ohlins Suspension. As the name of the 4×4 line "Adventure" series suggests, you can enjoy excellent performance and driving in various scenes from street to off-road. Large capacity reservoir tank and wide range of rebound and compression



Precautions For JB64 XC and JB74 JC grade, ride height sensor correction stay is required separately.may be necessary.

> •To compensate for the reduced visibility of the immediate left side due to lifting, it is necessary to secure visibility by means of a camera, etc. •Even if the vehicle height is increased by 40mm or more by replacing the coil springs, the coil springs are designated parts * and thus do not require a structural modification inspection and will pass the vehicle inspection without modification.

ack springs also

*Designated parts are automobile parts that are highly likely to be added or changed according to the preferences of the automobile user, and which are not considered a hindrance to ensuring safety or preventing pollution. The parts are specified in the "Notice of the Director-General of the Japan Automobile Traffic Bureau No. 234 and No. 262 of the Ministry of Transport, dated November 16, 1995. When these parts are installed with bolts or adhesives, it is not necessary to change the description on the vehicle inspection certificate or to go through structural change inspections, etc.

ENNEPETAL E-12 Shock Absorber For JB64/74

S00400 For normal ride height S00401 For 1 inch up s00402 For 2 inch up 1car ¥170,000 each



responding to a wide range of road conditions. The wide range of 12-level damping force adjustment covers a wide range of driving conditions from on-road driving such as winding roads and highways to off-road driving such as flat dirt roads, everyday use such as city driving, and sports driving. A dial on the top of the absorber allows easy adjustment with a comfortable clicking feeling.

1-inch Up Kit ENNEPETAL E-12 Set For JB64/74

This 25mm (1 inch) up is popular with people who want a combination of everyday practicality, style and a certain degree of performance. Compared to the standard, it provides a firmer ride. However, in the case of this Showa Garage Original Setting E-12, a comfortable ride is ensured and it is not related to the tightness that is common in tuned dampers. By making

moderate adjustments while taking advantage of the standard's comfortable ride, it suppresses excessive roll and changes to a calm feeling. By making the most of the excellent operability that is unique to mono-tube dampers, it offers a higher level of comfort, such as improved handling and stability during sports driving, and a supple, soft, silky ride that envelops the bumps in road during everyday use.Recommended tire sizes:



[JB64] 185/85R16 [JB74] 215/75R15								
	Coil S	pring	FL		FR	RL		RR
й 6	Spring Rate	e (kg/mm)	1.80	1	1.80	2.6	0	2.60
6	4 Free Leng	gth (mm)	388		388	31!	5	330
_							_	
١.	J Coil Spring		FL		FR	RL		RR
E	B Spring Rate (kg/mm)		2.30	1	2.30	2.50	D	2.50
7	Free Length (mm)		359		362	303	3	324
				_				
	hock Absorber	Fro	ont			Re	ear	
2	nock Adsorder	Max. length	Min. lengt	th	Max. I	ength	Mi	n. length
(Genuine (mm)	409	269		45	51		302

4		3
Black	springs also availa	ble
the		
_	Set includes	1-in



Black Spring	S004
Set includes	1-inch Front a
Silver Spring	S004

SG Adjustable Coil 50 ENNEPETAL E-12 Set For JB64/74

An all-rounder that strikes a balance between driving and appearance. Load clearance that gives you a sense of high lift. Moderate ride height and center of gravity combine comfortable daily driving with excellent off-road performance. When equipped with Showa GARAGE SG Adjustable Coil 50, it provides a tight ride with moderate damping that is not too hard, and natural handling with less excessive roll. The wide range of 12-level damping force adjustment mechanism covers a wide range of driving conditions from on-road driving such as winding roads and highways to off-road driving


such as mogul and dirt roads, everyday use such as city driving, and sports drivina. Recommended tire sizes are 185/85R16 and 195R16: 225/75R16 is also available





SG Adjustable Coil 50, ENNEPETAL,

Long brake hose ***1**, Brake hose down stay, Caster dream ABS extension stay, Short sway bar link, Sway bar down spacer, Front and rear lateral rods *****2, Escape member





«QR code is a link to the product video

FL FR RL RR

FL FR RL RR

oring Rate (kg/mm) 1.80 1.80 2.60 2.60

Free Length (mm) 388 388 315 330

pring Rate (kg/mm) 2.30 2.30 2.50 2.50

Free Length (mm) 359 362 303 324

About Vehicle

Inspection

★3: Bump rubber hardness is soft (front) and super soft (rear). ★4:Reinforced arms are available in gunmetal, red, black, and blue.

SUSPENSION Suspension Parts for JB64/74

Adjustable Shock Absorber d by Showa Garage

X-SHOCK For JB64/74



The 14-level adjustable X-SHOCK absorber can be used for everything from city driving to off-road driving. There are three types for 1, 2 and 3 inch height increases. The X-SHOCK can be adjusted to suit a wide range of on- and off-road driving styles, and can also be used with a genuine specification without a sway bar. The 1 inch height increase type can also be used with the standard vehicle height, and even if you increase the height, there is no need to worry about interference between the cross member and the there is no need to worry about interference between the cross member and propeller shaft, and it can be installed in the standard state (only the left rear brake hose needs to be replaced). For 2-3 inch up, countermeasures against interference with the cross member

or replace required. addition.

1-inch Up Kit X-SHOCK Set For JB64/74

ement is	Shack Absorbar	Fro	ont	Re	ear	¥35,000 each/set of 2
. In	Shock Absorber	Max. length	Min. length	Max. length	Min. length	S00184 Front S00185 Rear
the long	Normal	409	269	451	302	Cooler Home Cooler Real
se needs	1 inch up	433	277	490	314	For 3-inch up Single item for repair
laced.	2 inch up	460	290	515	327	¥17,500 each/one
	3 inch up	480	300	540	340	S00135 Front S00136 Rear



¥35.000 each/set of 2

S00180 Front S00181 Rear

For 1-inch up Single item for repair

S00131 Front S00132 Rear

For 2 inch Up

S00182 Front S00183 Rear

•For 2-inch up Single item for repair

S00133 Front S00134 Rear

For 3 inch Up

¥35.000 each/set of 2

¥17,500 each/one

¥17,500 each/one

A suspension kit that has a 14-level adjustable shock absorber that can be adjusted to suit a wide range of riding styles, and that also improves off-road driving performance while also pursuing a comfortable ride for city driving.

Steering dampers that increase damping force and reduce the recoil when large-diameter tires are fitted, etc. The Showa Garage original brand "X-SHOCK" supports all kinds of suspension needs, from everyday use to serious off-road driving.



X-SHOCK **Steering Damper** For JB64/74

S00115 ¥20.000 This is a steering damper with increased damping force to reduce the impact from the road when large diameter tires are fitted. It is made by KYB, the same manufacturer as the genuine product, so you can be sure of



its quality and performance. It has the same shape as the standard product and can be installed with bolts.







SG Adjust Coil 50 X-SHOCK Set

The ride height is raised by 50mm (2 inches), and compare a set that can be comfortably driven from on to off with a 75mm (3 inch) increase, the ride is softer. By cutting the pa where the upper part of the spring closely connected area is possible to adjust the amount of height increase and the balance of the front and back without affecting the spring rate. The 14-level adjustable X-SHOCK absorber can be adjusted widely to suit various driving styles, and it can also be used for serious specifications without stabilizers. The standard set is an all-in-one set of essential parts, and the



set includes a large-capa bump rubber, while the set also includes reinfor arms. Recommended tir sizes are 185/85R16 and 195R16. 225/75R16 is also possible

Set Contents

SG Adjustable Coil 50, X-SHOCK, Long Brake Hose *****1, Brake hose down stay, Caster dream, ABS extension stay, Short sway bar link. Sway bar down spacer. Front/Rear Lateral rods *2, Escape member *Some contents differ depending on the set.

SG Adjust Coil 75 X-SHOCK Set



The ride height is raised by 75mm (3 inches), and this set you to drive comfortably whether on or off-road. Compar a 50mm (2inch) ride height increase, this set gives a more ride feel for driving around town. The 14-level adjustable X-SHOCK absorber can be adjusted to suit a wide range of driving styles, from on-road tooff-road. It can also be used a genuine specification that does not use a sway bar. By c the part where the upper part of the spring closely conne area, it is possible to adjust the amount of height increase the balance of the front and back without affecting the s rate. The standard set and B set, which are a comprehensiv



SG Adjustable Coil 75, X-Shock, Long brake hose *****1,

Sway bar down spacer, Front/Rear Lateral rods *****2,

Rear shock spacer set. Brake hose down stay. Caster dream, ABS extension stay, Short sway bar link,

Rear lateral rod correction bracket,

Propeller shaft spacer, Escape member *Some contents differ depending on the set.

set, include large-capacit bump rubbers, and the also includes reinforced so you can choose the se best suits your needs. Recommended tire size:225/75R16, 6.50R16.

	« QR code is a link to the product video	
Image: Control of the standard	for those who drive on forest roads	EXTERIOR
Side Adjustable Coil 50 X-SHOCK Set 1000000 1000000 1000000 1000000 1000000 1000000 1000000 1000000 1000000 1000000 1000000 1000000 10000000 100000000000 1000000000000000000000000000000000000	The photo shows the standard set.	LAMP
8 Standard Sci + High Capacity Bump Rubber *3 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	a SG Adjustable Coil 50 X-SHOCK Set Standard Set Silver Spring S00360 For JB64 S00363 For JB74 Black Spring S00380 For JB64 S00383 For JB74 For JB64 S00383 For JB74	INTERIOR
000000000000000000000000000000000000	Standard Set + High Capacity Bump Rubber *3 Silver Spring \$00361 Black Spring \$00381 For JB64 \$00384 For JB74 Black Spring \$00381 For JB64 \$00384 For JB74 SG Adjust Coil 50 X-SHOCK BA Set	SUSPENSIO
Prece Length (mm) 388 405 379 390 2 inch up 460 290 515 327 I Monthal State I Monthale I Monthal State	Standard Set + High Capacity Bump Rubber *3 Front/Rear Reinforced Arm*4 Silver Spring S00362 For JB64 S00365 For JB74 Black Spring S00382 For JB64 S00385 For JB74 Coil Spring FL FR RL RR Social Spring FL FR RL RR Shock Absorber Front Rear Spring Bate (kn/mm) 2.25 2.24 Shock Absorber Front Rear	
A solid SG Adjustable Coil 50 X-SHOCK Set Standard Set Silver Spring \$00370 For JB64 \$00373 For JB74 \$207,000 each Back Spring \$00390 For JB64 \$00393 For JB74 \$207,000 each 2-inch Up Kit ENNEPETAL E-12 B Set \$1000 Silver Spring \$00371 For JB64 \$00374 For JB74 \$218,000 each Silver Spring \$00371 For JB64 \$00394 For JB74 \$218,000 each \$2100 Kit ENNEPETAL E-12 B Set Silver Spring \$00371 For JB64 \$00394 For JB74 \$218,000 each \$2100 Kit ENNEPETAL E-12 BA Set Silver Spring \$00372 For JB64 \$00375 For JB74 \$2332,000 each \$332,000 each Silver Spring \$00372 For JB64 \$00395 For JB74 \$332,000 each \$332,000 each Silver Spring \$00372 For JB64 \$00395 For JB74 \$4332,000 each \$4332,000 each	Bit A set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is recommended for those who drive on forest roads Image: set is roads Image:	EL JB23 PARTS
2-inch Up Kit ENNEPETAL E-12 B Set ity BA set Silver Spring \$00371 Black Spring \$00391 For JB64 \$00394 For JB74 Parms, Black Spring \$00391 For JB64 \$00394 For JB74 Parms, \$1000 each Diver Spring \$00372 For JB64 \$00375 For JB74 \$1000 each Silver Spring \$00372 Solver Spring \$00372 Solver Spring \$00392 Solver Spring \$00392 Solver Spring \$00392 Solver Spring \$10000 each Solver Spring \$00372 For JB64 \$00375 For JB74 \$4332,000 each Coil Spring Fl Fl Rl Shock Absorber Max length Min length	e solid e SG Adjustable Coil 50 X-SHOCK Set Standard Set Silver Spring S00370 For JB64 S00373 For JB74 Black Spring S00390 For JB64 S00393 For JB74	1
Standard Set + High Capacity Bump Rubber *3 Front/Rear Reinforced Arm *4 Silver Spring \$00372 For JB64 \$00375 For JB74 Black Spring \$00392 For JB64 \$00395 For JB74 Coil Spring FL FR RL RR Shock Absorber Front Rear Max length Max length Min length Min length	Standard Set High Capacity Bump Rubber *3 Silver Spring \$00371 Back Spring \$00391 For JB64 \$00394 For JB74 Black Spring \$00391 For JB64 \$00394 For JB74	LIGHTNING
	Standard Set + High Capacity Bump Rubber *3 Front/Rear Reinforced Arm *4 Silver Spring \$00372 For JB64 \$00375 For JB74 Black Spring \$00392 For JB64 \$00395 For JB74 Coil Spring FL FR RL RR Front Rear	OTHERS

brake hos

to be repl



Set includes 1-inch up coil, Long brake hose *1, Caster bush, X-SHOCK

Set includes 1-inch up coil, Long brake hose *1, Caster bush, X-SHOCK,

Silver Spring S00323 For JB64 S00351 For JB74

Black Spring S00341 For JB64 S00355 For JB74

Front and rear lateral rod *2

Silver Spring soo333 For JB64 soo353 For JB74

Black Spring S00343 For JB64 S00357 For JB74

It is capable of all-around driving from city driving to off-roading, with reduced roll and a firm ride.For JB64. 1 inch up (25 to 30mm) is required. The 14-level adjustable X-SHOCK (cross shock) absorber can be adjusted to suit various specifications and riding styles

size [JB64]185/85R16, [JB74]215/75R15.

¥102.000 each

¥142,000 each

both on-road and off-road, and can also be used with the The photo shows the standard set. sway bar removed. Bush for correcting front caster angle and front and rear lateral rods for adjusting hosing misalignment are also included in the lathe set. Recommended tire

Black springs also 0000000

				-		
.,	Coil S	oring	FL	FR	RL	RR
J B 64	Spring Rate	e (kg/mm)	1.80	1.80	2.60	2.60
64	Free Leng	gth (mm)	388	388	315	330
J	Coil Sp	oring	FL	FR	RL	RR
J B 74	Spring Rate	e (kg/mm)	2.30	2.30	2.50	2.50
74 Free Leng		gth (mm)	359	362	303	324
_						
She	ock Absorber	Fro	nt		Rear	

Charle Abcorbor	FIC	חונ	Redi		
Shock Absorber	Max. length	Min. length	Max. length	Min. lengt	
Normal	409	269	451	302	
1 inch up	433	277	490	314	

Can be replaced with stainless steel mesh brake hose (1 inch is + ¥22,300, 2·3 inch is + ¥8,500)	
2:Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel.	

1-inch Up Kit X-SHOCK Set

1-inch Up Kit X-SHOCK Latte Set

★3: Bump rubber hardness is soft (front) and super soft (rear). ★4:Reinforced arms are available in gunmetal, red, black, and blue.

Precautions For JB64 XC and JB74 JC grade, ride height sensor correction stay is required separately.may be necessary.

35

SUSPENSION Suspension Parts for JB64/74

1-inch Lift-up Coil The lift is 1 inch (25-30mm). The spring rate is higher than the genuine product, so the ride is firmer than the



tandard. Compatible with genuine shocks. Recommended tire size: 185/85R16, 215/75R15.										
Black springs also available	For JB64 S00044 Silver ¥32,000 unit S00043 Black ¥32,000 unit					For JB74 S00144 Silver ¥32,000 unit S00143 Black ¥32,000 unit				
aun,	Coil Spring	FL	FR	RL	RR	Coil Spring	FL	FR	RL	RR
- COL	Spring Rate (kg/mm)	1.80	1.80	2.60	2.60	Spring Rate (kg/mm)	2.30	2.30	2.50	2.50
	Free Length (mm)	388	388	315	330	Free Length (mm)	359	362	303	324

SG Adjustable Coil For JB64/74

No effect on spring rate! Height and balance adjustable spring! Cutting the spring closely connected area that does not affect the spring rate, the height and front/rear/right/left balance can be adjusted. This is a versatile type that can be used mainly for city driving, but also for off-road driving.Without cutting, the amount of increase is 50 mm (2 inches) and 75 mm (3 inches) for a vehicle with a spare tire and rear seat, respectively



Reinforced Arm For JB64/74

gunmetal, red, black, and blue.

SG Adjustable Coil 50 For JB64 (\$00045) Silver ¥35,000 unit S00047 Black ¥35.000 unit For JB74 S00145 Silver ¥35.000 unit S00147 Black ¥35.000 unit Lift-up amount is 50mm (2 inches); adjustable from 20 to 50mm 000000





2.63

Coil Spring FL FR RL RR Spring Rate (kg/mm) 2.50 2.50 2.63 Free Length (mm) 399 409 375 391



Reinforced Leading Arm For front. Extends +6mm (for 2"), +10mm (for 3") to compensate for wheelbase. Reduces interference For front ¥55,000 each / right and left set between tires and fenders. Caster angle has also been corrected to 5.2° (for 2-inch) and 7.9° (for 3-inch).



Reinforced Trailing Arm For rear ¥51,000 each /right and left set

genuine arm. The wheelbase, caster angle, and horseshoeing angle have already been

performance of the suspension. Genuine bushings are already press-fitted. Available in

For rear. The hosing part is 22mm thick and shaped to secure road clearance. The horsing angle has been corrected (2.1°) for lift-up



Reinforced Trailing Arm For rear ¥68,000 each / right and left set

(Reinforced Type)

For rear. The ribs have been extended to further increase durability against bending. This reinforced type is recommended for those who often drive off-road



Adjustable Lateral Rod For JB64/74

This part corrects the suspension that causes lateral misalignment due to changes in vehicle height. By adjusting the geometry to the correct level, it helps to reduce body wobble.

Adjustable Lateral Rod Stainless Steel

Made of stainless steel for rust resistance and strength. Rubber bushings are used for the rod ends. *Rod ends are consumable parts and need to be replaced periodically.



Long Brake Hose For JB64/74

Long brake hose to make up for the lack of length when lifting. The 2-inch up set is for use with absorbers up to 460 mm in length at the front and 515 mm at the rear. 3-inch up set is for use with absorbers up to 480 mm in length at the front and 540 mm at the rear. The set includes two front left and right (with four aluminum crush washers) and two rear right and left. Also sold individually. *The stay set compensates for the lack of brake hose length (approx. 30mm) and also includes a brake hose down stay that allows spring replacement without bothersome brake line disconnection

Adjustable Lateral Rod

black, gunmetal, and blue.

For front ¥22.000 each

For rear ¥21,000 each



Stainless Mesh Brake Hose For JB64/74 ¥23.500/each

S00658 JB64 for 1inch up S00659 JB74 for 1inch up S00650 JB64 for 2inch up S00652 JB74 for 2inch up S00651 JB64 for 3inch up S00653 JB74 for 3inch up



Comes with 2 front and 2 rear brake down stays. You can choose from 1 inch (25mm) up, 2 inch (50mm) up, and 3 inch (75mm) up for JB64/74 respectively. Compared to rubber brake hoses, the expansion rate is lower, and the force from the master cylinder is transmitted to the caliper more efficiently, so you get a direct brake feel. In terms of quality, the same permanent bonding (crimping method) as the genuine hoses is used, so you can be assured of a high level of reliability. The hose ends are made of stainless steel, which is highly resistant to corrosion. The outside of the stainless steel mesh is protected by a clear hose.

Short Sway Bar Link For JB64/74

S00110 ¥4.700 right and left set These sway bar links are 30mm shorter than the genuine parts. This is a set of left and right links for one vehicle. They correct the angle of the links on a

lifted vehicle, allowing the sway bar to work more efficiently and reducing roll. In addition, the shorter length increases the clearance between the ground and the vehicle, making it less likely to hit obstacles. Compatible with 20mm to 3-inch lifts. The degree of lift-up will require the correction of the angle of the sway bar. No correction is required for 20-40mm lift-up. For 2-inch lift-up, use a 5-15mm sway bar down spacer. For 3-inch lift-up, use a 20-30mm sway bar down spacer in combination.



Sway Bar Down Spacer For JB64/74

Corrects the angle of the sway bar links on a lifted vehicle and restores the original effect and function of the stabilizer. Effective when used in combination with short sway bar links. 10mm and 25mm

S00057 10mm S00058 25mm

¥3.800 right and left set **¥4.500** right and left set





lectic	<i>/</i> 1.						
4, JB7	74 right rear	For JB	64, JB74 le	Down bracket			
n	+50mm	+30mm	+50mm	+80mm	+30mm	Set price	
)	¥1,900 ¥1,		¥1,900 /本 piece	¥2,000 /本 piece	¥1,680	Set price	
						¥12,300	
		•			•	¥13,280	
						¥12,700	
					•	¥14,280	
						¥12,500	
					•	¥13,480	
						¥12,900	
	•				•	¥14,480	



Brake Hose Down Stay For JB64/74 \$00087

¥1,900 This stay compensates for the short length of the brake hose (approx. 30mm) when using a

1-inch longer absorber or shock extension bracket, and also allows the spring to be replaced without having to bother about disconnecting the brake line. After installation, simply remove the clip to free the brake line. In addition to the factory brake hose, it can also be used with long brake hose or stainless steel mesh brake hose

Shock Absorber Upper Bush For JB64/74 without sleeves ¥1,100 each / set of 4 S00153 Normal S00154 Sports with sleeves ¥1.400 each / set of 4 S00158 Normal S00159 Sports Bush for the upper part of the front shock absorber. Two types are available: Sport (direct feel) and Normal (equivalent to stock). The normal type can be used as a substitute for the genuine part. For absorbers that require a sleeve, please select the bushing with sleeve. Coil Spacer For JB64/74

S00063 10mm ¥4.900 piece S00064 15mm S00065 20mm Aluminum coil spacers for ride ¥5,200 each /piece

height adjustment (front/rear balance, etc.)

Coil Spacer 5mm For JB64/74 ¥2,500 each / set of 2

S00066 For front 5mm coil spacers for S00067 For rear ride height adjustment. Set of 2, with turn stopper.

SUSPENSION Suspension Parts for JB64/74

High Capacity Bump Rubber For JB64/74

Front **¥8,400** each/set of 2 S00068 For Front Hard S00069 For Front Soft Rear ¥6.600 each/set of 2

S00071 For Rear Hard sooo72 For Rear Soft sooo73 For Rear Super Soft

with larger capacity

and adjusted to suit the application. Bolt-on installation. The front bump rubber is about 80mm longer than stock with the included 15mm spacer. If you cut the plate where the genuine bump rubber fits, you can install without using sooo70 For Front Super Soft the spacer, and you can install without sacrificing (cutting) the capacity of the bump rubber for the clearance (15mm) that is created. Choose the hard type (hardness 70) for use in bumping regulations, or the soft type (hardness 60) for shock absorption in speed competitions. Super soft type (hardness 50) has excellent shock absorption and can be used for both front and rear bumps in speed competitions, but is especially recommended for rear bumps. For reference, all genuine bump rubbers

Bump rubbers significantly increase capacity compared to

genuine. Overall length is 125 mm, approximately 65 mm

longer than genuine. Can be easily cut with a cutter knife

have a hardness of 70.

Rear Bump Block Exclusively for high-capacity bump rubber

enabling

W-bump

specification

*Need to purchase High Capacity

Bump Rubber Repair separately


For JB64/74

S00028 ¥6.000 right/left set Aluminum block and bolt set for installing high capacity bump rubbers inside the rear coil springs. The spring acts as a support and will firmly hit the hosing in any situation. Bolt-on installation,



S00015	Hard	(hardness 70))
S00016	Soft	(hardness 60)	
	~	f	

S00017 Super soft (hardness 50) Bracket (sold separately) is required for installation



Compared to conventional figure-8 bump rubbers, the hollow portion has been reduced to 1.5 times (50mm) thicker, 1.25 times (100mm) taller, 84mm wider, and 2.4 times larger in capacity. The rigidity of the product itself is increased, so it is less likely to warp or sag, and it hits the hosing more firmly. The mounting portion has been machined with long holes, allowing

adjustment of the contact position. Choose the hard type for those who want a firm hold, and choose the soft or super soft type for those who want shock absorption.

Comparison with the figure-8 bump rubbers sold in the past. The capacity is approximately 2.4 times larger



Bump Bracket for high-capacity figure-8 bump rubber For JB64/74 S00033 For rear ¥8.800 right and left set

Bracket for mounting a high-capacity figure-8 bump rubber on the rear (25 mm high). Conventional figure-8 bumps can also be installed. Mounting holes on the bracket are pre-machined with long holes for front/rear position adjustment. Bumps are mounted using button bolts to prevent damage during full bumpina





The shock absorbing power is greatly increased. Also, by extending the overall length, bump Necessity of bump rubber The shock absorbing power is greatly increased. Also, by extending the overall renger, bump rubbers can be used to prevent contact between the tires and the body, and to reduce body sway. In addition, it can be regarded as a "second spring" with a high spring rate, and can provide a sense of stability when cornering on-road as well as off-road

for high-capacity bump rubber For JB64/74 \$00037

Full set ¥7,000 right/left set S00038 50mm ¥4,800 right/left set \$00039 25mm ¥2.800 right/left set

rubber. By shortening the

shortening the rear

high-capacity bump

bump rubber, it reduces swaving and bending for a more stable touch. 25mm and 50mm can be used as a set for 3-step

adjustment up to a maximum of 75mm.

for diffeed diffetion



room when the vehicle is lifted and is essential when replacing the absorber with one that is 2" or 3" higher One stay is used for the front

s00160 Street 60

S00161 Sport 70

comfort.

The loose impression of the genuine body is

replaced by a sharp ride. Recommended for

Compared to the Street 60, the Street 60

sensations transmitted from the tires and

suspension easier to understand

ABS & Air Pipe

Correction Stav

those seeking a sportier feel without losing daily

transmits more minor vibrations and sounds, but

this increases the direct feeling and makes the



OTHERS Other parts for JB64/74

Quick Body Mount For JB64/74 ¥6,000 1 car

\$00151 S00152 For 2 to 3.5 inches up

Rear Shock Spacer Set For JB64/74 soo111 ¥2.600 Spacer set to prevent interference between rear shock and coil spring. Set includes 2 x 10mm spacers and 2 x long bolts.

Front Shock Guard For JB64/74 ¥11,500 each / set of 2

S00500 Gunmetal S00501 Red S00502 Black S00503 Blue Securely guards the bracket on the underside of the front shock. Protects from impact and improves running

performance. Steel 4.5mm thick. Total 4 colors. Installation requires enlarging the hole

Pitch Gauge for Bush Press Fitting Bush Press Fitting Fixture Set (simple type)

General purpose S01004 ¥1,500 This is a gauge for press-fitting an eccentricity bush into the reading arm to match the pitch of the genuine part. This is for the front (148mm) only.

Propeller Shaft Spacer 10mm



Prevents the constant velocity joint of the rear

propeller shaft from coming off at full rebound. Depending on the absorber used, this item is necessary for off-road driving with a ride height increase of 3 inches or more.

Hub Nut Without Brim

For JB64/74 D00032 ¥3,000 piece For repairing the manual hub installation kit (sold separately). Sold as a single unit. Cannot be used on vehicles with stock air locking hubs. Instruction manual is not included as this is a repair part.

Free Hub Cover Gasket General purpose D00016 ¥180 Sheet

Suzuki part number 43813-60A00. This gasket is used for the front suspension free hub. One gasket is used on each side and two gaskets are used for one car. General purpose

Manual Hub Installation Kit For JB64/74





¥7,000

Bolt Set for Free Hub For JB64/74 D00025 ¥3.200 《Compatible with all Jimny models.》

Free Hub Packing





Rear Bump Extension Block This is a set of extension blocks and bolts for

K QR code is a link to the product videc

Eliminates the side slits in the genuine bushings to increase rigidity. Two types of bushings with different hardness. Street 60 and Sport 70, are available for different applications. The bushings reduce the yawing between the body and frame, improve turning performance, reduce body shake and roll, and



Rear Shock

S00075 ¥5.000

Bracket For JB64/74

Extends the free length of the

shock by 35mm. Eliminates the

lack of length

Extension

transmit the sensation from the undercarriage. There is no change in ride height whe replacing the mounts. Effective not only for vehicles with deteriorated mounts, but also for new vehicles and body lifted vehicles. It can be used for a wide range of applications from street driving to competitions and sports driving. This set is designed to replace only 8 parts, which can be done in a short time without the need to detach he frame. You can experience the effect of replacing only half of the 16 parts

Height Sensor Correction Stay

For JB64/74 ¥1.300 each

For 0.5 to 1.5 inches up

Correction stay for auto-leveling For 0.5 to 1.5 mechanism of JB64 XC/JB74 JC. Required when lifting. Two types are available, one for 0.5~1.5" and the other for 2~3.5

Caster Bush Set of 2 For JB64/74 **S00095 ¥7.600**

For 2 to 3.5

This is a bush that corrects the caster angle deviation caused by lift up. It is suitable for vehicles that have been lifted up by about 1 inch, correcting 1.5° per use

Pillow Bush for Pivot Set of 2 For JB64/74 S00097 ¥22.000 each / set of 2 Used on the pivots of the leading arm and

trailing arm to reduce alignment changes for a more direct feeling. Used as body side bushings for both leading and trailing arms. *2 sets (4 pieces) are required for one car. Parts for competition

General purpose S01000 ¥12.000

Set of press fitting jig for replacing bushings on the leading/trailing arm and gauges (front and rear) to press-fit the bushings to the factory pitch.

D00030 For JA22 freehub D00031 For JA11 free hub ¥11.400

This kit is designed to replace the air locking hubs adopted from JB23 with the manual hubs equipped on JA11 and other models. The air locking hubs are difficult to visually check the locking status and may malfunction due to mechanical problems such as negative pressure leakage, etc. Therefore, it is recommended to replace the air locking hubs with manual hubs that are highly reliable and work reliably in an emergency.

*A genuine Suzuki free hub for JA11 or JA22 and a cone washer to install the free hub are separately required.

This is a set of high strength bolts, spring washers, and cone washers for fixing the free hubs for one vehicle. The bolts are stronger than the genuine ones, and by increasing the tightening torque, the free hub is firmly secured and prevents damage to the bolts





the front undercarriage. One O-ring is used for one side and two O-rings are used for one car.









MUFFLER Muffler for JB64/74





JB64/Proximity noise value: 77dB Acceleration noise value: 76dB JB74/Proximity noise value: 86dB Acceleration no (Main pipe 50¢, tail end 89¢, all stainless steel)





P00004 ¥62,000

The engine has enough torque at low rpm and blows up to hig rpm comfortably with moderate volume.

Torque 0.5kgm Power 6.2PS



Torque 0.3kgm Power 4.6PS

Links Muffler

Joint development with 5ZIGEN, a long-established muffler manufacturer. Left hand muffler for the new noise standard imposed on vehicles manufactured after April 2010. Main pipe 50 φ (with a 45 φ aperture at the tie-cock), tail end 70 φ , left hand exit, all stainless steel. For JB64/74, it can be installed by cutting and modifying the stock bumper. (Installation on genuine bumper type 4 has not been confirmed.)





Proximity noise value:87dB Acceleration noise value:75dB

Compliant with new standards P00005 ¥68.000

up to the high rpm range ristic of NA cars. It also ha





same time to improve quietness. The exhaust efficiency has been improved by replacing the middle pipe, allowing the driver to enjoy a smooth and pleasing response. The new silencer is easier to ride and more enjoyable to drive. (JB74 Type 4 is not compatible.)







Update for JB64I74!

SOUP-UP Soup up parts for JB64/74

Powered ECU

Powered ECU

The control maps are optimally adjusted to unleash the true potential of the JB64/74. The lineup includes Spec1 for regular gasoline and Spec2 for high-octane gasoline. This is an easy yet highly effective tuning menu. This powered ECU updates the JB64/74 to have a sharp, lively, and aggressive feel. It will definitely transform the power to a level that can be felt. Of course, we avoid settings that unnecessarily pursue peak power only, and focus on the feeling of everyday use. The vehicle is faithful to the accelerator pedal operation and accelerates comfortably on general roads, highways, and off-road. The cruise control setting can also be changed to comply with the increased speed limit on highways. (For JB74 only)




*Spec2 plugs must be replaced with new plugs to improve driving performance.



es "Cruise Control Upper Limit Change" in t recommend replacing the plugs to match the

the second se	
spec1 reased power with emphasis on easy ndling at low to mid speeds. Improved ponse makes the JB64 "easy to drive". r JB64 P00037 gular specification ¥50,000	2003 32 1003 TRANSOC 22 or PEDIA TOTAL CONTRA STATEMENT IN 112 113 113 114 115 115 115 115 115 115 115
ange ntrol nap • Fuel • Target air-fuel ratio • Required torque • Torque upper limit • Boost • Boost upper limit • Speed upper limit • Other	4 2000 2000 2000 2000 4000 4000 4000 1000 1000 2000 2000 4000 4000 1000 2000 4000 4000 1000 2000 4000 4000 4000 2000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 4000 40000 4000 4000 4000 4000 4000 4000
Spec2	00003-32-1004 DYNAPACK** 32 with PSONG SMART CONTROL SOFTMAREN V1.1 11.2 10.5 72.54 70.00 65.00
sed on Spec1, more power is added. The isfyingly, aggressive feel and torque nsform the JB64 into a powerful ride. Ir JB64 P00038 gh-octane specification ¥80,000	
ange ntrol nap • Fuel • Ignition timing • Throttle • Target air-fuel ratio • Cam timing • Torque requirement • Torque limit • Boost • Boost limit • Speed limit • Other	4 2000 2000 2000 2000 2000 2000 2000 200
ption P00041 HKS Super Fire Racin	ig M40XL ¥2,500 piece



• Fuel • Ignition timing • Throttle • Air-fuel ratio Change control map • Cam timing • Torque demand • Torque limit

GReddy Oil Cooler Kit For JB64/74 P00060 ¥62.000

This oil cooler uses a large-capacity core with offset fins in the core tube to reduce pressure loss and improve heat dissipation. The high heat dissipation prevents excessive temperature rise inside the engine and keeps the oil for lubrication and cooling at the proper temperature. The metallic blue accented body is visible through the grille and other openings, providing a dress-up effect.

P00061 Sensor adapter M18 Warning ¥1,200 piece Option P00062 GReddy Oil cooler sensor terminal M18 ¥2.500



Aluminum turbo piping set

Reduces pressure loss during boost and improves

JB64用 ¥36,000 each S00500 Polished S00501 Black S00502 Red S00503 Blue



engine response. Piping kit with aluminum pipe joints from the turbine to the intercooler and throttle body. The use of aluminum for the body material and silicone for the joint parts ensures durability and safety. By replacing the factory rubber pipe with an aluminum pipe, durability is increased and at the same time, deformation caused by strong expansion during supercharging is prevented and compressed air flow is smoothed out. Optimal pipe diameter and curvature have been selected for the intercooler inlet/atlet pipe and throttle pipe to reduce pressure drop. This will improve engine response. The silicone hoses used in the joints also have a multi-layered structure with high heat and oil resistance to reduce loss due to heat and pressure. The same layout as the factory allows for bolt-on installation without any interference between parts. The bright polished finish and the brilliant color of the wrinkle coating add a touch of color to the inside of the engine compartment





Vehicle Stability Control Canceller (VSCC) For JB64/74 P00024 ¥39,900

Deactivates traction control and anti-skid system (vehicle stability control). The genuine cutoff switch (operation) leaves some of the electronic controls in place, which can be detrimental when driving aggressively in sports driving situations, for example, when the driver is unable to control the vehicle as he/she wishes. With this device, the control can be deactivated at the touch of a button, leaving only the ABS in place and allowing the driver to enjoy the pure enjoyment of driving by suppressing behavior contrary to the driver's wishes. This is an indispensable item for serious off-road driving that requires a daring sliding technique, such as steep hill climbs with tires spinning. The status memory allows the engine to be turned on again when the engine is turned off and restarted.

«QR code is a link to the product video.











1

SR432

For JB64 JB23 W00053 Matte Black W00054 Gloss Black W00058 Matte Bronze ¥26,500 each Size 16×5.5J +20 Weight 8.0kg For JB74 JB43 w00056 Matte Black w00057 Gloss Black w00059 Matte Bronze ¥27,500 each Size 16×6.0J -5 Weight 8.5kg

The original SR432 aluminum wheel has mesh cross spokes, which is rare for Jimny. The rich expression of the straight and curved spokes, which have a difference in height, is a characteristic appearance that evokes a sense of elegance and sportiness. The concave design further accentuates the style of the center section. Like the wheels that adorn the feet of luxurious premium saloons, the taste that emits an aura of a higher rank is best suited for the dressed-up urban style.



INTERIOR

SPENSION



NTERIOR

AG

TYPE-M

For JB64 JB23 **¥24,500** each Size 16×5.5J +20 Weight 8.0kg For JB74 JB43 **¥26,500** each Size 16× 6.0J ±0 Weight 8.4kg

Νημε-ΙΠ Showa Garage Design's original aluminum wheels with a distinctive concave shape. In contrast to Showa Garage Design's original X-Line aluminum wheel, which has a simple straight line design, the TYPE-M has a rich, three-dimensional and crisp design.If the X-Line is "static", the TYPE-M is "dynamic". It has a sense of presence that will not be defeated by flashy customization.

APAIT OVO,

*Inset 20 is for the Jimny, and inset 0 is for the Jimny Sierra.







www.showa-garage.com

W00045 Matte Black W00046 Gloss Black W00047 Gunmetal

wooo41 White

wooo43 Matte Bronze

wooo48 Matte Black

wooo49 Gloss Black

woooso Gunmetal

大容量パッフラパー 豊化ポディマウント

mA







X-Line For JB64 JB23 **¥24,500** each Size 16×5.5J +20 Weight 6.9kg



Line

Original aluminum wheels designed by Showa Garage. The square shape features a simple design based on straight lines. The design makes the spokes look slender and long, creating a foot-lengthening effect and a one-rank larger image. The silhouette, which dares to eliminate curves, is unique and stands out from the many rounded designs. The deep rim shape is achieved by slimming down the reverse side of the rim, making it truly one-of-a-kind.



wooo13 Matte Black









EXTERIOR

48



NITRO POWER NITRO POWER SHOTGUN

H12 SHOTGUN For JB64 JB23 wooo37 ¥27,300 Size 16×5.5J +20 Weight 8.92kg

For JB74 JB43 wooosa **¥27,800** Size 16×6.0J -5 Weight 9.35kg

Nitro Power H12 Shotgun in the Showa style. Dyed bronze, a color not found in the catalog model lineup, it has been transformed into a style that gives a sense of depth as well as massiveness. The military style matches the tough and wild Jimny, and goes well with the burly off-road tires. The dish shape and 12-hole design give it a rugged and impactful shape. The ribs on each hole emphasize the depth and give a change to the dish wheel that tends to be monotonous. The NITRO POWER logo at the center of the wheel and pierced bolts on the outer circumference express an army taste. The matte finish also gives a tough appearance.





WIL ONO

COUNTR

Off-road taste is added to the monotone and urban atmosphere of the standard colors. The simple and sporty design is based on the NITRO POWER concept of military ruggedness. The concave spoke cross section and twin spokes with eight spokes hollowed out give an image of ruggedness and wildness. The simple deep rim shape creates a lightweight and three-dimensional appearance. Both rigidity and rugged design are achieved. The brand logo engraved on the center part creates an impactful originality. The high quality Nashikoji finish also provides strong support for SUVs and 4x4s.



ra GARAGE Com-ordered Semi-gloss bronze

16×6.0J -5



16×5.5J +20

NITROMPOWER **NITRO POWER M16 ASSAULT**

For JB64 JB23 **¥27,300** Size 16×5.5J +20 Weight 8,22kg For JB74 JB43 **¥27,800** Size 16×6.0J +5 Weight 8,00kg





CANA.

《 QR code is a link to the product video.



16×5.5J +20

16×6.0J -5







For JB64 JB23 ¥42,000 Size 16×5.5J +20 Weight 7.5kg For JB74 JB43 **¥43,000** Size 16×6.0J +5 Weight 8.3kg

oram

LIGHTS

A new proposal from VERSUS, which offers a wide variety of dress-up wheels. The "VV21SX" is a new type of wheel that skillfully combines a sporty and fashionable taste with the functionality-oriented design unique to RAYS. The design incorporates slim Y-shaped spokes pushed out on the top surface and the "relief pocket," an advanced lightweighting technology, for strong rigidity. The unique silhouette of the VV21SX is designed specifically for the "modern Jimny," and it is a vehicle that can be used on or off the road without skimping on performance. The color is Showa's original semi-gelatinized semi-elastomer. The color is Showa's original semi-gloss black.



RAVE X CARAGE RAYS Gram Lights 57DR-X

For JB64 JB23 (w00030) ¥41,000 Size 16×5.5J +20 Weight 6.7kg For JB74 JB43 W00033 ¥41,000 Size 16×5.5J ±0 Weight 6.9kg For JB74 JB43 w00034 ¥41,000 Size 16×5.5J –5 Weight 6.9kg

Original Showa Garage color made in collaboration with RAYS. A deep hyper bronze color that changes color depending on the angle you look at it. The 57DR-X, the successor model of the 57JX, is a 6-spoke design that is a RAYS tradition, but with a new logo design. The center portion is rounded to emphasize the concave line of the spokes. Different depths of the face are available for each inset. The spoke sides are ribbed to give a slim yet powerful impression, and provide sporty appeal and strong support for your feet in all situations, on or off the road. The inset for the Jimny is 20, for the Sierra -5 (*) for an aggressive style, and the inset 0 for a wider choice of tire brands.









Original color wheel made in collaboration with RAYS. Hyper Bronze is a deep color that changes color depending on the angle of view. The on-road sports model 57XTREME was refined for Jimny. The silhouette was changed from 2×6 to 2×5 for a longer leg design and to better match with the larger center bore Jimny. In addition, the aggressive concave design gives it a powerful and intrepid look, while adding a touch of the latest dress-up style to the Jimny, for which it is difficult to adopt a three-dimensional design. The design is designed exclusively for Jimny, and the extreme care taken in its execution has resulted in the expression of a rich three-dimensionality





RAYS A·LAP-J For JB64 JB23 W00008 ¥51,000 Size 16×5.5J +20 Weight 4.9kg W00007 ¥52.000 For JB74 JB43

Size 16×6.0J +5 Weight 5.1kg

The original A-LAP-J by Showa GARAGE and RAYS is a hyper bronze color that changes its appearance depending on the light. Forged 1 piece super sports model seriously built by RAYS for Jimny users with driving performance that surpasses even large 4WD machines. Lightweight performance was pursued to effectively transfer the limited displacement and power to the road surface. The optimal shape, 10-spoke cross section, thickness, and shape were optimized specifically for Jimny, and together with high strength and high rigidity, the lightest Jimny wheel weight of 4.9kg (inset 20) was achieved. Furthermore, the rim and disc shape has been adjusted for each inset to accommodate stock, over fender, and even Sierra models. Machined finish with RAYS & AOLAP-J logo. *Inset 20 is for Jimny, and inset 5 is for Jimny

Sierra

Wide Tread Spacer Black 30mm 139.7-5H JB64/74/23/33/43用

W00101 ¥3,600 piece W00102 ¥7.200 set of 2 W00103 ¥14.400 set of 4



Forged wide tread spacers made of high-strength aluminum material A6061-T6. Can be used for wheel-to-body alignment and suspension setting. The CNC and milling cutting marks on the body are also expected to be highly precise. Anodized surface coating ensures long-term corrosion resistance. The hub bolts are made of chromium molybdenum (SCM435), which is also strong enough.

WHEEL















OD 176mm / ID 108mm hickness / 30mr Bolt holes:5 holes PCD 139.7mm Thread pitch: M12 × 1.25 (Suzuki, Subaru, Nissan, etc.) Body material: forged aluminum (A6061-T6) Anodized finish Hub bolt material: chromoly steel SCM435)

JB23 Showa GARAGE **Demo Car / Parts Configuration**

EXTERIOR

- FRP front bumper spoiler
- FRP rear bumper sp
- Black skid plate with reinforced bracket • LED license plate transfer kit
- LED fog lamp Inner black

ENGINE/POWER TRAIN

• Links muffler

SUSPENSION

Adjustable Coil 60 Bilstein Shocks BA Set • SG Adjustable Coil 60

- Bilstein Shock
- Long Brake Hose
- Front and rear lateral rods
- High Capacity Bump Rubber
- Reinforced Leading Arm
- Reinforced Trailing Arm

TIRE/WHEEL

• TOYO OPEN COUNTRY M/T 195/R16 SR432 16×6.0J -5 Matte Bronze



HH SHOWA GARAGE

旅調77771- 選北ボデジマブント

Store Unity

Showa Garage

www.showa-garage.com

Ac.60

BILGITEIN







MANUFACTURED by SHOWA GARAGE



The JB23/33/43 has been on sale for 20 years and still has a strong fan base. For JB23 customizing, please trust Showa GARAGE, who have a long track record of achievements, including consecutive wins in the TDA series.

«Parts Introduction Movie



JB23/33/43

EXTERIOR Common exterior for JB23/33/43

Front Bumper Spoiler For JB23



Sharp-looking front bumper spoiler, available in painted or unpainted ABS and unpainted FRP gel coat finish. Skid plate (sold separately) is required at the same time. Fog lamps can be installed if the model is JB23-5 or later.

(Made of ABS) E00800 Unpainted ¥34,000 E00802 Black (ZJ3) E00803 Pearl (Z7T) E00804 Khaki (ZVD) E00805 White (26U) Genuine color (JPN) ¥49.000 each

(Made of FRP) E00030 Unpainted ¥31.000 (gel coat finish)

Front Grille For JB23 E00025 ¥18,000

Larger opening for increased ventilation. FRP gelcoat finish with black mesh net. 1 to 3 models of JB23, JB33, and JB43-2 to 7 models require hood

replacement or modification. Can be combined with bad face hood. *May cause interference due to individual differences.

mesh net is flexible and can be

painted gloss black. Aluminum

mesh net is painted gloss black.

The aluminum mesh net is

shaped by using a heat gun, etc.



Mesh Net General purpose E23000 Aluminum Mesh Net ¥1,700 (100cm×35cm) Aluminum honeycomb mesh net (mesh size: 18mm x 9mm) and ABS resin honeycomb mesh net (mesh size: 30mm x 13mm) can be freely used for luxurious Euro F23001 style or sporty style. The ABS

ABS Honeycomb Mesh Net ¥2,000 (120cm×40cm)

LED License Plate Transfer Kit For JB23/33/43 E00121 ¥10,800 each

The set includes mounting bracket, LED license plate light, and bolts. The LED number lights are made of resin so they will not rust and the LEDs have a long life. Drilling is required for installation. Includes Showa Garage logo sticker.



Rear Bumper Spoiler For JB23



Stylish rear bumper spoiler, available in ABS and FRP. The license plate needs to be moved for installation. A separate transfer bracket is required to install the spare tire.ABS spoiler is available in painted or unpainted. FRP spoiler is available in unpainted gel coat finish. (Made of ABS) E00810 Unpainted ¥32.000

E00812 Black (ZJ3) E00813 Pearl (Z7T) E00814 Khaki (ZVD) E00815 White (26U) Genuine color (JPN) ¥47,000 each

(Made of FRP) E00032 Unpainted ¥29.000 (gel coat finish)

Skid Plate For JB23



E00049 Silver ¥7,000

1111

Made of 3mm-thick aluminum, black anodized. Mounted by drilling holes at the end of the frame. Includes stainless steel button bolts. not for JB33/43.







E00034 Black ¥13,000 E00050 Silver ¥12.000

Tow hooks can be attached. A 4.5mm bracket is placed inside the frame to allow for secure bolting to the frame. Tow hooks with an attachment pitch of 57 mm, such as those made by Taniguchi, can be attached. The plate is made of 3mm thick aluminum.

License Plate Mounting Stay For JB23 E00031 ¥3,000

Set of number stay, reinforcement stay, bolt, and nut necessary to attach a license plate to Showa GARAGE's front bumper spoiler.





LED Fog Lamp



LAMP Lamp for JB23/33/43

LIGHTNING





MUFFLER Muffler for JB23/33/43

Links Muffler For JB23/33/43 P00002 New standard compliant product ¥51.000

«All models of JB23, JB33/43 before March 2010» Proximity noise value: 87dB Acceleration noise value: 81dB Jointly developed with 5ZIGEN, a long-established muffler manufacturer. Left-hand muffler compliant with the new noise standard imposed on vehicles manufactured after April 2010. Main pipe 50ϕ (with 45ϕ aperture at the tycoon section), tail end 70 odown shape, all stainless steel. Type S is also available, which is a full 50 version of the above model without the center pipe muffler and without the aperture in the rear tie-coil. Although it is a straight shape, it has torgue at low rpm and blows up smoothly to high rpm.



at 50 . It has enough torque at low rpm and blows up smoothly to high rom

INTERIOR Interior for JB23/33/43

Aluminum Assist Grip For JB23/33/43 **¥7.000** each/set of 3 ¥2,500 each/one 100175 Silver 100176 Black 100170 Silver 100171 Black 100177 Red 100178 Blue 100172 Red 100173 Blue

The high-quality aluminum

material is anodized in a variety

of colors. The bright colors and

glossy texture add a touch of

elegance to any interior. The

genuine assist grip provides a

high level of rigidity that you

won't find in a genuine assist

grip. It also has a great feel and



fit. The anodized surface is also resistant to rust and corrosion, making it durable Easy to install with just one screwdriver. *Installation screws included.

ABS products do not require any modification during installation because of the small individual differences that occur during production, but in rare cases, modification may be necessary. FRP products are subject to many errors that occur during production and require adjustment such as modification, processing, etc. and painting before installation

PARTS

LED Tail Lamp For JB23/33/43 E00026 Clear **¥25,000** left/right set



With the small light on, 9 LEDs (per side) on the LED tube, 12 LEDs (per side) on the brake, and 8 LEDs (per side) on the turn signal will flash. You can switch between sequential and normal lighting. Measures have been taken to prevent the high-flasher and ABS lamp from lighting up. If you want to install this on a JB33 or JB43, you will need to modify the wiring on the vehicle side. 1-year warranty. Fogging due to condensation is not covered by the warranty.

> (5700k) are used per side. They are much brighter than the genuine ones and ensure safe visibility when

reverse, such as when parking



Genuine Shape Fog Lamp For JB23/43

E00017 ¥1.800 piece



Equivalent to genuine product. Glass lenses are used, and the optical axis adjustment function is also included.Sold as a single unit with H11 bulb, E-marked. Requires lamp stay, connector, switch, etc. for installation on models JB23-5 and earlier. Some external bumpers may require modification.






isi∎ ∎SPU

Clutch Start Cancel Switch For JB23/43 000012 ¥6,300 unit

«Compatible with JB23-5 or later and JB43-4 or later» Turn the switch ON to start the engine without stepping on the clutch, and turn it OFF to return to the normal state. This can be used for off-road driving or



in an emergency to start the car by turning the cell phone while the car is in gear. It can also be used conveniently when using a bed kit for overnight stays in the car



For those who mainly drive in town and off-road...

SG Adjustable Coil 75





The SG Adjustable Coil 75 is designed for city to off-road driving, and although it depends on the characteristics of the combined absorber, it does For JB23/33/43 S00041 ¥35,000 per car although it depends on the characteristics of the combined absorber, it does not have an uncomfortable thrust, but absorbs it softly while suppressing roll. The spring rate is maintained by cutting the coil upper part where the wires are closely connected, and the ride height can be adjusted between 45 and 75 mm. Front/rear/right/left balance adjustment is also possible. The vehicle height can be increased by 75mm (with spare tire and rear seat). *Front height up amount is 10~15mm lower for JB3 and JB43.

SG Adjustable Coil 75 Solve Shock Set

For JB23/33/43 Set includes SG Adjust coil 75, long brake hose, caster dream, lateral rod *1, solv-shock, rear lateral rod correction bracket *Contents may vary depending on the set.

Intended for street and off-road driving. Uncomfortable thrust is softly absorbed while roll is minimized. Ride height is increased by 75mm (3 inches) with spare tire and rear seat.

*Front ride height is 10~15mm lower for JB33 and JB43.	
SG Adjustable Coil 75 Solv Shock Set	S00230
Standard Set ¥146,000	
SG Adjustable Coil 75 Solv Shock B Set	S00231
Standard Set + High Capacity Bump Rubber *2 ¥157	7,000
SG Adjustable Coil 75 Solv Shock BA Set	S00232
Standard Set + High Capacity Bump Rubber *2 Front/Rear Reinforced Arm*3 ¥250),000
SG Adjustab	ole Coil 75

*Contents may vary depending on the set.



gunmetal, and stainless steel

★2: Bump rubber hardness can be selected from hard, soft, and super soft. We recommend soft front and super soft rear. \star 3: The color of reinforced arm can be selected from Gunmetal, Red, Black.

Short Sway Bar Link

For JB64/74 S00110 ¥4,700 right and left set These swav bar links are 30mm shorter



than the genuine parts. This is a set of left



and right links for one vehicle. They correct the angle of the links on a lifted vehicle, allowing the sway bar to work more efficiently and reducing roll. In addition, the shorter length increases the clearance between the ground and the vehicle, making it less likely to hit obstacles. Compatible with 20mm to 3-inch lifts. The degree of lift-up will require the correction of the angle of the sway bar. No correction is required for 20-40mm lift-up. For 2-inch lift-up, use a 5-15mm sway bar down spacer. For 3-inch lift-up, use a

Shock Absorber **Upper Bush** With Sleeves For JB23/33/43 ¥1.400 each / set of 4



20-30mm sway bar down spacer in combination.

body and the frame, reduced body wobble and roll, improved turning performance, and more straightforward transmission of suspension movement. This set includes only 8 replacement parts, which can be done in a short time without the need to detach the frame. You can experience the effect of replacing only half of the 16 parts. There is no increase in unpleasant vibration or noise due to

S00158 Normal S00159 Sports Bush for the upper part of the front shock absorber. Two types are available: Sport (direct feel) and Normal (equivalent to stock). The normal type can be used as a substitute for the genuine part.

Quick Body Mount For JB64/74 The shape of the stock bushings has been reviewed

to increase rigidity. Reduced yawing between the the replacement. There is no change in vehicle height. Useful not only for vehicles with deteriorated mounts, but also for replacement when the vehicle is new. Also effective for body lifted vehicles.

SG Adjust Coil 60 AS8 Shock BA Set

Parts to correct suspension that causes lateral misalignment due to ride height change. By optimizing the geometry, it reduces body wobble, etc.

s00052 For front ¥22.500




Made of stainless steel, rust-resistant and strong. Rubber bushings are used for the rod ends. *Rod ends are consumable parts and need to be replaced periodically.

B23 PARTS

Bracket to correct the rear hosings' lateral rod mounting position upward by approximately 50mm when raising the vehicle height. It

reduces scuffing change and improves driving stability.



handling and ride comfort will be restored.

«QR code is a link to the product video.

is Coil Spring FL FR RL RR						
	is	Coil Spring	FL	FR	RL	RR
3 Spring Rate (kg/mm) 2.18 2.18 2.20 2.20	3	Spring Rate (kg/mm)	2.18	2.18	2.20	2.20
Free Length (mm) 387 410 372 397		Free Length (mm)	387	410	372	397





AS8 Shock Set

For JB23/33/43 Set includes SG Adjust coil 75, long brake hose, caster dream, lateral rod **±**1, AS8-shock, rear lateral rod correction bracket

The Photo shows standard set.



Sway Bar **Down Spacer** 25mm For JB23/33/43 By lowering the installation

position, it corrects the angle of the sway bar links on a lifted vehicle and makes the sway bar work more efficiently. Material: Aluminum. Black in color.





Reinforced Body Mount For JB23/33/43 S00030 ¥11,000 per/car



The body and frame need to be separated, but we recommend the full set of reinforced body mounts for those who want more effectiveness

JB23/33/43 OTHERS

SUSPENSION Suspension Parts for JB23/33/43

High Capacity Bump Rubber For JB23/33/43 Bump rubber with significantly increased capacity compared to stock.

Front ¥8.400 each/set of 2 with a cutter knife and adjusted to suit the application. Bolt-on SOOO68 Hard (hardness 70) SO0069 Soft (hardness 60) the included 15mm spacer. If you cut off the plate where the stock bump rubber fits, you can install without using the spacer, and you can install S00070 Super Soft (hardness 50) Rear ¥6,600 each/set of 2 S00071 Hard (hardness 70) S00072 Soft (hardness 60)

S00073 Super Soft (hardness 50)

(15mm) that is created. Choose the hard type (hardness 70) for use in bumping regulations, or the soft type (hardness 60) for shock absorption in speed competitions. Super soft type (hardness 50) is excellent in shock absorption and can be used for both front and rear bumps in speed competitions, but is especially recommended for rear bumps. For reference, the factory bump rubbers are all hardness 70.

without sacrificing (cutting) the bump rubber capacity for the clearance



Showa Garage



S00037 Full set

s00038 50mm

rear high-capacity bump rubber. By shortening the bump rubber, it reduces

swaying and bending for a more stable touch. 25mm and 50mm can be

¥7.000 right/left set

¥4.800 right/left set s00039 25mm

¥2.800 right/left set

larger capacity

Necessity of

First of all, it greatly increases shock absorption. Also, by extending the overall length, bump rubbers can be used more aggressively to prevent contact bump rubber with between the tires and the body, and to reduce body sway. In addition, it can be regarded as a "second spring" with a higher spring rate, and can provide a sense of stability when cornering on-road as well as off-road.

Rear Bump Block Exclusively for high-capacity bump rubber





Aluminum block and bolt set for installing high capacity bump rubbers inside the rear coil

springs. The spring acts as a support and will firmly hit the hosing in any situation. Bolt-on installation, enabling W-bump specification. *A separate high-capacity bump rubber is required.



Reinforced Trailing Arm (Angle Correction Reinforced Type) For rear ¥68,000 each /right and left set

For rear. Compared to the conventional reinforced arms, the ribbed part has been extended to increase durability against bending. Recommended for off-road driving.





Rear Bump Extension Block

for high-capacity bump rubber For JB23/33/43

This is a set of extension blocks

and bolts for shortening the














S00103



rear propeller shaft from coming off at full rebound. Depending on the absorber used, this item is necessary when driving off-road with a

ride height increase of 3 inches or more. **Hub Nut Without Brim** For JB23/33/43 D00032 ¥3.000 piece

Repair parts for the manual hub installation kit. Sold as a single unit. Cannot be used on vehicles with genuine air locking hubs. Instruction manual is not included as this is a repair part.

Free Hub Cover Gasket General purpose

D00016 ¥180 piece Suzuki part number 43813-60A00. this gasket is used for the front suspension free hub. One gasket is used on each side and two gaskets are used for one car.

High Capacity Figure-8 Bump Rubber



figure-8 bump rubbers, the hollow

so it is less likely to warp or sag, and it hits the

hosing more firmly. The mounting portion has been

machined with long holes, allowing adjustment of

for those who want a firm fit, and the soft or super

the contact position. Please choose the hard type

portion has been reduced to 1.5

Compared to conventional







soft type for those who want shock absorption. (Optional brackets are required for JB23, JB33, and JB43)

times larger in capacity. The rigidity of the product itself is increased,





omparison with the figure-8 bump rubber sold in the past. Capacity is approximately 2.4 times greater.

Front Shock Guard For JB23-2 type or later/JB43

¥11,500 each S00504 Gunmetal S00505 Red S00506 Black Securely guards the bracket on the underside of the front shock. Protects from impact and improves running performance.

10mm For JB23/33/43 S00019



Steel 4.5mm thick, Red paint, Installation requires enlarging the hole


¥7,600

OTHERS Other parts for JB23/33/43

Propeller Shaft Spacer



D00030 For JA22 freehub D00031 For JA11 free hub ¥7.000 unit





Free Hub Packing General purpose D00015 ¥160 Sheet

Suzuki part number 43842-80001. these gaskets are used for the free hub of the front undercarriage. One packing is used for one side, and two are used for one car

PARTS



K QR code is a link to the product video



S00097 ¥22,000 each / set of 2 For use on the pivots of the leading arm and trailing arm to strengthen the suspension fan and reduce alignme changes. Sold in sets of 2.

*Two sets (4 pieces) are required for one car. Parts for competition use



Manual Hub Installation Kit For JB23/33/43



¥11,400 unit


Freehub Bolt Set

For JB23/33/43 D00025 ¥3,200 unit 《Compatible with all Jimny models》

Set of high strength bolts, spring washers, and cone washers for fixing the freehub. The bolts are stronger than the genuine ones, and by increasing the tightening torque, the free hub is firmly secured to prevent damage to the bolts



Free Hub O-ring General purpose D00014 ¥290 piece Suzuki part number 43838-60A00. o-rings are used in the free hub of the front undercarriage. One O-ring is used on each side and two are used for one car



Showa GARAGE offers a variety of items to expand the possibilities of car life other than Jimny.





This model has a foot-long stay for high-roof vehicles. It is suitable for vehicles with a roof height of 20 cm or less from the rain gutters. Height can be adjusted.

Size		Weight (kg)	Number of foot (pcs)	t Dimensions (outside)	Dimensions (inside)	Price
M Super Wide	E20070	11.4	4	140×125×13cm	110×117cm	¥58,000
L Wide	E20071	14.2	6	170×125×13cm	140×117cm	¥75,000
LL	E20073	17.8	8	200×125×13cm	169×117cm	¥85,500



Lightweight Aluminum Roof Rack for High Roof Type Exclusive A-X Serie ut your luggage on the roof fective use of various seat arrangements

M size super wide/with foo

For N-VAN

Rust-resistant and extremely lightweight aluminum roof rack including the main body and foot sections. The base carrier is not necessary as the foot is included. The shape of the stays has been partially modified to fit the N-VAN and optimized to fit the N-VAN's distinctive rain gutters. Clearance between the front seats and

Size		Weight (kg)	Number of foot (pcs)	Dimensions (outside)	Dimensions (inside)	
M Super Wide	E20075	11.4	4	140×125×13cm	110×117cm	¥
L Wide	E20076	14.2	6	170×125×13cm	140×117cm	¥7

Base Sheet for Hook IN103

E20032 For 4 carriers ¥800_{4 sheets} E20034 For 6 carriers ¥1,200 6 sheets

Protective sheets to prevent scratches on the roof caused by mounting on carriers. Can be applied to curved surfaces without fail and can be removed cleanly without leaving adhesive residue. The special transparent sheet is not noticeable

A-x emblem 14cm 000161 ¥1,800 (General purpose : A-x emblem mountain 14cm General purpose

Full version of the A-x logo emblem, including the Yamagata design. Aluminum-like hairline finish with a extured silver color that changes



expression depending on the angle of view. The nree-dimensional design adds a point of interest to the exterior. Adhesion is made with highly durable double-sided ape. Approximately 140mm×30mm×2mm











Size		weight (kg)	number of foot (pcs)	Dimensions (outside)	Dimensions (inside)	FILCE
M Super Wide	E20075	11.4	4	140×125×13cm	110×117cm	¥58,000
L Wide	E20076	14.2	6	170×125×13cm	140×117cm	¥75,000

UNIFAS iGuard Anti-theft Bolt/nut General purpose E20033 For roof rack with foot ¥2.400 set of 2 E20037 For Roof Rack Standard ¥4,500 set of 2 Innovative screw kit with a high

degree of security. The use of stainless steel makes it resistant to rust and protects the car in a visually pleasing manner.

000162



AX

A-x Roof Rack with Foot Type Exclusive General purpose Awning Mounting Stays E20110 Set of 2 ¥7,700

E20111 Set of 3 ¥9,000 Made of stainless steel, with bolts for attaching to the rack. Compatible with various awning manufacturers. Mounting pitch 40-50mm, M6, M8,

ARB and BLAST TRAIL have already confirmed. Awning mounting screws are not included.

A-x Roof Rack Standard Type Awning Mounting Stavs


General purpose E20112 Set of 2 ¥11,600 E20113 Set of 3 ¥17,400 Standard Type. Completely bolt-on,



Stainless steel stays for attaching an awning to the A-x Roof Rack no modification required. Includes all necessary bolts for attaching to the roof rack. All bolts are made of

rust-resistant stainless steel. The mounting pitch is 35-65mm, and the bolts are M6 or M8.Compatible with awning products from various awning manufacturers; products from ARB and Blast Trail have been tested for compatibility. *Bolts and nuts for attaching awnings are not included.

Aluminum Outdoor Chair General purpose ¥3.900 each 001005 Blue 001006 Orange Lightweight and compact. The seat is made of durable oxford. The seat is partially constructed of mesh to ensure ventilation. • Size (approx.): 105× 59×70cm • Seat height: 46cm Storage size (approx.): 43×15×15cm Weight (approx.): 1.2kg Load capacity (approx.): 150kg • Accessories: main unit / storage bag Materials: 7075 aluminum alloy / high-guality plast holder / Oxford (900D)





The size of the hape and qua







mountain design. Aluminum-like hairline finish with a textured silver color that changes expression depending on the angle of view. The three-dimensional design adds a point of interest to the exterior. Adhesion is made with highly durable double-sided tape. Approximately 140mm×30mm×2mm

CAMP GEAR Camping Gear






K QR code is a link to the product video

General-purpose for Awning **Mounting Stays** General purpose E20109 ¥1,500





Stay for attaching A-x awning to general-purpose basecarriers.

Please use your own ingenuity to mount the awning by pinching



E20047 L size (120cm×100cm) ¥3,300

ce. *	*Available for A-x Roof Rack L size, L size wide, L super wide, and LL size.						
roof rack sizes are approv	f rack sizes are approximate.		ize (cm)	Maximum dimensions (cm)	Elongation rate (%)		
corresponding net varies greatly		Size S	(90×90)	150×150	166		
the actual roof rack used and the	ind the	Size M	(100×100)	160×160	160		
ntity of the cargo. Please select the duct after considering the		Size L	(120×100)	180×160	150×160		
e of the product.	-	*The elongation rate is measured by hand, so there is a margin of error.					





All of Lightning's LED lights are compliant with safety standards and have been designed to prevent high-flash.



N-VAN LED Tail Lamp For JJ1/JJ2

¥45,000 right/left set The contrast between the bold bar-type LEDs and the all-black body of the N-VAN makes the Honda N-VAN even more attractive. The mechanical design of the inner parts goes well with the flat and boxy silhouette. All-in-one model with brake, blinker, back, small, and reflector built in. Includes a resistor to prevent high-flash.

F30070

Clear/Red bar


Sequential lighting is

also available.











All lights on

DELICA D:5 LED Tail Lamp For early model ¥33,000 right/left set





All lights on

*Light Smoke lens color is a lighter shade of smoke. The inner panel is gloss black, which gives it a tighter black tint and a smoke-like appearance. In bright locations such as daytime, there is not much difference in appearance from clear, but in the evening or in dark locations, it has a darker appearance. *A separate resistor may be required depending on the car model and installation method. *Depending on the installation method, the product may not be compliant with safety standards. Please check in advance before purchase

All-in-one model that replaces the factory triple lamps with



E30030 Clear

E30032 Light smoke













that sets it apart from conventional models. The inner black color is available with or without luster to match the lens color. Small









E00014 White

E00015 Vellov





built-in reflectors for the small, brake, blinker, and back-up lamps. High-intensity LEDs are used to create a unique design









Turned of











F30072

Clear/White bar

Blinkers

Turned of



F30075

Light smoke/White bar


Light

Original all-LED tail lamps with a contrast between the rear garnish and inner black to give the unique tail area an impression. The square design of 4 bar type LEDs placed on one side matches the body shape of DELICA perfectly. Two rows of 6 indicator LEDs on each side turn outward sequentially (switchable to normal lighting). LED bar type for the smokers and 2 rows of 6 LEDs per side for the brake lamps. Resistors are included to E30000 Clear/Red bar prevent high-flash, ABS lamps, and ASC lamps from lighting up incorrectly





Turned off







E30002 Clear/White bar



E30068 Light smoke/ Light smoke

E30067

*Light Smoke lens color is a lighter shade of smoke. The inner panel is gloss black, which gives it a tighter black tint and a smoke-like appearance. In bright locations such as daytime, there is not much difference in appearance from clear, but in the evening or in dark locations, it has a darker appearance.

E30066 Light smoke/White bar

INTERIOR Interior for SUPER CARRY Seat Cover Old Series **Exclusive for Super Carry**

10024

Seat cover Old & Check

The combination of vintage-style PU leather and hound's tooth check pattern gives a British traditional impression. Set for driver's seat and front passenger seat.

Front set ¥24.500 each

functionality. The material used is PU leather. which is easy to maintain. The vintage style texture is finished with the prestigious quality of genuine leather. A rear pocket is provided on the driver's side. Designed to accommodate the standard seatback table on the passenger side. Seat Covers **Old Series**

100247 llow Ochre

SUSPENSION Suspension for HIACE and CARAVAN **High Capacity Soft Bump Rubber** S20001 For 200 series HIACE ¥8,900 each /right/left set S20003 For NV350 CARAVAN Softandmuchlarge capacity



Greatly reduces the impact of bump touches that occur when the suspension contracts on rough roads with severe bumps, road surface undulations, and bumps. By reducing the hardness and increasing the capacity of the bump rubber compared to the factory bump rubber, the shock is firmly absorbed and the ride is surprisingly comfortable. Recommended for heavy loads and cargo, such as interior campers, welfare vehicles, lowered vehicles, transporters for motorcycles and marine sports, delivery vehicles, and more.

For low-down customization, camper, welfare vehicles, more comfort, more luxury.

Easy installation with bolt-on design to replace the factory unit. Sold as a left/right rear set.

Adjustable! Easy to cut with a cutter knife! Cutting and adjustment can be made for installation when the gap between the frame and the hosing is small due to the amount of mounting or lowering. *The more it is cut, the less capacity it has to absorb shocks.

Testimonials from installers

I had a tool sale van loaded with a large amount of tools The tools used to fly all over the place where there were steps such as railroad c but after installing this product, I don't have to worry about driving anymore.

>> The vehicle, which is 3 inches down Very soft and supple. Even on a road where the rear end always feels like it is going out of control, it is now able to pass through as smoothly as a car with a spring.

(Caution) Please inspect regularly for possible cracking, shredding, etc. due to age-related deterioration. The effect may not be felt at normal ride height with no loading.

5

E30065 Light smoke/Red bar

EXTERIOR

«QR code is a link to the product video

Outstanding fitting that can only be achieved by designing exclusively for the car model. It protects the genuine seat and creates a comfortable interior space without sacrificing

Made of PU leather that is easy to maintain. The vintage style texture is as prestigious as genuine leather. Set for driver's seat and front passenger seat.

Front set ¥20.000 each









Greatly Improves title comford For NV350 CARAVAN.Now on sale!

to the genuine product

For NV350 CARAVAN

Genuine product of the manufacturer





OTHERS

No need to worry about errors even with large-diameter tires! **GPS** speedometer you can use!

Digital Clinometer Type 2 General purpose For 12V and 24V cars 000017 ¥16,300

Multifunctional digital clinometer that displays roll (right/left tilt) angle, pitch (front/rear tilt) angle, interior temperature, clock, voltage, speed, azimuth (8 directions), elevation, etc. on the display. This provides peace of mind in knowing more about the condition of the vehicle and the conditions in which it is placed. Above all, the driver's seat, surrounded by instruments, creates a personal cockpit atmosphere and enhances the driver's mood. Various information is provided through displays and sounds. GPS speedometer function that is not affected by the tire diameter. Selectable display of kilometer or mileage. Installation is as simple as installing the main unit, various antennas and sensors, and plugging the cigar plug into the socket. Instruction manual included. Dimensions:19.0cm(W)×10cm

《Display Details》 Clock Air pressure

● Elevation ● Pitch angle ● Roll angle ● Latitude and longitude ● Barometric pressure ● Speedometer ● Speed alarm nometer

 Electronic compass
 Clock
 Driver monitor
 Ambient light
 Auto compass

1 : Graphic (scale) and numerical displays are provided. 2 : Numerical values and bar graphs are displayed. 3 : Date, time, and day of the week are displayed. *FM radio reception may be difficult. 4 : Indoor thermometer and voltage are automatically switched

Muffler Towe General purpose

Face Towe General purpose 000201 ¥1.100

Showa Garage

Size approx. 77cm×33cm, 100% cotton, made in Imabari

(D)×6cm(H) 1-year warranty

This face towel features the same design as the side decals of the Showa Garage complete car. Dyed and woven in Imabari, Shikoku, one of the three major towel production areas in Japan. It can be used not only for outdoor activities, but also in the kitchen, bath, as a scarf or bandana, or as a cover for pillows and cushions, etc. It is a versatile size that can be used for any purpose.

*Please note that the color may fade or migrate in the early stages of use, so please wash separately from other items. Do not use chlorine bleach.





Showarderer

decals of the Showa Garage complete car. It is dyed and woven in Imabari, Shikoku, one of the three major towel

000200 ¥1.700

production areas in Japan, and has a perfect texture to the touch. The towel can be literally wrapped around the neck or used as a face towel. The small size is ideal for events and leisure activities. *Please note that the color may fade or migrate in the early stages of use, so please wash separately from other items. Do not use chlorine bleach



Showa GARAGE supports your Jimny lifestyle.



Attack, and of the many prizes we have won. The solid knowledge and skills cultivated through these races are steadily fed back into the development of our original parts, which we deliver to our customers on a daily basis. In addition, we travel all over the country to promote the appeal of Jimny through various motor shows, events, and racing activities. We also organize many events for beginners to

enjoy, such as off-road trial experience at our company-sponsored events.

For more information, please visit our website. For the latest information, etc., please visit our social networking service (SNS).



You can also purchase them on the Internet.





OTHERS

Major Awards

WEST (West Japan Exciting Speed Trial) • 2024 Series - Round 4 Winner

2023 Series 2nd place (4 rounds, 2 winners) • 2022 Series champion (4 rounds, 1 winner, 1 3rd place)

Tenjinyama Cup RV class • 2022 Series champion (5 rounds, 3 winners)

TDA (Tactical Dirt Attack) • 2024 Series Champion (4 rounds, 3 winners) • 2022 Series Champion (4 rounds, 4 winners)

Off-Road Challenge Speed • 2024 Series Champion (4 rounds, 3 winners, 1 3rd place) • 2023 Series Champion (4 rounds, 3 winners, 2nd place) • 2022 Series Champion, etc.

2024 JAF All Japan Rally Championship Round 7 **RALLY HOKKAIDO** • XC-3 class 3rd place