



Phone.+81-568-56-2311 Facsimile. +81-568-56-2312


Direct/Inquiries about mail order, business sales and parts, please contact here.

Phone.+81-568-29-8711 Facsimile.+81-568-29-8715

Showa Create Co., Ltd.
3-9, Kanegaguchi-cho, Kasugai, Aichi, 486-0813, Japan Busine









We offer a variety of new car complete car packages at reasonable prices.

Showa GARAGE offers a variety of complete car packages, which are based on new cars and equipped with a full range of custom parts. The exterior, interior, suspension, and other parts have been assembled by professional mechanics, and are available at a reasonable package price. The package also includes a 3-year vehicle inspection and a manufacturer's warranty, making it possible for first-time buyers to drive a custom car with peace of mind. For more details, please refer to the separate complete car catalog.

Photo cooperation:Old Lake Golf Club

INDEX

JB74 EXTERIOR	10
JB64 EXTERIOR	14

	2
JC74-JB64/74	
EXTERIOR	
LAMP	6
INTERIOR	

SOUP-UP

JB23/33/64/74 WHEEL	
JB23/33/43 VARIOUS PARTS	

_MAX	- 2	LIGHTNING
Aluminum Roof Rack	62	LAMP
Camping Gear	65	OTHER PARTS















MANUFACTURED by SHOWA GARAGE OUTDOOR STYLE



This off-road style is perfect for active people touring on forest roads, camping, etc. The stylish exterior is sure

«Image Video

«Parts Introduction Movie

ショウワガレージ





• Rear bumper guard AES side garnish

- Side step Type 2
- ABS front grille Dark Gray Metallic
- Spare tire moving bracket, directly upward movement type
- Fuel lid cover Black (grained)
- A-x Roof rack L size wide with foot (front)
- A-x Roof rack M size super wide with foot (rear)
- Awning mounting stays for A-x Roof rack with foot Set of 3
- A-x awning
- Rear ladder aluminum 30mm back wide type

LAMP

- LED front blinker lamp type 2 clear
- ◆ LED side marker type 3 clear/inner black
- LED high mount stop lamp type 2
- LED sequential door mirror blinker type 2 smoked
- LED tail lamp clear/red bar

ENGINE & POWER TRAIN

- Links muffler
- Powered ECU Spec1 regular specification

SUSPENSION

SG Adjustable Coil 75 X-SHOCK BA Set

- SG Adjustable Coil 75
- X-SHOCK for 3-inch UP
- Stainless steel mesh brake hose *1
- Rear shock spacer set
- Brake hose down stay
- Caster Dream
- ABS extension stay Short sway bar link
- Lateral rod correction bracket
- Sway bar down spacer
- Front and rear lateral rods
- Propeller shaft spacer
- Escape member
- High capacity bump rubber Reinforced leading arm
- Reinforced trailing arm Reinforced type
- X-SHOCK Steering Damper

TIRE/WHEEL

- TOYO OPEN COUNTRY M/T 225/75R 16
- SR432 16×6.0J -5 Matte bronze







EXTERIOR Exclusive exterior for JB74



ABS Front Bumper Spoiler For JB74

Unpainted E00600 With hole E00620 Without holes


¥48.000 each

● Black (grained)★1 E00601 With hole E00621 Without holes ¥63,000 each

■ Genuine color (JPN) ★2

E00602 With hole E00622 Without holes ¥63,000 each

ABS front bumper spoiler designed to match the square exterior of JB74. The sporty look with a low profile and a good approach angle. Fits to the factory fog lamps (cutting of interfering parts is required).



For JB74

Skid Plate

The skid plate greatly affects the impression of the front area. It protects the engine and parts under the floor from road protrusions and stones. Required when installing our front bumper spoiler. No drilling is required and it can be installed completely by bolt-on. The main body is made of aluminum with a thickness of 3 mm, and the mounting bracket is made of steel with a thickness of 3.2 mm, providing sufficient strength. Available in two colors: black anodized aluminum and silver (plain)



¥15,500



E00039 Silver (bare) ¥13,000



AES Side Garnish For JB74 E00207 ¥43,000



The side sill cover exclusively for JB74 is made of AES material with high weather resistance. Along with dressing up the vehicle, it protects the body from flying rocks and scratches when getting in and out of the vehicle. The design matches the wide fenders of the Jimny Sierra to enhance the sense of unity. * Side steps can be installed when

this product is installed.



For JB74

E00170

E00171

E00172

¥57.000

Right side **¥29.000**

Side Step Strong side steps made of steel. The simple design with only pipes makes it compatible with A-x Roof Rack and Rear Ladder (sold separately). The baked-in grained paint finish gives it a good quality feel. Can be bolted directly to the rudder frame. Long/short type selectable. Vehicle inspection compliant. *AES side garnish is required for installation



E00173 Right and left side set ¥105,000 E00174 Left side ¥53,000

Right side **¥53.000**

E00175



★1: Semi-glossy black like the genuine bumper. Genuine color (JPN), slightly darker and blacker than Genuine bumper.

🛨 2: Available genuine colors are Blueish Black Pearl 3 (ZJ3), Jungle Green (ZZC), Pure White Pearl (ZVR), White (26U), Kinetic Yellow (ZZB), Chiffon Ivory Metallic (ZVG), Brisk Blue Metallic (ZWY), Medium Gray (ZVL), and Silky Silver Metallic (Z2S).

ABS products do not generally require modification during installation due to the small individual differences that occur during production, but in rare cases, modification may be necessary. Please be sure to paint the product before use.

ABS Rear Bumper Spoiler Type1 For JB74

Like the front bumper spoiler, this ABS rear bumper spoiler is designed to match the square exterior of the JB74. The shape of the bumper spoiler covers the back part of the tail lamps to protect them from rainwater and mud that may splash from the tires.

The tail lamps for JB64/74 (genuine and external) can be installed. For Type 4, rear parking sensor can be installed without drilling.





E00650 Unpainted ¥46,000 E00651 Black (grained) *1 ¥61,000 E00652 Genuine color (JPN) *2 ¥61,000



Rear parking sensor supported Genuine color (JPN) ★2 ¥63,500

E00760 Unpainted ¥48,500 E00761 Black (grained) *1 ¥63,500

E00661 Black (grained) ★1 ¥67,000 E00660 Unpainted ¥50,000 E00662 Genuine color (JPN) ★2 ¥67,000



Rear parking sensor supported Genuine color (JPN) *2 ¥69,500

For Type 4 E00780 Unpainted ¥52,500 E00781 Black (grained) *1 ¥69,500

.....

Rear Bumper Spoiler Type2 For JB74

Like the front bumper spoiler, this ABS rear bumper spoiler is designed to match the square exterior of the JB74. The shape of the bumper spoiler covers the back part of the tail lamps to protect them from rainwater and mud that may splash from the tires. The tail lamps





Rear Bumper Guard For JB74 E00153 ¥30,000



Rear bumper guard designed in accordance with the standards of the anti-entry device regulations. This product is designed for vehicles with Showa Garage bumper spoiler and Lynx muffler. The steel body is coated with crystalline paint (wrinkle paint and condensation paint) for high strength and tough texture to protect the bar body. Installation is bolt-on only, and the mounting position and angle can be adjusted. Ideal for customizing the rear area of lifted vehicles.

[About Vehicle Inspection]

Pass/fail decisions may vary depending on the condition of the vehicle, installation method, and the inspector's opinion. For details, please check with the Transportation Branch Office with jurisdiction.





Stylish exterior with a strong prese designed to match the silhouette.

The suspension was finished without any

compromise in comfort and driving performance.





JB64 Showa GARAGE **Demo Car / Parts Configuration**

- LED front blinker lamp type 2 smoked
- LED side marker type 3 smoked/inner black
- LED high mount stop lamp Type 3
- LED sequential door mirror blinker Type 2 clear
- LED tail lamp clear/white bar

ENGINE & POWER TRAIN

• Powered ECU Spec2 high-octane specification

SUSPENSION

1 Inch Up Kit Enapetal E-12 Lateral rods Set

- 1-inch Lift-up Coil
- Enapetal E-12 Shock Absorber
- Stainless Steel Brake Hose*1
- Front and Rear Lateral Rods
- X-SHOCK Steering Damper

TIRE/WHEEL

- TOYO OPEN COUNTRY R/T 185/85/R16
- TYPE-M 16×5.5J +20 White

*This product must be used on registered vehicles that have obtained license plates. 🖈 1: Semi-glossy black like the genuine bumper. Genuine color (JPN), slightly darker and blacker than Genuine bumper.

EXTERIOR Exclusive exterior for JB64

Front Bumper Spoiler For JB64

A sporty looking front bumper spoiler with a reduced top and bottom size. It matches the square exterior of JB64. Can be attached to the factory fog lamps (cutting of interfering parts is required). ABS type has a hole for headlight washer (XC grade) and FRP type

has a hole for headlight washer (XL and XG grade). Includes mesh net (black) to be attached

to the front number bracket and duct. Both require installation of our optional skid plate. (Made of ARS) Unpainted E00300 With hole E00320 Without holes ¥45.000 each

● Black (grained)★1 E00301 With hole E00321 Without holes ¥60,000 each

● Genuine color (JPN) ★2 ¥60.000

《Made of FRP》 E00040 Unpainted (gel coat finish) ¥37,000

Skid Plate For JB64

The skid plate protects the engine and parts under the floor from road protrusions and stones. It is a part that gives the front area an impressive style. Required when our ABS front bumper spoiler is installed.



E00036 ¥17.500



No drilling is required and it can be installed completely by bolt-on. The main body is made of aluminum with a thickness of 3mm, and the mounting bracket is made of steel with a thickness of 3.2mm, providing sufficient strength. Available in two colors: black anodized aluminum and silver (plain).

Strong side step for JB64 made of steel. The simple design with only pipes makes it compatible with A-x Roof Side Step For JB64 Rack and Rear Ladder (sold separately). Baked-in grained paint gives it a good quality feel. Can be bolted directly to the rudder frame. Long/short type selectable. Vehicle inspection compliant.



E00037

¥15,000

Silver

E00170 Right and left side set ¥57,000









AES Side Garnish For JB64 E00206 ¥36,200

Side sill covers for JB64 finished with weather-resistant AES material. It protects the body from scratches caused by flying rocks or when getting in and out of the car at the same time as dressing up the car. By blacking out the lower part of the body, the height of the vehicle is visually raised. 9mm wide fenders can be used together with this garnish to create a more elegant look. Rubber molding attached.







9mm Wide Fender For JB64

E00201 ¥50,000

The simple yet distinctive design makes the most of the stock fender line and adds

a point of interest to the exterior. The overall width after installation is within a

vehicle inspection certificate, and meets safety standards. Wide tires (TOYO OPEN

COUNTRY MT 225/75R16, etc.) can also be mounted. In addition to double-sided

tape, the front is secured with the factory clips. The rear is secured with bolts

color with grains like the factory bumper tightens the undercarriage and

(drilling required) and nuts to prevent loosening and body corrosion. The black

emphasizes a bold image. (Semi-glossy black with factory-like grain, slightly darker


certain range of 20mm (within 10mm on each side) of the width stated on the

E00221 unpainted ¥32.000 E00226 Genuine color (JPN) *2 ¥63.000 E00227 Black (grained) ★1 ¥63.000

and blacker than the factory bumper).







★2: Available genuine colors are Blueish Black Pearl 3 (ZJ3), Jungle Green (ZZC), Pure White Pearl (ZVR*only XC), White (26U *only XL/XG), Kinetic Yellow (ZZB), Chiffon Ivory Metallic (ZVG), Brisk Blue Metallic (ZWY), Medium Gray (ZVL), Silky Silver Metallic (Z2S).

ABS products do not require any modification during installation due to the small individual differences that occur during production, but in rare cases, modification may be necessary. FRP products have many individual differences during production and require adjustment such as modification, processing, etc. and painting

Rear Bumper Spoiler Type 1 For JB64

This rear bumper spoiler is smartly designed to match the square exterior of the JB64. The shape of the bumper spoiler covers the back of the tail lamps to protect them from rainwater and mud that may splash from the tires, allowing installation of JB64/74 factory and external tail lamps. Installation may require some adjustments

such as cutting, etc.Need to move the license plate and spare tire.Rear parking sensor for Type 4 can be installed without drilling holes.



Made of ABS For Type 1-3

E00400 Unpainted ¥44.000 F00401

Black (grained) *1 ¥59,000 Genuine color (JPN) *2 ¥59,000

Made of FRP For Type 1-3

F00045



Made of ABS For Type 4

Rear parking sensor supported

E00720 Unpainted ¥46.500

Black (grained) *1 ¥61.500

Genuine color (JPN) *2 ¥61,500



Rear Bumper Spoiler Type 2 For JB64

Based on a square silhouette rear bumper spoiler with an impressive duct design, a number pocket is added. Only the spare tire needs to be moved, allowing for a cost-saving customization. Safe dust-proof and drip-proof design protects tail lamps from rainwater and mud. Drilled holes for the factory rearview camera have been machined, allowing installation of JB64/74

factory and external tail lamps. Installation may require some adjustments such as cutting, etc. Rear parking sensor for Type 4 can be installed without drilling.





Rear Bumper Spoilerr ALTO tail spec For JB64 *Up to Type3

Developed based on the tail lamp for ALTO (compatible model: for HA36 made by Embro or 415COBRA). Stylish finish. The back of the tail lamp is covered to protect the lamp from rainwater and mud that may splash from the tires. The FRP model has an unpainted gel coat finish. *Not compatible with Type 4 rear parking sensors.

E00420 Unpainted ¥44.000 E00421 Black (grained) *1 ¥59.000 Genuine color (JPN) ★2 ¥59,000



For Type 1-3

Genuine color (JPN) ★2 ¥66.000

For Type 4

Rear parking sensor supported

E00740 Unpainted ¥53,500

Genuine color (JPN) *2 ¥68.500

Black (grained) *1 ¥68.500

E00430 Unpainted ¥51.000

Black (grained) *1 ¥66.000

E00431

E00741

MBRO LED Tail Lamps for HA36 ¥30,000 each Tail lamps for Showa GARAGE's Rear bumper

spoiler (ALTO tail spec.)



Rear Bumper Guard For JB64 E00152 ¥28,000

Rear bumper guard designed in accordance with the standards of the anti-entry device regulations. This product is designed for vehicles with Showa Garage bumper spoiler and Lynx muffler. The steel body is coated with crystalline paint (wrinkle paint and condensation paint) for high strength and tough texture to protect the bar body. Installation is bolt-on only, and the mounting position and angle can be adjusted.

Ideal for customizing the rear area of lifted vehicles.

[About Vehicle Inspection] Pass/fail decisions may vary depending on the condition of the vehicle,



installation method, and the inspector's opinion. For details, please check with the Transportation Branch Office with jurisdiction.

JC74-JB64/74

EXTERIOR Common exterior for JC74-JB64/74

Carbon Bonnet

FRP Bonnet

*Unpainted gel coat finish

For JB64/74 **E00701 ¥72,000**

This is a carbon hood made by L-RTM method. The carbon model weighs approximately 6.7kg, 4.8kg less than the factory model. The back side of the hood has a ribbed structure similar to that of the factory hood, with sufficient strength taken into consideration. Each catch and installation part is also highly precise. The For JB64/74 E00700 ¥120.000 product is beautifully clear coated to ensure durability. The L-RTM construction method allows for a smooth finish, and combined with the clear coating, the appearance is almost mirror-like. Even the corners of the product have an even weave. The carbon fiber grain uses a twill weave, which is considered to have a beautiful appearance. Generally speaking, the farther the weight is from the center of gravity of a car, the greater the effect on mobility. The hood is also highly effective in reducing weight due to its position, and has a great impact on handling and other aspects of the vehicle. For Jimny, which is not even lightweight, weight reduction is a major tune-up for its dynamic performance.



What is L-RTM method?

The L-RTM process is a molding method that uses male and female molds. After the fiber is set in the mold, a vacuum is created inside the mold. The resin is then injected into the



mold and cured to form the product. The thickness of the product is even and the strength is less likely o be uneven, making it

FRP Rear Wing

For JB64/74

E00710 ¥35.000

This FRP rear spoiler gives the JB64/74 a sportier look. Although small in size, it adds a little accent to the tail. The exquisite size and design make it look like a genuine



option without any sense of discomfort. The gate opening/closing and visibility of the high mount lamps are not affected at all, and it is just as easy to use as stock. No drilling or other modification to the body side is required for installation, and the included double-sided tape and metal clamps (4 pieces in total on both sides) can be used to firmly fix the product in place. *Unpainted gel coat finish. *Cannot be used in combination with our rear ladder.



ABS Front Grille ABS front grille with simple design and no manufacturer's logo. The grille is an important part that determines the exterior impression, and since ABS resin does not have good weather resistance, we recommend painting the grille

before use. The original color Black (grained) is a genuine semi-glossy black paint with grains. The color is slightly darker than Genuine color (JPN).





E00503 Genuine color (JPN) ***1 ¥32.000**



F00502

Black (grained) ¥29.000 E00504 Blueish Black Pearl 3 (ZJ3) ¥29,000

For JC74-JB64/74

ABS Sports Grille A four-bar design front grille made of impact-resistant ABS material. The spindle-shaped opening line is a perfect match with the front bumper spoiler. Choose from unpainted or colored settings that do not require painting. The original

color, Black (grained), is a genuine semi-glossy black paint with grains, which gives a slightly darker finish than the factory bumper







Standard					
E00510	Unpainted	¥39,000			
E00511	Dark Gray Metallic	¥54,200			
E00512	Black (grained)	¥54,200			
E00513	Genuine color (JPN) ★1	¥54,200			
E00514	Blueish Black Pearl 3 (ZJ	3) ¥54,200			
	- "				
Eyeline Style					
		1/00 000			

	Eyeline Style			
E005	20	Unpainted ¥39,000		
E005	21	Dark Gray Metallic ¥54,200		
E005	22	Black (grained) ¥54,200		
E005	23	Genuine color (JPN) ★1 ¥54,200		
E005	24	Blueish Black Pearl 3 (ZJ3) ¥54.200		

🖈 1: Available genuine colors are Jungle Green (ZZC), Pure White Pearl (ZVR), White (26U), Kinetic Yellow (ZZB), Chiffon Ivory Metallic (ZVG), Brisk Blue Metallic (ZWY), and Medium Gray (ZVL), Silky Silver Metallic (Z2S)

LED License Plate Transfer Kit This is an essential part when there is no space to mount a license plate on the rear bumper.

The normal spare tire position interferes with the plate, so the use of a spare tire transfer bracket (sold separately) or removal of the spare tire is required. Made in Japan.

With drilling

The mounting bracket is made of stainless steel and the license plate light is ¥10,800 made of resin to prevent rusting. Drilling is required for installation. JB33, 43, and 74 should have their license plates resealed. Includes Showa Garage logo sticker that can be attached to the license plate light.





Exclusive for JB64/No drilling required

No drilling is required. The license plate light is made of resin so it will not rust, **¥15,000** and LEDs are used for long life. Includes Showa Garage logo sticker that can be attached to the license plate light. Cannot be used at the same time as the spare tire moving bracket. JB74 non-compliant products.





License Plate Moving Bracket

« QR code is a link to the product video.

For JB64/74 E00020 ¥2,300



Bracket used when moving the license plate number. The set includes only the mounting bracket (stainless steel). No license plate light or bolts are included. The pitch of the holes for the license plate light is 200mm

LED License Lamp For JB64/74 E00110 ¥6.800

LED license plate light with resin used for the lamp body and lens. Screw pitch 200mm, wiring length approx. 190cm, with Showa Garage logo sticker. Made



Spare Tire Moving Bracket

Bracket to move the spare tire to the upper right or upper right. Required when installing Showa GARAGE rear bumper spoiler. Prevents interference with straight bumpers, and also supports changes to larger diameter tires (225/75R16, etc.). The model with the upper right movement also secures a space for relocating the license plate number.



Vehicle Inspection (in Japan)

Many conventional brackets for mounting a spare tire facing outward exceed the dimensions of mini vehicles and are not in compliance with safety standards. The bracket for IR64 is divided into a base part and a tire-mounting part, and the base part and the tire-mounting part are joined by a "simple installation method" that allows easy removal without tools, thereby clearing various problems. The product fits within the standards for mini vehicles and can pass vehicle inspections without the need for formalities.

JB64 Vehicle Inspection Compliant, facing outward

For JB64 E00021

Upper right movement type E00022 Directly upward movement type ¥29.800

The unique structure meets safety standards. Car inspection compliant There are two types: a model that moves 82mm to the right and 106mm upward, and a model that moves 106mm straight up. The model with the right upward movement also secures space for mounting a license plate number. Please

prepare 3 nuts for wheel mounting. ncludes rubber to prevent tire shake





JB74 Vehicle Inspection Compliant, facing outward

For JB74 E00019 Upper right movement type

¥26,500 E00047 Directly upward mo ¥23,000

There are two types of models: one that moves 82mm to the right and 106mm upward, and the other that moves 106mm straight up. The model with the right upward movement also secures a space for mounting a license plate number. Includes rubber to prevent tire shake. Please prepare 3 nuts for wheel mounting.



¥26.800





JB64/74 Genuine Move

For JB64/74 E00018 ¥9,000

Moves 50mm to the right and 100mm to the top. Assumes standard to 195 size tires (up to 6.50R16 or 225/75R16). The width from the original to the rear is about 25mm. If our front bumper spoiler and rear bumper spoiler are used, they fall within a certain range, so the continuing inspection is compliant. If other manufacturers' bumpers are used, the front bumper will be within the same width as the normal bumper, and the rear bumper will be within the specified range provided that the rear edge of the bumper does not extend beyond the last edge of the spare tire bracket, and the vehicle will be compliant for the continuance inspecti



Mesh Net General purpose

Aluminum honeycomb mesh net (mesh size: 18 mm x 9 mm) and ABS resin honeycomb mesh net (mesh size: 30 mm x 13 mm) can be freely used to create a luxurious Euro style or a sporty style. The ABS mesh net is flexible and can be shaped by using a heat gun, etc. The aluminum mesh net is painted gloss black. Aluminum mesh is painted gloss black.

Aluminum mesh net ¥1,700(100cm×35cm)



E23001 ABS honeycomb mesh net ¥2,000(120cm×40cm





JC74-JB64/74



EXTERIOR Common exterior for JC74-JB64/74



diagonally right above the factory position. Compared to the previous model, the mounting portion has been extended by 30mm to allow a greater distance from the gate and make it easier to place a foot on the gate. A wider type with a width of approximately 55mm for even greater ease of use is also newly added to the lineup. The color is a heavy finish with the well-known Wrinkle coating (baked crystalline coating) of A-x roof racks. Made in Japan. By using the optional spacer, the clearance to the gate can be increased by 10mm, making it even easier to use. Please use the non-slip tape to prevent the gate from stepping off. *Cannot be used with FRP rear wing.



For JB64/74

F00143 For steel and stainless steel E00156 For aluminu

Innovative screw kit with high level of security, completed by a group of skilled screw craftsmen. Ideal for preventing theft of the rear ladder. The use of stainless steel makes it rust-resistant and aesthetically pleasing to the eye. The kit includes a special tool and two types of bolts (one long and one short). The long



¥2,400 each bolt is for the optional 10mm rear ladder spacer, and the short bolt is for when the 10mm spacer is not used.

Non-slip Tape for Rear Ladder

E00141 For Narrow type ¥600 5 pieces E00158 For Wide type

¥800 5 pieces

10mm Spacer

By using this spacer, the

put your foot on.

clearance between the ladder and the rear gate is increased by

10mm. The toe can be placed further back, making it easier to

For JB64/74

F00145

for Rear Ladder

um **¥2.800** each

Non-slip tape provides a secure grip. The standard tape is approximately 10 cm long, and the wide tape is approximately 13 cm long in strips. The back side is a sticker, so it is easy to apply and install.

Easily opens by hydraulic pressure. It does not get in the way like a hood stay and makes maintenance easier. Installation is completely bolt-on, requiring no drilling at all. Not for use on FRP or carbon fiber hoods.

Narrow type





Door Mirror Visor Cover

For JB64 XC/74 JC

E00250

¥20,000 right and left set

Out mirror visor covers with a distinctive pattern that changes expression depending on the angle of view. No modification is required, just replacement, to add individuality to the door surroundings.







ABS Fuel Lid Cover

For JB64/74

E00210 Unpainted ¥2,500 E00211 Black (grained) ¥5.800



Three ribs on the surface create a tough image. The quality of the product is excellent, and it can be installed on any body color. Easy to install with only double-sided tape. Fits perfectly to the factory fuel lid. Usability, such as opening and closing, will not change at all.

*ABS resin has poor weatherability, so we do not recommend using the product unpainted, as it will deteriorate prematurely.



Muffler Cutter For JB64/74 E00052 ¥9,000

Designed exclusively for JB64/74, this muffler cutter gives a sporty look to the rear end. Manufactured by 5ZIGEN, a long-established muffler manufacturer. With dropout prevention mechanism. Made of stainless steel. Showa GARAGE logo. (JB74 Type 4 is not compatible.)





Spare Tire Cover For JC74-JB64/74/23/43

Illustrated pattern ¥4.300 each

Spare tire cover to decorate the back of your Jimny. A wide variety is available. Can be installed on 175/80R16 (JB64, JB23 standard tire), 195/80R15 (JB74 standard tire), 205/70R15 (JB43 standard tire), and 185/85R16. Not for installation on 185/85R16.

compatible with to JEPEI





E01001 Top

E01005 Showa Garage A

E00075 Tent Nature

E00076 Lantern



E01002 Bud



E01006 Showa Garage B



E00073 Campfire



E00077 Compass



E00074 Tent Adventure

E01000 Minnows



E01003 Type 74



E01007 A-x




E01004 Special 64



E00070 ¥3,000







.............

E00155 Gunmetal ¥4,800 right and left set







JC74-JB64/74



No base earrier required includes special foot for enhanced includes special foot for enhanced gense of unity.

Designed exclusively for Jimny Light weight aluminum A-x roof rack For JC74-JB64/74 Fusion of lightweight aluminum and heavyweight steel.

The baked crystalline coating on the exterior gives it a lightweight aluminum appearance, yet it feels as heavy as steel. It does not rust. The uniquely designed wind shield suppresses air resistance and reduces wind noise. This roof rack is available in a wide range of sizes for multiple uses.







A-x roof rack Standard Type ML Half size General purpose E20011 ¥36,000

you like. It can also be used with various attachments such as a roof box and a cycle/winter carrier

Half-size is flexible and Weight: 6.9kg Dimensions (outside): can be used in any way Length 150cm, Width 62cm, Height 13cm Dimensions (inside): 120cm × 55cm



Cargo Net General purpose Ideal for securing outdoor gear such as containers and tents. The hooks are movable, allowing for a high degree of freedom in adjusting the degree of cargo hanging. Made of resin that is resistant to breakage, strong, and has relatively low aggressiveness to objects. Moderate elasticity of approximately 150%

Compatible roof rack sizes are for reference only.

E20045 S size (90cm×90cm) **¥2,700** *Compatible with A-x Roof Rack S size and M

E20046 M size(100cm×100cm) ¥3.000 Compatible with A-x Roof Rack M Size Wide, M Siz Super Wide, L Size, and L Size Wide

E20047 L size (120cm×100cm) ¥3.300

provides both ease of use and fixing force

he size of the corre depending on the actual roof rack used and the shape and amount of cargo. Please select the size after considering the elongation ratio of the product.

	Size (cm)	Maximum dimension (cm)	Elongation rate (%)
S size	(90×90)	150×150	166
M size	(100×100) 160×160	160
L size	(120×100) 180×160	150/160

UNIFAS iGuard Anti-theft Bolt/Nut

F20033

¥2.400 set of 2 For Roof Rack Standard **¥4,500** set of 2 protects the car in a visually pleasing manner.

Innovative is easy to

remove and install using a special tool, and the stainless steel used makes it rust-resistant and



E20034 For 6 hooks

Base Sheet for Hooks IN103 Protective sheets to prevent

E20032 For 4 hooks ¥800 4 sheets

attached to curved surfaces and peeled off without leaving

scratches on the roof when the car carrier is installed. Can be securely

adhesive residue. The micro-adhesive type prevents dust from penetrating for a long period of time and protects from **¥1.200** 6 sheets scratches. The special transparent sheet makes it inconspicuous.

A-x Awning General purpose

E20120 2.0m(W)x2.5m(L) approx. 8kg ¥33,000

The unified design of the same brand is even more impressive when combined with the A-x Roof Rack.



Easy to set up and take down. It fits neatly into the side of the roof rack without affecting the cargo bed, and the load capacity remains the same. The canvas is made of 420D oxford and has a water pressure resistance of 3000mm, which is a sufficient spec. The telescopic aluminum poles can be adjusted freely according to weather and sunlight. The soft case is also durable and can be used with peace of mind. Pegs and guy ropes are included. *Can also be attached to roof racks from other manufacturers if the size fits.



E20110 Set of 2 ¥7.700 E20111 Set of 3 ¥9,000

Exclusive for A-x Roof Rack with Foot. Made of stainless steel, with bolts necessary for attaching to the roof rack. The long holes are compatible with all awning



manufacturers. The mounting pitch is 40-50mm, and the bolts are M6 or M8. Bolts and nuts for attaching awnings are not included

For A-x Roof Rack Standard Type Awning Mounting Stays General purpose

E20112 Set of 2 ¥11.600 E20113 Set of 3 ¥17,400



Stainless steel stays for attaching an awning to the A-x Roof Rack Standard Type. Completely bolt-on, no modification required. Includes all necessary bolts for attaching to the roof rack. All bolts are made of rust-resistant stainless steel. The mounting pitch is 35-65mm, and the bolts are M6 or M8. Compatible r only with A-x awnings, but also

with awning products from other awning manufacturers: products from ARB and BLAST TRAIL have been tested for compatibility. *Bolts and nuts for attaching awnings are not included.



.... Taxan .

LED Tail Lamp For JC74*-JB64/74

Original all-LED tail lamps. Can be installed on both stock and external bumpers. Blinkers (16 LEDs per side) are sequential outward (switchable to normal lighting). LED bar type (34 LEDs per side) for the small lights, 25 LEDs per side for the brake lamps, and 6 LEDs per side for the back-up lamps. Includes a resistor to prevent high-flash, ABS lamps, and ESP lamps from illuminating incorrectly.

★Rear fog lights are not available when installed on the Jimny Nomad JC74.







E00167 ¥31,000 right/left set

E00162 ¥31,000 right/left set





E00160 ¥31,000 right/left set

E00166 ¥31,000 right/left set











E00164 ¥31,000 right/left set

*Light Smoke lens color is a lighter shade of smoke. The inner panel is gloss black, which gives it a tighter black tint and a smoke-like appearance. In bright locations such as daytime, there is not much difference in appearance from clear, but in the evening or in dark locations, it has a darker appearance.

JC74·JB64/74



LAMP Lamps for JC74-JB64/74

E00094 ¥8,000 right/left set

LED Front Blinker Lamp Type 2 For JC74-JB64/74

Transparent and clear lenses give a clean impression around the front. With illumination ring. Includes high-flash prevention resistor and a branch tap for wiring. Optional "Coupler-on Resistor Set for LED Blinker" allows for secure installation without troublesome wiring modification.






















LED



LED Sequential Door Mirror

Sequential type door mirror indicator which is standard equipment for JB64XC and JB74JC. The edgy LED design lights up from the inside to the outside in a smooth spreading manner









LED Side Marker Type 1

For JC74-JB64/74

Two types of 8 LED type with clear lens and smoked lens. High brightness 3030 SMD chip is used for crisp and clear emission. Can be installed without wiring.





E00103 Inner chrome ¥3,800



F00105 Inner black ¥3,800 Smoked lenses

Inner chrome ¥3,800



E00104 Inner black ¥3,800

LED Side Marker Type 3 For JC74-JB64/74

Equipped with high brightness 3030 SMD chip, 10 LEDs emit vivid light.

Two types of lenses are available: clear lenses with high transparency and smoked lenses with subdued tones. Chrome or black inner base can be selected. Installation can be done by simply connecting the coupler without any modification to the wiring.



Inner chrome ¥4,200 right/left set





Inner chrome ¥4,200 right/left set

F00114 Inner black ¥4,200

Coupler-on Resistor Set : Resistor Mounting Plate Set : for LED Blinker

For JC74-JB64/74

E00089 ¥1,800 set of 2

These resistors prevent the high-flash that occurs when converting from incandescent bulbs to LED Blinkers. It is a general-purpose product and can be used with our LED front winker lamps. No damage to the wiring, just plug in the coupler. It works reliably and has excellent durability.



of 2 for LED Blinker Lamps For JC74-JB64/74 **E00088 ¥860** set of 2

Aluminum plates to fix the resistor attached to the coupler-on resistor or LED blinker. The large aluminum plate acts as a heat sink, and by using the existing screws and holes in the car body to directly fix the resistor to the steel plate part of the body, heat conduction is improved and the resistor, which generates a lot of heat, helps to dissipate the heat. The threaded hole pitch of the resistor is 46mm.



For JB64/74 E00132 ¥1,800 set of 2

LED license plate light,

genuine replacement

type Set of 2



Use of high brightness LED. Power saving and long life compared to genuine halogen lights. Built-in Coupler connection make installation





LED High Mount Stop Lamp Type 2 For JC74-JB64/74 E00083 ¥4,500



Uses 9 high-brightness LEDs. Can be installed without modification. Comes with a tool for removal. Lens color is one type of smoke.





LED High Mount Stop Lamp Type 3 For JC74-JB64/74 E00085 ¥4,800

The finely segmented bar type lens cut gives a cool impression. Lens color is smoke. Easy to install, just replace the factory high mount lamps. No troublesome wiring work is required. Comes with removal tool.







Blinker Type 2 For JB64/74

E00109 ¥8,000 right/left set

ECE standard product.





E00191 ¥13,400 right/left set





JB64/74

INTERIOR Common interior for JB64/74

Steering Wheel

Slightly thicker than the factory steering wheel, with a cross-sectional shape that emphasizes operability. It is easy to grip and has a great feel to the touch. The shape of the thumb rest (the hollow part at 9-3 handle position) has also been optimized to ensure comfort. The frame is made of lightweight yet strong aluminum. It contributes to rigidity and safety. The air bag, switches, and covers are used as they are from the factory, making it compatible with all grades of JB64/74. All fabrics are made of genuine leather.

Combination Steering Wheel Real Carbon For JB64/74 ¥36,000 each

Beautiful texture unique to real carbon. The natural depth that cannot be expressed by printing such as hydraulic transfer is realized. Layers and layers of clear paint also make the carbon cloth stand out even more. Stitching color can be selected from red and black.







Matte finish for a calm and chic atmosphere. The smooth feel makes steering operation more light. Available in walnut, white ash and ebony. Stitch color can be selected from red or black. *The wood look is not natural wood.









Combination Steering Wheel Gloss

For JB64/74 **¥22,000** each

Available in brown wood and piano black and Walnut. Stitching colors are red and black. *Brown wood is not natural wood but wood style.









Red Stitching





Leather-wrapped Steering Wheel High-end Model For JB64/74 ¥34,000 each

Higher grade leather is used than the standard model, and smooth leather and perforated leather are used according to the part to be operated to improve the quality feel. Baseball type stitch pattern is used. It is less likely to come into direct contact with the threads, and has improved durability. Stitching

Four colors are available: red, black, silver, and yellow.











Leather-wrapped Steering Wheel Standard Model

For JB64/74 **¥22,000** each

Perforated genuine leather is used for a comfortable feel in the hand and improved texture. European type stitching is used, and the red stitch color adds accent to the all-black steering wheel. Black stitch color is also available, so please choose according to your preference.







Steering Boss For JB64/74 100109 ¥13,000

This boss is indispensable when converting to an external steering wheel such as NARDI or MOMO. The steering wheel is a part that is in constant contact with the driver's body, so it is important that the steering wheel is easy to operate and feels comfortable to the touch. You can choose from small diameter, large diameter, D-shape, deep cone type, etc., and convert it to your favorite steering wheel for a comfortable driving experience. The atmosphere around the cockpit that cannot be experienced with a stock steering wheel will surely enhance your mood. Harness and screws necessary for installation are included. Compliant with safety standards. Made by Works Bell.



Steering Wheel Cover

For JB64/74 **¥3,200** each

PU leather is used, which has elasticity close to that of genuine leather and is pleasant to the touch. The steering wheel cover is made of staggered and flat stitches, which are elastic and strong. The more you use this handmade product, the more comfortable it becomes in your hand and the more stable it becomes even after long hours of driving. The vintage feel of this product coordinates well with the Seat Cover Old Series.













JC74·JB64/74





INTERIOR Common exterior for JC74-JB64/74

Seat Cover Stonewashed Leather

For JC74-JB64/74

100270

Front and rear set ¥38,000 each

*Not available for XG grade and Jimmy Nomad JC74.

100271

Front set ¥23,000 each

The stonewashed finish gives the interior a tough and wild image. High-quality PU leather is used to create a vintage taste in both design and texture. Safety design with special threads for side airbag.





Seat Cover Mocha×Check

For JC74-JB64/74

Front and rear set ¥45,000 *Not available for XG grade and Jimmy Nomad JC74.

I 00197

I00198 Front set ¥30,500



Seat covers with a nostalgic antique look. They make the interior bright and warm. The PVC leather sides have a grainy finish to reproduce the texture of genuine leather. Highly water-resistant and stain-resistant, so it can be used without hesitation. It is a perfect match with comfortable fabrics for all seasons.





Seat Cover Old Brown×Check

For JC74-JB64/74 Front and rear set ¥45,000 each *Not available for XG grade and Jimmy Nomad JC74.

Front set ¥30.500 each

Glen check gives the interior a traditional image. The fabric has excellent air permeability and heat retention properties, so it can be used comfortably all year round regardless of the season. The seat sides are made of PU leather with a vintage feel. The texture is similar to that of genuine leather, and it is easy to maintain.





I 00250 Front and rear set I 00251







I 00194 Front and rear set







I 00252 Front and rear set



Seat Cover Old Series Piping

Front and rear set \(\frac{\pmathcal{442,000}}{\pmathcal{442,000}}\) each *Not available for XG grade and Jimmy Nomad JC74.

Piping is applied to the Old Series seat covers, which are vintage in both design and texture, giving them a pop American taste of the good old days. The retro atmosphere reminiscent of the American cars of the 60's is added while maintaining the high quality of the





I 00185 Front and rear set 100186





I 00189 Front set







I 00191 Front and rear set I 00192 Front set



Seat Cover Old Series


For JC74-JB64/74 Front and rear set ¥35,000 each *Not available for XG grade and Jimmy Nomad JC74.

Front set ¥20,800 each

Luxurious PU leather used for high-class sofas is utilized to create a vintage taste in both design and texture. Although it is synthetic leather, it is also generally referred to as fake leather, and its look, feel, and elasticity can be mistaken for genuine leather.













I 00137 Front and rear set I 00138 Front set







I 00134 Front and rear set I 00135 Front set



RECARO SR-S UT100 R00170 General purpose

Standard model of RECARO sports seat, combining high-quality textured ultra-suede and highly durable artifical leather (artificial leather). The three dimensional form, which focuses on seating performance, enhances the enjoyment of sports driving.

 $Red \times Charcoal Gray$

UT100H (R00180) General purpose

adjustable seat heater.

Black×Blue



Black×Charcoal Gray

RECARO SR-C BK100 General purpose

A highly convenient sports and comfort seat that combines breathable

R00100 Without armrest attachment holes ¥119,000 each

¥122,000 each

Equipped with 2-stage adjustable seat heater.

R00124 With armrest attachment holes*

vehicles with high vehicle height and seating posture.

Red×Charcoal Gray Surge gray \times melange gray

R00130 Without armrest attachment holes ¥149,000 each

*Please specify for right side or left side seat.

Equipped with 2-stage adjustable seat heater.

¥162.000 each

Red×Charcoal Gray

material with excellent breathability. A global standard sports seat with high seating

RECARO SR-S BK100 R00150 General purpose

Color: Black × Black, Black × Red,

¥119,000 each

BK100H R00160 General purpose

¥129,000 each

Color: Black × Charcoal Grav

Surge Gray X Melange Gray

¥149,000 each

This model is equipped with a two-stage

¥159,000 each

brilliant mesh and grippy Kamui.enjoyment of sports driving.

Color: Black × Black , Black × Red Black×Silver, Black×Blue

R00104 With armrest attachment holes*

*Please specify for right side or left side seat.

BK100H General purpose

R00120 Without armrest attachment holes ¥129.000 each

¥132.000 each

*Please specify for right side or left side seat.

RECARO SR-C UT100 General purpose Advanced flat type seat cushion is adopted. The SR-C series is ideal for

Color: Black × Charcoal Gray

With armrest attachment holes* ¥152,000 each

UT100H General purpose

R00140 Without armrest attachment holes

¥159,000 each R00143 With armrest attachment holes*

*Please specify for right side or left side seat.



*A base that can be attached to the seat itself is required to install the armrest

Armrest General purpose Armrests for LX-F and SR-C. R00050 For right side seat ¥11,000 each

Nardo Gray, Faux Leather Black Artificial leather black Artificial leather red.

RECARO Genuine Base Frame For JB64/74/23/33/43/JA22/11 ¥28,000 each

Black×Silver×Black

ROOOO1 JB64/74 Right (Driver)



Genuine RECARO base frame that fits different car models. RECARO, which also develops genuine seats R00002 JB64/74 Left (Passenger's seat) for automobile manufacturers, developed the base frame while taking into consideration not only floor installation and positioning of the seat itself, but also forward visibility, steering wheel and pedal positions, and other aspects of in-car packaging. The base frame is designed to comply with safety standards when the genuine base frame is used and the RECARO seat is installed correctly.

Seat Cover Black Piping For JC74-JB64/74 Front and rear set ¥23,000 each *Not available for XG grade and Jimmy Nomad JC74. Front set ¥17.000 each

Piping processing applied to the seat sides adds just the right amount of color and accent to the interior. The seat surface skin as well as the piping are grained for a high quality finish. The PVC leather is easy to wipe off rain, dirt, and dust, and is easy to maintain.

JC74·JB64/74

INTERIOR Common exterior for JC74-JB64/74

















Seat Cover Black For JB64/74

I 00101 Front and rear set

¥18,000 *Not available for XG grade and

Jimmy Nomad JC74. Seat cover with simple design. The front seats have rear pockets.

The material is PVC leather. Unlike the genuine fabric, it is highly water-resistant and easy to maintain, allowing for more active use







Seat Cover Denim For JC74-JB64/74

I 00100 Front and rear set ¥38.000

*Not available for XG grade and Jimmy

100102

Front set

¥22,000



Denim fabric is used to give a casual look to the interior. The seat covers have a different look as they are used more and more, and can be enjoyed as they age. The back pockets on the back of the front seats are similar to those of denim pants.

*The seat cover has been treated to prevent staining, but







R00192 With armrest attachment holes* ¥131.000 each *Please specify for right side or left side seat.

¥128,000 each

R00190 Without armrest attachment holes

with ultra-suede.

Color:Black × Silver × Black

Brown×Silver×Black

WU110H General purpose Equipped with 2-stage adjustable seat heater.

Showa GARAGE is an authorized dealer

The monocoque frame structure was adopted to achieve uncompromising hold, comfort, and safety. The combination of high

density and high quality urethane foam, exclusively designed with our original know-how, is effective for long distance and long hours driving.

The seat is ergonomically shaped to trace an ideal posture for a driver to avoid fatigue. RECARO has been developing lightweight models for many years by using a resin composite framework that has little effect

on weight, and its reliable quality has made it a genuine product of many automobile manufacturers in Europe, the U.S., and Japan.

Tuning of urethane foam hardness, seat depth and shoulder support.

Comfort model with flatter seat cushion shape. The sides will be covered

RECARO LX-F WU110 General purpose

of RECARO seats.

R00194 Without armrest attachment holes ¥147,000 each R00196 With armrest attachment holes*

¥150,000 each *Please specify for right side or left side seat.



The LX-F series is designed to secure RECARO's ideal driving position by adopting high quality urethane foam. It features a stylish form with Euro taste. The center of the seat is made of original mesh material Laur. A new standard model of comfort seat equipped with seat heater and adjustable air

WhitexSilverxBlack







lumbar support. Color: Black × Silver × Black $White \times Silver \times Black$ R00198 Without armrest attachment holes ¥162,000 each



For left side seat \\ \mathbf{\pm}11.000\) each



Color:Kamui Black, Kamui Red, Nardo Black, Artificial Leather Surge Gray

¥165,000 each



INTERIOR Common interior for JC74-JB64/74

JC74·JB64/74

Armrest For JB64/74

Convenient armrest that also serves as a console box. The L-shaped design allows for easy access to the side brake without obstruction. Designed specifically for the vehicle, installation is as simple as inserting it into the center console. The front of the lid





locks to prevent contents from being scattered. For storing drinks that have been left out of their place due to the installation of armrests, please use the separately available drink holder

(Item No. 1000	40), which can b	e attached to the air conditi	oner vent or left and right doors.
		Black ¥9,000 each	
Red Stitching	I 00160	Silver Stitching 100161	Black Stitching I 00162
		Leather 10,800 each	











Drink Holder For JB64/74

100040 **¥2,300**

This drink holder is designed exclusively for JB64 and JB74. Can be used for everything from canned coffee to PET bottles. Can be attached to the driver's and passenger's seat air outlets and doors



Shift Side Storage Case For JB64/74AT 100180 ¥2,500

Storage pocket exclusively for JB64/74AT models. It is easy to reach when you need it and convenient to put in and out. It does not interfere with shifting, steering wheel operation, or pedal operation. Two gusseted pockets, two mesh pockets, and one removable pocket can be used for different purposes. There is also a storage pocket on the passenger's side, which is a nice feature for passengers. Installation is as simple as placing it over the shift section. It is designed specifically for the car model, so it fits perfectly. Durable fabric is used to prevent scratches around the shift area.





Aluminum Assist Grip For JB64/74



one			100172 Re	
¥2,500 each	I 00171	Black	100173 Bl	ue
Set of 3	I 00175	Silver	100177 Re	ed
¥7,000 each	100176	Black	I 00178 B	ue



High-grade aluminum material is anodized in a colorful finish. The glossy texture with good coloring adds color to the interior. The high rigidity of the assist grips is evident when gripping them, which is not the case with the stock grips. The grip is comfortable to hold and provides an excellent fit. The anodized surface is resistant to rust and corrosion and durable. Easy installation with a single screwdriver. *Installation screws included.

LED Room Lamp For JB64/74 High brightness 3-chip SMD is used for outstanding brightness. For ¥2,000 each

with remote control ¥3.800



front lamps and rear luggage lamps. The remote control type has 16 levels of brightness adjustment.



100120	⟨white⟩



3D Non-slip Mat Excellent durability and water resistance. Lightweight. The mat and luggage will not shift easily.

Perfect size for JB64/74. The 3D structure prevents leaks and stains. The tray-like outer perimeter and edges on the sides prevent mud and dust from splattering. Washable in cold water and easy to clean even when soiled. The material is excellent in heat resistance, weather resistance, ozone resistance, and durability against deterioration over time. Front floor mats and luggage mats are embossed on the surface to prevent slipping.

3D Non-slip Floor Mats Front and Rear Set

For JB64/74 100153 For MT 100154 For AT

¥15.000 each set for driver's seat, passenger's seat, and rear seat



3D Non-slip Floor Mats for **Front Seats**

For JC74-JB64/74

100150 For MT 100151 For AT

¥9.000 each set for driver's seat and front passenger's seat



3D Non-Slip Floor Mat For Rear Seat



For JB64/74 I 00152 ¥6,000







Non-slip Luggage Mat Type 2 For JB64/74 100157 ¥6,300 *XG is not available.

Flat type luggage mat exclusively designed for JB64/74 and made of highly durable material. The surface of the product is embossed to prevent slipping. When not in use, it can be rolled up for storage to make effective use of the rear seat and luggage space. Comes with a









From city driving to off-roading, it can be used for all kinds of purposes.

JB64/74

Showa GARAGE Undercarriage Development Concept

Based on the idea that "even tough suspension that can handle rough roads can also be comfortable for city driving", we first thoroughly test the bike under various on-road conditions, and then finish it off to a state that is fully satisfactory. After that, we carry out careful testing again off-road, and then make final adjustments beforecompleting the product

On-road, it has a comfortable ride and natural handling with minimal unwanted rolling. Off-road, it has excellent maneuverability and good road-holding, so you can ride with peace of mind. For those who want to go off-road in earnest, simply removing the front stabilizer will dramatically improve its off-road performance.



SUSPENSION Suspension Parts for JB64/74

20mm Lift-up Kit For JB64/74

This kit allows you to easily lift up the suspension without changing the ride quality. The shock extension bracket prevents the shocks from stretching out. Recommended tires are [JB64]185/85R16 or [JB74]215/75R15, which are one size larger than the stock tires.

Set includes
Aluminum coil spacer, Long brake hose,
Shock extension bracket

\$00300 ¥24.800



1-inch Lift-up Kit For JB64/74

The amount of lift-up is 1 inch (25-30mm) when installed on JB64. The spring rate is increased compared to the stock, and the ride quality becomes more firm. We recommend larger tires [JB64] 185/85R16 or [JB74] 215/75R15. An extension bracket is included to prevent the shocks from stretching out.

1-inch Lift-up Kit

Set includes 1-inch up coil, Long brake hose, Rear shock extension bracket

Silver Spring S00320 For JB64 S00350 For JB74 Black Spring S00340 For JB64 S00354 For JB74

Set includes 1-inch up coil, Long brake hose, Caster bush, Rear shock extension bracket. Front and rear lateral rods *2

Silver Spring S00330 For JB64 S00352 For JB74 Black Spring S00342 For JB64 S00356 For JB74 ¥82.000 each





J.J	Coil Spring	FL	FR	RL	RR
ΙĔ	Spring Rate (kg/mm)	1.80	1.80	2.60	2.60
64	Free Length (mm)	388	388	315	330
_					
	Coil Spring	FL	FR	RL	RR
J B	Coil Spring Spring Rate (kg/mm)				RR 2.50

OHLINS Shock Absorber S00141 ¥400,000



Showa GARAGE is an authorized dealer of Ohlins Suspension.

As the name of the 4×4 line "Adventure" series suggests, you can enjoy excellent performance and driving in various scenes from street to off-road. Large capacity reservoir tank and wide range of rebound and compression damping force adjustment provide sure stroke and stable ride comfort.





About Vehicle

Precautions For JB64 XC and JB74 JC grade, ride height sensor correction stay is required separately.may be necessary.

- •To compensate for the reduced visibility of the immediate left side due to lifting, it is necessary to secure visibility by means of a camera, etc.
- •Even if the vehicle height is increased by 40mm or more by replacing the coil springs, the coil springs are designated parts * and thus do not require a structural modification inspection and will pass the vehicle inspection without modification.

*Designated parts are automobile parts that are highly likely to be added or changed according to the preferences of the automobile user, and which are not considered a hindrance to ensuring safety or preventing pollution. The parts are specified in the "Notice of the Director-General of the Japan Automobile Traffic Bureau No. 234 and No. 262 of the Ministry of Transport, dated November 16, 1995. When these parts are installed with bolts or adhesives, it is not necessary to change the description on the vehicle inspection certificate or to go through structural change inspections, etc.

ENNEPETAL Shows GARAGE Setting

ENNEPETAL is handmade one by one using high precision German Bilstein parts. This ENNEPETAL E-12 is

E-12 Shock Absorber For JB64/74

\$00400 For normal ride height \$00401 For 1 inch up \$00402 For 2 inch up 1car \(\frac{170.000}{2}\) each



a special model for JB64/74 with Showa Garage's original settings. This is a suspension that has been tested and adjusted many times and fine-tuned to demonstrate the full potential of the JB64/74. It is equipped with a damping force adjustment mechanism not found in the standard BILSTEIN, and offers the best ride quality and driving comfort while responding to a wide range of road conditions. The wide range of 12-level damping force adjustment covers a wide range of driving conditions from on-road driving such as winding roads ar

	•			_	
mechanism not found in the standard BILSTEIN, and offers the best ride quality and driving comfort	Shock	Fre	ont	Re	ar
while responding to a wide range of road conditions. The wide range of 12-level damping force	Absorber	Max. length	Min. length	Max. length	Min. length
adjustment covers a wide range of driving conditions from on-road driving such as winding roads and	Genuine (mm)	409	269	451	302
highways to off-road driving such as flat dirt roads, everyday use such as city driving, and sports	1 inch up (mm)	432	290	490	343
driving. A dial on the top of the absorber allows easy adjustment with a comfortable clicking feeling.	Normal (mm)	420	278	461	326

1-inch Up Kit ENNEPETAL E-12 Set For JB64/74



This 25mm (1 inch) up is popular with people who want a combination of everyday practicality, style and a certain degree of performance.

Compared to the standard, it provides a firmer ride. However, in the case of this Showa Garage Original Setting E-12, a comfortable ride is ensured and it is not related to the tightness that is common in tuned dampers. By making moderate adjustments while taking advantage of the standard's comfortable ride, it suppresses excessive roll and changes to a calm feeling. By making the most of the excellent operability that is unique to mono-tube dampers, it offers a higher level of comfort. such as improved handling and stability during sports driving, and a supple, soft, silky ride that envelopsthe bumps in the road during everyday use. Recommended tire sizes: [JB64] 185/85R16 [JB74] 215/75R15

1-inch Up Kit ENNEPETAL E-12 Set

Standard Set 1-inch up coil, Long brake hose, Caster bush, ENNEPETAL Silver Spring S00430 For JB64 S00434 For JB74 Black Spring S00432 For JB64 S00436 For JB74

Steel Mesh Brake Hose Set 1-inch up coil, Stainless Steel Mesh Brake Hose, Caster bush, ENNEPETAL

Silver Spring | S00570 | For JB64 | S00574 | For JB74 | **¥226.300** each Black Spring S00572 For JB64 S00576 For JB74

1-inch Up Kit ENNEPETAL E-12 Latte Set

tandard Set 1-inch up ton, tong Standard Set Front and rear lateral rod *2 1-inch up coil, Long brake hose, Caster bush, ENNEPETAL

Silver Spring S00431 For JB64 S00435 For JB74 Black Spring S00433 For JB64 S00437 For JB74

ainless Steel Mesh Brake Hose Set

1-inch up coil, Stainless Steel Mesh Brake Hose,
Caster bush, ENNEPETAL, Front and rear lateral rod*2

Silver Spring S00571 For JB64 S00575 For JB74 Black Spring S00573 For JB64 S00577 For JB74

J.	Coil Spring	FL	FR	RL	RR	
J B 64	Spring Rate (kg/mm)	1.80	1.80	2.60	2.60	
64	Free Length (mm)	388	388	315	330	
J	Coil Spring	FL	FR	RL	RR	
J B 74	Spring Rate (kg/mm)	2.30	2.30	2.50	2.50	
74	Free Length (mm)	359	362	303	324	

Shock	Front Rear				
Absorber	Max. length	Min. length	Max. length	Min. length	
Genuine (mm)	409	269	451	302	
1 inch up (mm)	432	290	490	343	

SG Adjustable Coil 50 ENNEPETAL E-12 Set For JB64/74

SG Adjustable Coil 50 ENNEPETAL E-12 Set

Silver Spring s00440 For JB64 s00443 For JB74 ¥289.000 each Black Spring S00460 For JB64 S00463 For JB74

Silver Spring s00580 For JB64 s00583 For JB74 Black Spring S00590 For JB64 S00593 For JB74

SG Adjustable Coil 50 ENNEPETAL E-12 B Set

Standard Set + High Capacity Bump Rubber ★3 Silver Spring S00441 For JB64 S00444 For JB74 ¥300.000 each Black Spring S00461 For JB64 S00464 For JB74

Silver Spring s00581 For JB64 s00584 For JB74 ¥308.500 each Black Spring S00591 For JB64 S00594 For JB74

SG Adjustable Coil 50 ENNEPETAL E-12 BA Set

Silver Spring S00442 For JB64 S00445 For JB74 Black Spring S00462 For JB64 S00465 For JB74

High Capacity Bump Rubber ★3

Silver Spring S00582 For JB64 S00585 For JB74 Black Spring S00592 For JB64 S00595 For JB74

An all-rounder that strikes a balance between driving and appearance. Load clearance that gives you a sense of high lift. Moderate ride height and center of gravity combine comfortable daily driving with



excellent off-road performance. When equipped with Showa GARAGE SG Adjustable Coil 50, it provides a tight ride with moderate damping that is not too hard, and natural handling with less excessive roll. The wide range of 12-level damping force adjustment mechanism covers a wide range of driving conditions from on-road driving such as winding roads and highways to off-road driving such as mogul and dirt roads, everyday use such as city driving, and sports driving. Recommended tire sizes are 185/85R16 and 195R16; 225/75R16 is also available.

SG Adjustable Coil 50, ENNEPETAL, Long brake hose★1, Brake hose down stay, Caster dream, ABS extension stay, Short sway bar link, Sway bar down spacer, Front and rear lateral rods *2, Escape member *Some contents differ depending on the set.

- ★1:Not included with stainless steel mesh brake hose set. ★2:Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel.
- ★3: Bump rubber hardness is soft (front) and super soft (rear). ★4:Reinforced arms are available in gunmetal, red, black, and blue.

Front/Rear Reinforced Arm★4

JB64/74

SUSPENSION Suspension Parts for JB64/74



A suspension kit that has a 14-level adjustable shock absorber that can be adjusted to suit a wide range of riding styles, and that also improves

off-road driving performance while also pursuing a common for city driving. Steering dampers that increase damping force and reduce the recoil when large-diameter tires are fitted, etc. The Showa Garage original brand "V SUOCK" supports all kinds of suspension needs,



X-SHOCK For JB64/74



The 14-level adjustable X-SHOCK absorber can be used for everything from city driving to off-road driving. There are three types for 1, 2 and 3 inch height increases. The X-SHOCK can be adjusted to suit a wide range of on- and off-road driving styles, and can also be used with a genuine specification without a sway bar. The 1 inch height increase type can also be used with the standard vehicle height, and even if you increase the height, there is no need to worry about interference between the cross member and the there is no need to worry about interference between the cross member and propeller shaft, and it can be installed in the standard state (only the left rear brake hose needs to be replaced). For

or replacement is	
required. In	Sh
addition, the long	
brake hose needs	
to be replaced.	

t is Front				Rear					
	Shock Absorber	Max. length	Min. length	Max. length	Min. length				
ong	Normal	409	269	451	302				
eds	1 inch up	433	277	490	314				
	2 inch up	460	290	515	327				
	3 inch up	480	300	540	340				



¥35.000 each/set of 2 S00180 Front S00181 Rear ●For 1-inch up Single item for repair ¥17,500 each/one S00131 Front S00132 Rear

For 2 inch Up

¥35,000 each/set of 2 S00182 Front S00183 Rear

●For 2-inch up Single item for repair ¥17,500 each/one S00133 Front S00134 Rear

For 3 inch Up

¥35,000 each/set of 2

S00184 Front S00185 Rear ●For 3-inch up Single item for repair ¥17,500 each/one

S00135 Front S00136 Rear

X-SHOCK **Steering Damper** For JB64/74

S00115 ¥20.000

This is a steering damper with increased damping force to reduce the impact from the road when large diameter tires are fitted. It is made by KYB, the same manufacturer as the genuine product, so you can be sure of its quality and performance. It has the same shape as the standard product and can be installed with bolts.



The photo shows the standard set.

It is capable of all-around driving from city driving to off-roading, with reduced roll and a firm ride. For JB64, 1 inch up (25 to 30mm) is required. The 14-level adjustable X-SHOCK (cross

shock) absorber can be adjusted to suit various specifications and riding styles both on-road and off-road, and can also be used with the sway bar removed. Bush for correcting front caster angle and front and rear lateral rods for adjusting hosing misalignment are also included in the lathe set. Recommended tire size [JB64]185/85R16, [JB74]215/75R15.[JB74]215/75R15.

1-inch Up Kit X-SHOCK Set For JB64/74

1-inch Up Kit X-SHOCK Set

Standard Set 1-inch up coil, Long brake hose, Caster bush, X-SHOCK

Silver Spring S00323 For JB64 S00351 For JB74 Black Spring S00341 For JB64 S00355 For JB74

Stainless Steel Mesh Brake Hose Set

1-inch up coil, Stainless Steel Mesh Brake Hose, Caster bush, X-SHOCK

Silver Spring S00510 For JB64 S00520 For JB74 Black Spring S00511 For JB64 S00521 For JB74

Max. length Min. length Max. length Min. length 409 269 451 302

1-inch Up Kit X-SHOCK Latte Set

Standard Set 1-inch up coil, Long brake hose, Caster bush, X-SHOCK Front/Rear Lateral rods *2

Silver Spring s00333 For JB64 s00353 For JB74 Black Spring S00343 For JB64 S00357 For JB74

1-inch up coil, Stainless Steel Mesh Brake Hose, Caster bush, X-SHOCK Front/Rear Lateral rods★2

Silver Spring	S00512	For JB64	S00522	For JB74
Plack Carina	C00E12	Ear ID64	COOFOO	Fau ID74

								- X	
ac	k Spr	ing(S00513	For J	B64	S00523	For JB74	¥1	04
			- n.				Frant		

J	Coil Spring	FL	FR	RL	RR	IJ	Coil Spring	FL	FR	RL	RR	Shock A
В	Spring Rate (kg/mm)	1.80	1.80	2.60	2.60		Spring Rate (kg/mm)	2.30	2.30	2.50	2.50	
34	Free Length (mm)	388	388	315	330	74	Free Length (mm)	359	362	303	324	No
												1 inc

★1: Not included with stainless steel mesh brake hose set. ★2: Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel. ★3: Bump rubber hardness is soft (front) and super soft (rear). ★4:Reinforced arms are available in gunmetal, red, black, and blue.

Precautions For JB64 XC and JB74 JC grade, ride height sensor correction stay is required separately may be necessary.



The photo shows the standard set

The ride height is raised by 50mm (2 inches), and compared to a set that can be comfortably driven from on to off with a 75mm (3 inch) increase, the ride is softer. By



cutting the part where the upper part of the spring closely connected area, it is possible to adjust the amount of height increase and the balance of the front and back without affecting the spring rate. The 14-level adjustable X-SHOCK absorber can be adjusted widely to suit various driving styles, and it can also be used for serious specifications without stabilizers. The standard set is an all-in-one set of essential parts, and the B set includes a large-capacity bump rubber, while the BA set also includes reinforced arms. Recommended tire sizes are 185/85R16 and 195R16. 225/75R16 is also possible. FL FR RL RR

	. 5							
Spring Rate (cg/mm)	2.25	2	.24	2.00		1.95	
Free Length	388	4	105	379		390		
Charle Abasaksa	Front				Re	ar		
Shock Absorber	Max. length	Min. lengt	:h	Max.	ength	Mi	in. length	
Normal	409	269		45	51		302	
2 inch up	460 290			51	15		327	
								-

SG Adjust Coil 50 X-SHOCK Set For JB64/74

SG Adjustable Coil 50 X-SHOCK Set Black Spring S00380 For JB64 S00383 For JB74 Stainless Steel Mesh Brake Hose Set Silver Spring s00530 For JB64 s00533 For JB74 Black Spring S00550 For JB64 S00553 For JB74

SG Adjustable Coil 50 X-SHOCK B Se

Standard Set -	High Cap	oacity Bump	Rubber 🖈	r3	
Silver Spring	S00361	For JB64	S00364	For JB74	¥197,000 each
Black Spring	S00381	For JB64	S00384	For JB74	# 197,000 each
Stainless Steel N	1esh Brake	Hose Set	High C	apacity Bur	np Rubber ★3
Silver Spring	S00531	For JB64	S00534	For JB74	¥205,500 each
Black Spring	S00551	For JB64	S00554	For JB74	¥205,500 each

SG Adjustable Coil 50 X-SHOCK BA Set

Standard Set	High Capacity	y Bump Rubber 🤊	Front/Re	ear Reinforced Arm★4
Silver Spring	S00362 For	JB64 S00365	For JB74	¥311,000 each
Black Spring	S00382 For	JB64 S00385	For JB74	#311,000 each

stainless Steel Mesh Brake Hose Set	ш.	High Capacity Bump Rubber ★3
italiless Steel Wesii Blake Hose Set	—	Front/Rear Reinforced Arm★4

Silver Spring	S00532 For JB64	S00535 For JB74	¥319,500 each
Black Spring	S00552 For JB64	S00555 For JB74	+313,300 each

Set Contents

SG Adjustable Coil 50, X-SHOCK, Long Brake Hose ★1, Brake hose down stay, Caster dream, ABS extension stay, Short sway bar link, Sway bar down spacer, Front/Rear Lateral rods ★2, Escape member *Some contents differ depending on the set.

SG Adjust Coil 75 X-SHOCK Set For JB64/74

	SG Adjustable Coil 75 X-SHOCK Set				
Standard Set					
Silver Spring	S00370 For JB64	S00373 For JB74	¥207.000		
Black Spring	S00390 For JB64	S00393 For JB74	¥207,000 each		
Stainless Steel M	lesh Brake Hose Set				
Silver Spring	S00540 For JB64	S00543 For JB74	V015 500		
Black Spring	S00560 For JB64	S00563 For JB74	¥215,500 each		

SG Adjustable Coil 75 X-SHOCK B Set

Stalldard Set	migh Capacity bump				
Silver Spring	S00371 For JB64	S00374	For JB74	¥218,0	
Black Spring	S00391 For JB64	S00394	For JB74	¥ ∠10,0	OO each
Stainless Steel N	Mesh Brake Hose Set -	High Ca	pacity Bum	p Rubber ★3	
Silver Spring	S00541 For JB64	S00544	For JB74	¥226,	-00
Black Spring	S00561 For JB64	S00564	For JB74	ŦZZ0,	OUU each

SG Adjustable Coil 75 X-SHOCK BA Set	

Standard Set -	High Capacity Bum	p Rubber ★3 Front/R	ear Reinforced Arm★4
Silver Spring	S00372 For JB64	S00375 For JB74	¥332,000 each
Black Spring	S00392 For JB64	S00395 For JB74	4332,000 each
		W. I. 6 D.	

Stainless Steel Mesh Brake Hose Set			Front/Rear Reinforced Arm			
Silver Spring	S00542	For JB64	S00545	For JB74		

Silver Spring	300342	FOI JD04	300343	FOI JB/4	V240 E00
Black Spring	S00562	For JB64	S00565	For JB74	¥340,500 ea

Set Contents

SG Adjustable Coil 75, X-Shock, Long brake hose★1, Rear shock spacer set, Brake hose down stay, Caster dream, ABS extension stay, Short sway bar link, Rear lateral rod correction bracket, Sway bar down spacer, Front/Rear Lateral rods★2, Propeller shaft spacer, Escape member *Some contents differ depending on the set.



The ride height is raised by 75mm (3 inches), and this set allows you to drive comfortably whether on or off-road. Compared to a 50mm (2inch) ride height increase, this set gives a more



solid ride feel for driving around town. The 14-level adjustable X-SHOCK absorber can be adjusted to suit a wide range of driving styles, from on-road tooff-road. It can also be used with a genuine specification that does not use a sway bar. By cutting the part where the upper part of the spring closely connected area, it is possible to adjust the amount of height increase and the balance of the front and back without affecting the spring rate. The standard set and B set, which are a comprehensive set, include large-capacity bump rubbers, and the BA set also includes reinforced arms, so you can choose the set that best suits your needs. Recommended tire size:225/75R16, 6.50R16. FI FR RI RR

Con Spin	1 -		110	IXL		IXIX	
Spring Rate (2.5		2.5	2.63		2.63	
Free Length	399	_ 4	409	375		391	
Charle Abasahan	Fro	nt		Rear			
Shock Absorber	Max. length	Min. length Max. leng		ength	M	in. length	
Normal	409	269		45	51		302
3 inch up	480	300	54		540		340

JB64/74

SUSPENSION Suspension Parts for JB64/74

Comfort coil for Stock Ride Height

For JB64 800165 Silver **¥32,000** unit S00166 Black ¥32.000 unit

Softens the initial stiffness of the stock suspension input and makes it more comfortable. It reduces thrust, which is especially noticeable on the rear side, and provides a soft, comfortable, and mild ride. Recommended for those who want

to improve ride comfort without changing the stock ride height.

con spring		1.	A Comment
Spring Rate (kg/mm)	1.92	2.33	




1-inch Lift-up Coil

The lift is 1 inch (25-30mm). The spring rate is higher than the genuine product, so the ride is firmer than the standard. Compatible with genuine shocks. Recommended tire size: 185/85R16, 215/75R15.

FOL 1RP	+
S00044	Silver ¥32,000 unit
S00043	Black ¥32.000 unit

2.0.0.0		_, _		
Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	1.80	1.80	2.60	2.60
Free Length (mm)	388	388	315	330







SG Adjustable Coil

No effect on spring rate! Height and balance adjustable spring!

Cutting the spring closely connected area that does not affect the spring rate, the height and front/rear/right/left balance can be adjusted. This is a versatile type that can be used mainly for city driving, but also for off-road driving. Without cutting, the amount of increase is 50 mm (2 inches) and 75 mm (3 inches) for a vehicle with a spare tire and rear seat, respectively.





SG Adjustable Coil 50

B64	S00045	Silver ¥35,000 unit
	S00047	Black ¥35,000 unit

or JB74	S00145	Silver ¥35,000 unit
	S00147	Black ¥35.000 unit

Lift-up amount is 50mm (2 inches); adjustable from 20 to 50mm



Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	2.25	2.24	2.00	1.95
Free Length (mm)	388	405	379	390

SG Adjustable Coil 75

	•	
For JB64	S00046	Silver ¥36,000 uni
	\$00048	Black ¥36 000 uni

For JB74 S00146 Silver ¥36,000 unit S00148 Black ¥36,000 unit

More street-oriented than the 2-inch uplift, Lift-up amount is 75mm (3 inches), adjustable between 45-75mm.




Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	2.50	2.50	2.63	2.63
Free Length (mm)	399	409	375	391

Reinforced Arm For JB64/74

The material used is STKM13A with a thickness of 5 mm, which is considerably stronger than the genuine arm. The wheelbase, caster angle, and horseshoeing angle have already been corrected. It corrects the suspension misalignment caused by inch-up and secures the original performance of the suspension. Genuine bushings are already press-fitted. Available in gunmetal, red, black, and blue.

For J



Reinforced Leading Arm For front. Extends +6mm (for 2"), +10mm (for 3") to compensate for wheelbase. Reduces interference For front \\ \pm 55,000\) each /right and left set between tires and fenders. Caster angle has also been corrected to 5.2° (for 2-inch) and 7.9° (for 3-inch).







S00091 3 inch





S00171 3 inch

S00024 3 inch Reinforced Trailing Arm For rear ¥68,000 each / right and left set

For rear. The ribs have been extended to further increase durability against bending. This reinforced



(Reinforced Type)









Adjustable Lateral Rod For JB64/74

This part corrects the suspension that causes lateral misalignment due to changes in vehicle height. By adjusting the geometry to the correct level, it helps to reduce body wobble.

Adjustable Lateral Rod Stainless Steel

Made of stainless steel for rust resistance and strength. Rubber bushings are used for the rod ends. *Rod ends are consumable parts and need to be replaced periodically.



S00054 For front ¥23,000 s00053 For rear **¥22,500**

Adjustable Lateral Rod

Genuine Processed Products The genuine rod is machined for superior durability.

The rod ends are rubber bushings. Available in red, black, gunmetal, and blue. For front ¥22,000 each



•	Red	S00700	For front	S00710	For Rear
	Black	S00701	For front	S00711	For Rear
(Gunmetal	S00702	For front	S00712	For Rear
	Blue	S00703 F	or Front	S00713	For Rear

Rear Lateral Rod Correction Bracket S00798 ¥7.000

Bracket that raises the rea hosings' lateral rod mounting position by approximately 50mm when raising the vehicle height. It reduces scuffing

《 QR code is a link to the product video

change and improves driving stability. **Adjustable Lateral Rod** for Stainless Steel Rod End

Replace rubber ends that have deteriorated over time.

cracked, or broken. By refreshing the end, lost maneuverability and ride comfort will be restored.

s00062 For front ¥18,000 s00060 For rear **¥16,000**

Long Brake Hose For JB64/74

Long brake hose to make up for the lack of length when lifting. The 2-inch up set is for use with absorbers up to 460 mm in length at the front and 515 mm at the rear. 3-inch up set is for use with absorbers up to 480 mm in length at the front and 540 mm at the rear. The set includes two front left and right (with four aluminum crush washers) and two rear right and left. Also sold individually.


*The stay set compensates for the lack of brake hose length (approx. 30mm) and also includes a brake hose down stay that allows spring replacement without bothersome brake line disconnection.



	For JB64 front For JB74 front For JB64, JB74 right rear For JB64, JB74 left rear			Down bracket								
Normal		+36mm	+60mm	+20mm	+40mm	+30mm	+50mm	+30mm	+50mm	+80mm	+30mm	Set price
	ratio	¥4,300 piece	¥4,400 piece	¥4,400 piece	¥4,500 piece	¥1,800 piece	¥1,900 piece	¥1,200/本 piece	¥1,900/本 piece	¥2,000 /本 piece	¥1,680	set price
	2-inch up set S00630	•				•			•			¥12,300
For	2-inch up stay set S00631	•				•		•			•	¥13,280
JB64	3-inch up set S00632		•				•			•		¥12,700
	3-inch up stay set \$00633		•				•		•		•	¥14,280
	2-inch up set S00634			•		•			•			¥12,500
For	2-inch up stay set S00635			•		•		•			•	¥13,480
JB74	3-inch up set S00636				•		•			•		¥12,900
	3-inch up stay set S00637				•		•		•		•	¥14,480

Stainless Mesh Brake Hose For JB64/74 **¥23.500**/each

S00658 JB64 for 1inch up S00659 JB74 for 1inch up S00650 JB64 for 2inch up S00652 JB74 for 2inch up S00651 JB64 for 3inch up S00653 JB74 for 3inch up



Brake Hose Down Stav

¥1,900



This stay compensates for the short length of the brake hose (approx. 30mm) when using a 1-inch longer absorber or shock extension

bracket, and also allows the spring to be replaced without

having to bother about disconnecting the brake line. After installation, simply remove the clip to free the brake line. In addition to the factory brake hose, it can also be used with long brake hose or stainless steel mesh brake hose

Short Sway Bar Link For JB64/74

\$00110 **¥4.700** right and left set

These sway bar links are 30mm shorter than the genuine parts. This is a set of left and right links for one vehicle. They correct the angle of the links on a lifted vehicle, allowing the sway bar to work more efficiently and reducing roll. In addition, the shorter length increases the clearance between the ground and the vehicle, making it less likely to hit obstacles. Compatible with 20mm to 3-inch lifts. The degree of lift-up will require the correction of the angle of the sway bar. No correction is required for 20-40mm lift-up. For 2-inch lift-up, use a 5-15mm sway bar down spacer. For 3-inch lift-up, use



Sway Bar Down Spacer For JB64/74

a 20-30mm sway bar down spacer in combination.

Corrects the angle of the sway bar links on a lifted vehicle and restores the original effect and function of the stabilizer. Effective when used in combination with short sway bar links. 10mm and 25mm






¥3,800 right and left set ¥4,500 right and left set

Shock Absorber Upper Bush For JB64/74


without sleeves ¥1,100 each / set of 4 S00153 Normal S00154 Sports with sleeves ¥1.400 each / set of 4

S00158 Normal S00159 Sports Bush for the upper part of the front shock



Coil Spacer For JB64/74

\$00063 10mm \\ \dagger 4.900 piece ¥5,200 each /piece



Coil Spacer 5mm

For JB64/74 **¥2,500** each / set of 2 S00066 For front 5mm coil spacers for



Eliminates the side slits in the



SUSPENSION Suspension Parts for JB64/74

Front ¥8.400 each/set of 2

socces For Front Hard

soooe9 For Front Soft

Rear ¥6,600 each/set of 2

S00071 For Rear Hard S00072 For Rear Soft

S00073 For Rear Super Soft

High Capacity Bump Rubber For JB64/74 Bump rubbers significantly increase capacity compared to genuine. Overall length is 125 mm, approximately 65 mm longer than genuine. Can be easily cut with a cutter knife and adjusted to suit the application. Bolt-on installation. The front bump rubber is about 80mm longer than stock with the included 15mm spacer. If you cut the plate where the genuine bump rubber fits, you can install without using sooo70 For Front Super Soft the spacer, and you can install without sacrificing (cutting) the capacity of the bump rubber for the clearance (15mm) that is created. Choose the hard type (hardness 70) for use in bumping regulations, or the soft type (hardness 60) for shock absorption in speed competitions. Super soft type (hardness 50) has excellent shock absorption and can be used for both front and rear bumps in

speed competitions, but is especially recommended for rear bumps. For reference, all genuine bump rubbers have a hardness of 70.



with larger capacity

The shock absorbing power is greatly increased. Also, by extending the overall length, bump Necessity of bump rubber

The shock absorbing power is greatly increased. Also, by extending the overall length, build rubbers can be used to prevent contact between the tires and the body, and to reduce body sway. In addition, it can be regarded as a "second spring" with a high spring rate, and can provide a sense of stability when cornering on-road as well as off-road

Rear Bump Block Exclusively

JB64/74

for high-capacity bump rubber

For JB64/74

\$00028 **¥6.000** right/left set

Aluminum block and bolt set for installing high capacity bump rubbers inside the rear coil springs. The spring acts as a support and will firmly hit the hosing in any situation. Bolt-on



installation, enabling W-bump

Rear Bump Extension Block for high-capacity bump rubber For JB64/74

Full set ¥7,000 right/left set

\$00039 25mm ¥2.800 right/left set



extension blocks shortening the rear high-capacity bump bump rubber, it reduces swaving

and bending for a can be used as a set for 3-step

specification

*Need to purchase High Capacity **Bump Rubber Repair separately**

S00037 This is a set of

and bolts for 50mm ¥4,800 right/left set rubber, By shortening the



more stable touch. 25mm and 50mm adjustment up to a maximum of 75mm.

High Capacity Figure-8 Bump Rubber For JB64/74 rear

¥3,300 each

sooo15 Hard (hardness 70)

S00016 Soft (hardness 60) S00017 Super soft (hardness 50)

Bracket (sold separately) is required



Compared to conventional figure-8 bump rubbers, the hollow portion has been reduced to 1.5 times (50mm) thicker, 1.25 times (100mm) taller, 84mm wider, and 2.4 times larger in capacity. The rigidity of the product itself is increased, so it is less likely to warp or sag, and it hits the hosing more firmly. The mounting portion has been machined with long holes, allowing adjustment of the contact position. Choose

the hard type for those who want a firm hold, and choose the soft or super soft type for those who want shock absorption.

Comparison with the figure-8 bump rubbers sold in the past. The capacity is approximately 2.4 times larger





Bump Bracket for high-capacity figure-8 bump rubber For JB64/74 S00033 For rear ¥8.800 right and left set

Bracket for mounting a high-capacity figure-8 bump rubber on the rear (25 mm high). Conventional figure-8 bumps can also be installed. Mounting holes on the bracket are pre-machined with long holes for front/rear position adjustment. Bumps are mounted using button bolts to prevent damage during full



Quick Body Mount For JB64/74 ¥6,000 1 car

s00160 Street 60

The loose impression of the genuine body is replaced by a sharp ride. Recommended for those seeking a sportier feel without losing daily

S00161 Sport 70

Compared to the Street 60, the Street 60 transmits more minor vibrations and sounds, but this increases the direct feeling and makes the sensations transmitted from the tires and



reduce body shake and roll, and transmit the sensation from the undercarriage. There is no change in ride height when

replacing the mounts. Effective not only for vehicles with deteriorated mounts, but also for new vehicles and body lifted vehicles. It can be used for a wide range of applications from street driving to competitions and sports driving. This set is designed to replace only 8 parts, which can be done in a short time without the need to detach he frame. You can experience the effect of replacing only half of the 16 parts

OTHERS Other parts for JB64/74

ABS & Air Pipe Correction Stay

For JB64/74 S00150 ¥1.400

This stay corrects the ABS wiring and air hoses that lose

room when the vehicle is lifted and is essential when replacing the absorber with one that is 2" or 3" higher One stay is used for the front

S00111 ¥2.600

S00502 Black



Height Sensor Correction Stay

For JB64/74 ¥1.300 each

For 0.5 to 1.5 inches up

For 2 to 3.5 inches up Correction stay for auto-leveling

mechanism of JB64 XC/JB74 JC. Required when lifting. Two types are available, one for 0.5~1.5" and the other for 2~3.5

S00075 ¥5.000

Bracket For JB64/74

Rear Shock

Extension

Extends the free length of the shock by 35mm. Eliminates the lack of length

Rear Shock Spacer Set For JB64/74

Spacer set to prevent interference between rear shock and coil spring. Set includes 2 x 10mm spacers and 2 x long bolts.



Securely guards the bracket on the underside of the front shock. Protects from impact and improves running

Caster Bush Set of 2 For JB64/74 \$00095 **¥7,600**

This is a bush that corrects the caster angle deviation caused by lift up. It is suitable for vehicles that have been lifted up by about 1 inch, correcting 1.5° per use

For 0.5 to 1.5



Used on the pivots of the leading arm and trailing arm to reduce alignment changes for a

more direct feeling. Used as body side bushings for both leading and trailing arms. *2 sets (4 pieces) are required for one car. Parts for competition







Pitch Gauge for Bush Press Fitting Bush Press Fitting Fixture Set (simple type)

performance. Steel 4.5mm thick. Total 4 colors, Installation requires enlarging the hole

s00503 Blue

General purpose (S01004) **¥1,500**

This is a gauge for press-fitting an eccentricity bush into the reading arm to match the pitch of the genuine part. This is for the front (148mm) only.



General purpose **S01000 ¥12.000**

Manual Hub Installation Kit For JB64/74

Set of press fitting jig for replacing bushings on the leading/trailing arm and gauges (front and rear) to press-fit the bushings to the factory pitch.



Propeller **Shaft Spacer 10mm**

¥7.600



Prevents the constant velocity joint of the rear propeller shaft from coming off at full rebound. Depending on the absorber used, this item is necessary for off-road driving with a ride height increase of 3 inches or more.

Suzuki part number 43813-60A00.

suspension free hub. One gasket is

This gasket is used for the front

¥7,000



D00030 For JA22 freehub D00031 For JA11 free hub ¥11.400

This kit is designed to replace the air locking hubs adopted from JB23 with the manual hubs equipped on JA11 and other models. The air locking hubs are difficult to visually check the locking status and may malfunction due to mechanical problems such as negative pressure leakage, etc. Therefore, it is recommended to replace the air locking hubs with manual hubs that are highly reliable and work reliably in an

*A genuine Suzuki free hub for JA11 or JA22 and a cone washer to install the free hub are separately required.

Hub Nut Without Brim For JB64/74 D00032 ¥3,000 piece

For repairing the manual hub installation kit (sold separately). Sold as a single unit. Cannot be used on vehicles with stock air locking hubs. Instruction manual is not included as this is a repair part.

used on each side and two gaskets are used for one car.

Free Hub Packing Free Hub Cover Gasket General purpose D00016 ¥180 Sheet

D00015 ¥160 Sheet Suzuki part number 43842-80001. These gaskets are used for the front undercarriage free hub. One packing is used for one side, and two are used for one call

Bolt Set for Free Hub For JB64/74 D00025 ¥3.200 (Compatible with all Jimny models.)

This is a set of high strength bolts, spring washers, and cone washers for fixing the free hubs for one vehicle. The bolts are stronger than the genuine ones, and by increasing the tightening torque, the free hub is firmly secured and prevents damage to the bolts



Suzuki part number 43838-60A00. o-rings are used in the free hub of the front undercarriage. One O-ring is used for one side and two O-rings are used for one car.

JB64/74

CHOMO X 57 CEN INTERNATIONAL TO STICEN INTERNAL TO STICEN

(Main pipe 50ϕ , tail end 89ϕ , all stainless steel)

MUFFLER Muffler for JB64/74



*Not compatible with Jimny Nomad JC74.

Proximity noise value:86dB Acceleration noise value:76dB

《Compliant with new standards》 P00004 ¥62,000

Torque 0.5kgm Power 6.2PS

Proximity noise value:79dB Acceleration noise value:75dB

(Compliant with new standards) P00006 ¥68,000

The use of a large silencer suppresses noise volume, low speed range is the same as normal, and torque in the mid-speed range has been increased. Recommended especially for A/T vehicles.

Torque 0.3kgm Power 4.6PS DII





Proximity noise value:87dB Acceleration noise value:75dB Compliant with new standards

P00005 ¥68.000





stock bumper.









JB64/74

SOUP-UP Soup up parts for JB64/74

Powered ECU

Powered ECU

The control maps are optimally adjusted to unleash the true potential of the JB64/74. The lineup includes Spec1 for regular gasoline and Spec2 for high-octane gasoline. This is an easy yet highly effective tuning menu. This powered ECU updates the JB64/74 to have a sharp, lively, and aggressive feel. It will definitely transform the power to a level that can be felt. Of course, we avoid settings that unnecessarily pursue peak power only, and focus on the feeling of everyday use. The vehicle is faithful to the accelerator pedal operation and accelerates comfortably on general roads, highways, and off-road. The cruise control setting can also be changed to comply with the increased speed limit on highways. (For JB74 only)





Spec1

handling at low to mid speeds. Improved response makes the JB64 "easy to drive"

For JB64 P00037

Regular specification ¥50.000

Fuel Target air-fuel ratio Required torque Torque upper limit ■ Boost ■ Boost upper limit

Spec2

Based on Spec1, more power is added. The satisfyingly, aggressive feel and torque transform the JB64 into a powerful ride.

For JB64 (P00038)

High-octane specification ¥80,000

 Target air-fuel ratio
 Cam timing Torque requirement • Torque limit • Bo Boost limit • Speed limit • Other

Option P00041 HKS Super Fire Racing M40XL ¥2.500 piece

for JB74

*Spec2 plugs must be replaced with new plugs to improve driving performance.

The normal engine "K15B type" has been given a satisfying, aggressive feel. For JB74 P00032 Regular specificatio ¥70,000

Adds more power to the Spec1. Enjoy a spaciousness that cannot be

experienced with the regular specification.

For JB74 P00033 High-octane specification ¥80,000

For JB74 P00036 Cruise Control Limit Change ¥30,000 *Optional for JC grade onl

Option (P00040) HKS Super Fire Racing M40X ¥2,200 piece



Change control map

• Fuel • Ignition timing • Throttle • Air-fuel ratio • Cam timing • Torque demand • Torque limit

GReddy Oil Cooler Kit For JB64/74 P00060 ¥62,000

This oil cooler uses a large-capacity core with offset fins in the core tube to reduce pressure loss and improve heat dissipation. The high heat dissipation prevents excessive temperature rise inside the engine and keeps the oil for lubrication and cooling at the proper temperature. The metallic blue accented body is visible through the grille and other openings, providing a dress-up effect.

P00061 Sensor adapter M18 Warning ¥1,200 piece

P00062 GReddy Oil cooler sensor terminal M18 ¥2.500





Aluminum turbo piping set

JB64用 ¥36,000 each

S00500 Polished S00501 Black

S00502 Red

s00503 Blue

Reduces pressure loss during boost and improves engine response. Piping kit with aluminum pipe joints from the turbine to the intercooler and throttle body. The use of aluminum for the body material and silicone for the joint parts ensures durability and safety. By replacing the factory rubber pipe with an aluminum pipe, durability is increased and at the same time, deformation caused by strong expansion during supercharging is prevented and compressed air flow is smoothed out. Optimal pipe diameter and curvature have been selected for the intercooler inlet/atlet pipe and throttle pipe to reduce pressure drop. This will improve engine response. The silicone hoses used in the joints also have a multi-layered structure with high heat and oil resistance to reduce loss due to heat and pressure. The same layout as the factory allows for bolt-on installation without any interference between parts. The bright polished finish and the brilliant color of the wrinkle coating add a touch of color to the inside of the engine













Vehicle Stability Control Canceller (VSCC) For JB64/74 P00024 ¥39,900

Deactivates traction control and anti-skid system (vehicle stability control). The genuine cutoff switch (operation) leaves some of the electronic controls in place, which can be detrimental when driving aggressively in sports driving situations, for example, when the driver is unable to control the vehicle as he/she wishes. With this device, the control can be deactivated at the touch of a button, leaving only the ABS in place and allowing the driver to enjoy the pure enjoyment of driving by suppressing behavior contrary to the driver's wishes. This is an indispensable item for serious off-road driving that requires a daring sliding technique, such as steep hill climbs with tires spinning. The status memory allows the engine to be turned on again when the engine is turned off and restarted.





taste that emits an aura of a higher rank is best suited for the

dressed-up urban style.

Matte Black

Gloss Black

44

Matte Bronze



46

W00045 Matte Black W00046 Gloss Black W00047 Gunmetal

W00041 White

W00043 Matte Bronze

W00048 Matte Black


wooo49 Gloss Black

woooso Gunmetal

47

W00044 Matte Bronze

wooo42 White







R8

For JB74 JB43 **¥26,500** each Size 15×6.0J ±0 Weight 6.8kg

Showa Garage's original R8 aluminum wheels have a round hole dish design, which is a royal American style. However, it is not all about retro, but rather a simple look without steps or ribs that has been refined for a modern look. The characteristic egg-shaped hole shape emphasizes the cant (slope) of the hole sides. The silhouette, which is not too old, matches the neo-classic JB74, which is both new and nostalgic at the same time. One-piece construction, casted, with center cap. Available in two

colors: matte black for a wild image and glossy black for a dressy look.







X-Line For JB64 JB23 ¥24,500 each Size 16×5.5J +20 Weight 6.9kg



Original aluminum wheels designed by Showa Garage. The square shape features a simple design based on straight lines. The design makes the spokes look slender and long, creating a foot-lengthening effect and a one-rank larger image. The silhouette, which dares to eliminate curves, is unique and stands out from the many rounded designs. The deep rim shape is achieved by slimming down the reverse side of the rim, making it truly one-of-a-kind.



W00013 Matte Black W00014 Gunmetal





For JB64 JB23

wooo37 **¥27,300** Size 16×5.5J +20 Weight 8.92kg For JB74 JB43

wooo38 **¥27,800** Size 16×6.0J -5 Weight 9.35kg

Nitro Power H12 Shotgun in the Showa style. Dyed bronze, a color not found in the catalog model lineup, it has been transformed into a style that gives a sense of depth as well as massiveness. The military style matches the tough and wild Jimny, and goes well with the burly off-road tires. The dish shape and 12-hole design give it a rugged and impactful shape. The ribs on each hole emphasize the depth and give a change to the dish wheel that tends to be monotonous. The NITRO POWER logo at the center of the wheel and pierced bolts on the outer circumference express an army taste. The matte finish also gives a tough appearance.

va GARAGE com-ordered Semi-gloss bronze



16×6.0J -5







NITRO POWER M16 ASSAULT

For JB64 JB23 **¥27,300** Size 16×5.5J +20 Weight 8,22kg

For JB74 JB43 **¥27,800** Size 16×6.0J +5 Weight 8,00kg

Off-road taste is added to the monotone and urban atmosphere of the standard colors. The simple and sporty design is based on the NITRO POWER concept of military ruggedness. The concave spoke cross section and twin spokes with eight spokes hollowed out give an image of ruggedness and wildness. The simple deep rim shape creates a lightweight and three-dimensional appearance. Both rigidity and rugged design are achieved. The brand logo engraved on the center part creates an impactful originality. The high quality Nashikoji finish also provides strong support for SUVs and 4x4s.







《 QR code is a link to the product video.

RAYS X Shorts

MADE IN JAPAN. MADE IN HOUSE

VERSUS VV21SX

For JB64 JB23 **¥42,000** Size 16×5.5J +20 Weight 7.5kg

For JB74 JB43 **¥43,000** Size 16×6.0J +5 Weight 8.3kg

A new proposal from VERSUS, which offers a wide variety of dress-up wheels. The "VV21SX" is a new type of wheel that skillfully combines a sporty and fashionable taste with the functionality-oriented design unique to RAYS. The design incorporates slim Y-shaped spokes pushed out on the top surface and the "relief pocket," an advanced lightweighting technology, for strong rigidity. The unique silhouette of the VV21SX is designed specifically for the "modern Jimny," and it is a vehicle that can be used on or off the road without skimping on performance. The color is Showa's original semi-gelatinized semi-elastomer. The color is Showa's original semi-gloss black.







For JB64 JB23 wooo30 **¥41,000** Size 16×5.5J +20 Weight 6.7kg For JB74 JB43 wooo33 **¥41,000** Size 16×5.5J ±0 Weight 6.9kg For JB74 JB43 wooo34 **¥41,000** Size 16×5.5J –5 Weight 6.9kg



Original Showa Garage color made in collaboration with RAYS. A deep hyper bronze color that changes color depending on the angle you look at it. The 57DR-X, the successor model of the 57JX, is a 6-spoke design that is a RAYS tradition, but with a new logo design. The center portion is rounded to emphasize the concave line of the spokes. Different depths of the face are available for each inset. The spoke sides are ribbed to give a slim yet powerful impression, and provide sporty appeal and strong support for your feet in all situations, on or off the road. The inset for the Jimny is 20, for the Sierra -5 (*) for an aggressive style, and the inset 0 for a wider







RAYS X Shows **RAYS Gram Lights 57JV**

For JB64 JB23 W00032 ¥41.000

Size 16×5.5J +20 Weight 6.5kg

Original color wheel made in collaboration with RAYS. Hyper Bronze is a deep color that changes color depending on the angle of view. The on-road sports model 57XTREME was refined for Jimny. The silhouette was changed from 2×6 to 2×5 for a longer leg design and to better match with the larger center bore Jimny. In addition, the aggressive concave design gives it a powerful and intrepid look, while adding a touch of the latest dress-up style to the Jimny, for which it is difficult to adopt a three-dimensional design. The design is designed exclusively for Jimny, and the extreme care taken in its execution has resulted in the expression of a rich three-dimensionality









RAYS A·LAP-J

For JB64 JB23 W00008 ¥51,000

Size 16×5.5J +20 Weight 4.9kg

W00007 ¥52.000 For JB74 JB43

Size $16\times6.0J + 5$ Weight 5.1kg

The original A-LAP-J by Showa GARAGE and RAYS is a hyper bronze color that changes its appearance depending on the light. Forged 1 piece super sports model seriously built by RAYS for Jimny users with driving performance that surpasses even large 4WD machines. Lightweight performance was pursued to effectively transfer the limited displacement and power to the road surface. The optimal shape, 10-spoke cross section, thickness, and shape were optimized specifically for Jimny, and together with high strength and high rigidity, the lightest Jimny wheel weight of 4.9kg (inset 20) was achieved. Furthermore, the rim and disc shape has been adjusted for each inset to accommodate stock, over fender, and even Sierra models. Machined finish with RAYS & A@LAP-J logo.

*Inset 20 is for Jimny, and inset 5 is for Jimny







Wide Tread Spacer Black 30mm 139.7-5H

JB64/74/23/33/43用

W00101 ¥3,600 piece W00102 ¥7,200 set of 2

W00103 ¥14.400 set of 4

Forged wide tread spacers made of high-strength aluminum material A6061-T6. Can be used for wheel-to-body alignment and suspension setting. The CNC and milling cutting marks on the body are also expected to be highly precise. Anodized surface coating ensures long-term corrosion resistance. The hub bolts are made of chromium molybdenum (SCM435), which is also strong enough.



⟨Product Specifications⟩ OD 176mm / ID 108mm Bolt holes:5 holes PCD 139.7mm Thread pitch: M12×1.25 (Suzuki,

Subaru, Nissan, etc.) Body material: forged aluminum

(A6061-T6) Anodized finish Hub bolt material: chromoly steel



Genuine Shape

JB23/33/43 EXTERIOR Common exterior for JB23/33/43

Front Bumper Spoiler For JB23



Sharp-looking front bumper spoiler, available in painted or unpainted ABS and unpainted FRP gel coat finish. Skid plate (sold separately) is required at the same time. Fog lamps can be installed if the model is JB23-5 or later.

(Made of ABS) E00800 Unpainted ¥34,000

E00804 Khaki (ZVD) E00805 White (26U)

《Made of FRP》 E00030 Unpainted ¥31.000 (gel coat finish)

(Made of ABS) E00810 Unpainted ¥32.000 E00802 Black (ZJ3) E00803 Pearl (Z7T) E00812 Black (ZJ3) E00813 Pearl (Z7T)

Genuine color (JPN) ¥49.000 each

Front Grille For JB23 E00025 ¥18,000

Larger opening for increased ventilation. FRP gelcoat finish with black mesh net. 1 to 3 models of JB23, JB33, and JB43-2 to 7 models require hood

*May cause interference due to individual differences.



Mesh Net General purpose

Aluminum honeycomb mesh net (mesh size: 18mm x 9mm) and ABS resin honeycomb mesh net (mesh size: 30mm x 13mm) can be freely used for luxurious Euro style or sporty style. The ABS mesh net is flexible and can be shaped by using a heat gun, etc. The aluminum mesh net is painted gloss black. Aluminum

mesh net is painted gloss black.



ABS Honeycomb Mesh Net ¥2,000 (120cm×40cm)

Made of 3mm-thick aluminum, black anodized. Mounted by drilling holes at the end of the frame. Includes stainless steel button bolts. not for JB33/43.



E00034 Black ¥13,000

Skid Plate For JB23

E00033 Black ¥8.000



E00049 Silver **¥7,000**

Genuine color (JPN) ¥47,000 each

E00050 Silver ¥12,000

Tow hooks can be attached. A 4.5mm bracket is placed inside the frame to allow for secure bolting to the frame. Tow hooks with an attachment pitch of 57 mm, such as those made by Taniguchi, can be attached. The plate is made of 3mm thick aluminum.

LED License Plate Transfer Kit For JB23/33/43 E00121 ¥10,800 each

The set includes mounting bracket, LED license plate light, and bolts. The LED number lights are made of resin so they will not rust and the LEDs have a long life. Drilling is required for installation. Includes Showa Garage logo sticker.



License Plate Mounting Stay

For JB23 **E00031 ¥3,000**

Rear Bumper Spoiler For JB23

FRP spoiler is available in unpainted gel coat finish.

Stylish rear bumper spoiler, available in ABS and FRP. The license plate needs to be moved for installation. A separate transfer bracket is required

to install the spare tire. ABS spoiler is available in painted or unpainted.

(Made of FRP) E00032 Unpainted ¥29.000 (gel coat finish)

E00814 Khaki (ZVD) E00815 White (26U)

Set of number stay, reinforcement stay, bolt, and nut necessary to attach a license plate to Showa GARAGE's front bumper spoiler.



ABS products do not require any modification during installation because of the small individual differences that occur during production, but in rare cases, modification may be necessary. FRP products are subject to many errors that occur during production and require adjustment such as modification, processing, etc. and painting before installation

LAMP Lamp for JB23/33/43

LED Tail Lamp

For JB23/33/43 **E00026** Clear **¥25,000** left/right set

With the small light on, 9 LEDs (per side) on the LED tube, 12 LEDs (per side) on the brake, and 8 LEDs (per side) on the turn signal will flash. You can switch between sequential and normal lighting. Measures have been taken to prevent the high-flasher and ABS

lamp from lighting up. If you want to install this on a JB33 or JB43, you will need to modify the wiring on the vehicle side. 1-year warranty. Fogging due to condensation is not covered by the warranty.

¥6.000 each/right and left set

LED Back Lamp For JB23/33/43 8 projector type LEDs (5700k) are used per side. They are much brighter than the genuine ones and ensure safe visibility when driving in reverse, such as when parking the car.



E00024 Smoked lens



Fog Lamp For JB23/43 E00017 ¥1,800 piece



Equivalent to genuine product. Glass lenses are used, and the optical axis adjustment function is also included. Sold as a single unit with H11 bulb, E-marked. Requires lamp stay, connector, switch, etc. for installation on models JB23-5 and earlier. Some external bumpers may require modification

MUFFLER Muffler for JB23/33/43

Links Muffler For JB23/33/43

P00002 New standard compliant product ¥51.000

《All models of JB23, JB33/43 before March 2010》 Proximity noise value: 87dB Acceleration noise value: 81dB Jointly developed with 5ZIGEN, a long-established muffler manufacturer. Left-hand muffler compliant with

the new noise standard imposed on vehicles manufactured after April 2010. Main pipe 50φ (with 45φ aperture at the tycoon section), tail end 70\u03c4 down shape, all stainless steel. Type S is also available, which is a full 50φ version of the above model without the center pipe muffler and without the aperture in the rear tie-coil. Although it is a straight shape, it has torque at low rpm and blows up smoothly to high rpm.



INTERIOR Interior for JB23/33/43

Aluminum Assist Grip For JB23/33/43

¥2,500 each/one

¥7.000 each/set of 3 100175 Silver 100176 Black 100170 Silver 100171 Black

I00177 Red I00178 Blue I00172 Red I00173 Blue

The high-quality aluminum material is anodized in a variety of colors. The bright colors and glossy texture add a touch of elegance to any interior. The genuine assist grip provides a high level of rigidity that you won't find in a genuine assist grip. It also has a great feel and

fit. The anodized surface is also resistant to rust and corrosion, making it durable Easy to install with just one screwdriver. *Installation screws included.



Clutch Start Cancel Switch

For JB23/43 000012 ¥6,300 unit

《Compatible with JB23-5 or later and JB43-4 or later》

Turn the switch ON to start the engine without stepping on the clutch, and turn it OFF to return to the normal state. This can be used for off-road driving or in an emergency to start the car by turning the cell



phone while the car is in gear. It can also be used conveniently when using a bed kit for overnight stays

JB23/33/43

SUSPENSION Suspension Parts for JB64/74

For those who mainly drive for competition and off-road... SG Adjustable Coil 60 For JB23/33/43 S00040

By cutting the upper part of the coil where the wires are \\ \displays 35,000 \text{per/car} closely connected, it is possible to adjust the ride height and front/rear/right/left balance (30-60mm) without affecting the spring rate. The ride height can be increased by 60mm (2.5 inches). Although the ride quality is good enough for city



driving, it is designed for off-road and competition use. *Front height up for JB33 and

JB43 is 10~15mm lo	wer.			
Coil Spring	FL	FR	RL	RR
Spring Rate (kg/mm)	2.20	2.20	1.97	2.02
Free Length (mm)	376	396	357	387

Bilstein Shock TYPE R For JB23/33/43

S00105 ¥160.000

This model is suitable for a wide range of competitions including high speed trial. Also flexible enough for street driving. 50 to 60mm up.



Bilstein Shock For JB23/33/43 s00100 ¥140.000

Based on PADOKKU Bilstein shocks, set for JB23/33/43. 50~60mm up.



SG Adjustable Coil 60 Bilstein Shock Set

For JB23/33/43 Set includes SG Adjust Coil 60, Long Brake Hose, Caster Dream, Lateral Rod *1, Bilstein Shocks *Contents may vary depending on the set.

This suspension set was designed with competition in mind and has achieved numerous results at JSTC events around the world. It can be used for all purposes from street driving to competition. The weak overcoil characteristic allows the car to turn by throttle control instead of steering angle by stepping on the accelerator pedal aggressively. By cutting the wire-to-wire contact area at the top of the coil, it is possible to adjust the ride height and the front/rear/right/left balance. The amount of ride height increase is 60mm(2.5 inches).

*The amount of front height increase for JB33 and JB43 is about 10~15mm lower.

SG Adjustable Coil 60 Bilstein Shock Set

Standard Set **¥235.000**

SG Adjustable Coil 60 Bilstein Shock B Set

Standard Set + High Capacity Bump Rubber ★2 ¥242.000

SG Adjustable Coil 60 Bilstein Shock BA Set

Front/Rear Reinforced Arm★3

¥325.000

S00210

S00211



SG Adjustable Coil 60 AS8 Shock Set

For JB23/33/43 Set includes SG Adjustable Coil 60, Long Brake Hose, Caster Dream, Lateral Rod *1, AS8 Shock *Contents may vary depending on the set.

This set combines SG Adjustable Coil 60 and AS8 shock with damping force adjustment. Recommended mainly for city driving. By cutting the wire-to-wire

contact area at the top of the coil, the ride height and front/rear/right/left balance can be adjusted. The ride height can be increased by 60mm (2.5 inches). *The amount of front height increase for JB33 and JB43 is about 10~15mm lower.

S00201

SG Adjustable Coil 60 AS8 Shock Set S00200

Standard Set ¥ 158.000

SG Adjust Coil 60 AS8 Shock B Set

Standard Set + High Capacity Bump Rubber ★2 ¥ 169.000

SG Adjust Coil 60 AS8 Shock BA Set

Standard Set + High Capacity Bump Rubber *2 Front/Rear Reinforced Arm *3 ¥255,000

★1: Front and rear lateral rods can be selected from red, black, blue, gunmetal, and stainless steel

★2: Bump rubber hardness can be selected from hard, soft, and super soft. We recommend soft front and super soft rear.

★3: The color of reinforced arm can be selected from Gunmetal, Red, Black.

Adjustable Lateral Rod

For JB23/33/43

Parts to correct suspension that causes lateral misalignment due to ride height change. By optimizing the geometry, it reduces body wobble, etc.

Adjustable Lateral Rod	Stainless Ste	el
S00052 For front	¥22,500	



Made of stainless steel, rust-resistant and strong. Rubber bushings are used for the rod ends. *Rod ends are consumable parts and need to be replaced periodically

Adjustable Lateral Rod Genuine processed products

For front ¥28,000 each Superior durability due to stock rod processing. The rod ends are rubber For rear ¥21,000 each bushings. Available in red, black, gunmetal, and blue.



Rear Lateral Rod Correction Adjustable Lateral Rod Stainless Steel Bracket For JB23/33 S00799 ¥7.000

Bracket to correct the rear hosings' lateral rod mounting position upward by approximately 50mm when raising the vehicle height. It reduces scuffing change and improves driving stability.

Rod End For JB23/33/43

soooo For front/rear ¥16,000 Replace rubber ends that

have deteriorated over time, cracked, or broken. By refreshing the rubber ends, lost handling and ride comfort will be restored.



For those who mainly drive in town and off-road... **SG Adjustable Coil 75**



The SG Adjustable Coil 75 is designed for city to off-road driving, and although it depends on the characteristics of the combined absorber, it does For JB23/33/43 \$00041 \dispersion \dispers roll. The spring rate is maintained by cutting the coil upper part where the wires are closely connected, and the ride height can be adjusted between 45 and 75 mm. Front/rear/right/left balance adjustment is also possible. The vehicle height can be increased by 75mm (with spare tire and rear seat).

Coil Spring FL FR RL RR *Front height up amount is 10~15mm lower for JB33 Spring Rate (kg/mm) 2.18 2.18 2.20 Free Length (mm) 387 410 372 397



SG Adjustable Coil 75 Solve Shock Set

For JB23/33/43 Set includes SG Adjust coil 75, long brake hose, caster dream, lateral rod *1, solv-shock, rear lateral rod correction bracket *Contents may vary depending on the set.

Intended for street and off-road driving. Uncomfortable thrust is softly absorbed while roll is minimized. Ride height is increased by 75mm (3 inches) with spare tire and rear seat.

*Front ride height is 10~15mm lower for JB33 and JB43.

SG Adjustable Coil 75 Solv Shock Set

S00230

Standard Set ¥ 146,000

SG Adjustable Coil 75 Solv Shock B Set

Standard Set + High Capacity Bump Rubber ★2 ¥ 157.000 SG Adjustable Coil 75 Solv Shock BA Set

Standard Set

High Capacity Bump Rubber ★2

Front/Rear Reinforced Arm **3 ¥250,000

SG Adjustable Coil 75 AS8 Shock Set For JB23/33/43 Set includes SG Adjust coil 75, long brake hose, caster dream, lateral rod *1, AS8-shock, rear lateral rod correction bracket *Contents may vary depending on the set.

Ride quality can be freely adjusted

according to riding style and situations

This set is recommended for both city driving and off-road driving. 8-step adjustable shock absorbers allow you to adjust the ride quality to your preference. The ride height can be increased by 75mm (3 inches) for vehicles with a spare tire and rear seat.

*Front ride height is 10~15mm lower for JB33 and JB43.

SG Adjustable Coil 75 AS8 Shock Set

Standard Set ¥ 165,000

SG Adjustable Coil 75 AS8 Shock B Set Standard Set + High Capacity Bump Rubber *2 ¥ 176.000

SG Adjustable Coil 75 AS8 Shock BA Set Standard Set + High Capacity Bump Rubber *2 Front/Rear Reinforced Arm*3 ¥263,000

★1: Front and rear lateral rods can be selected from red, black, blue,

★2: Bump rubber hardness can be selected from hard, soft, and super soft. We recommend soft front and super soft rear.

★3: The color of reinforced arm can be selected from Gunmetal, Red, Black.

ABS Compensation Stay For JB23/33/43 S00149 ¥600

Stay to compensate for ABS wiring that sticks out when lifted, essential when replacing with an absorber that supports 60mm (approx. 2.5") or 75mm (approx. 3") up. Use one on the front.

Short Sway Bar Link For JB23-5 or later and JB43-3 or later These sway bar links are 30mm shorter than the genuine parts.

This is a set of left and right links for one vehicle. They correct the angle of the links on a lifted vehicle, allowing the sway bar to work more efficiently and reducing roll. In addition, the shorter length increases the clearance between the ground and the vehicle, making it less likely to hit obstacles. Compatible with

20mm to 3-inch lifts. The degree of lift-up will require the correction of the angle of the sway bar. No correction is required for 20-40mm lift-up. For 2-inch lift-up, use a 5-15mm sway bar down spacer. For 3-inch lift-up, use a 20-30mm sway bar down spacer in combination.



Sway Bar Down Spacer 25mm

For JB23/33/43 By lowering

the installation position, it corrects the angle of the sway bar links on a lifted



10mm

¥4.300

makes the sway bar work more efficiently.

Shock Absorber Upper Bush With Sleeves

For JB23/33/43

¥1.400 each / set of 4 S00158 Normal S00159 Sports

Bush for the upper part of the front shock

Quick Body Mount For JB23/33/43 S00031 ¥6,000 per/car

The shape of the stock bushings has been reviewed to increase rigidity. Reduced yawing between the body and the frame, reduced body wobble and roll, improved turning performance, and more straightforward transmission of suspension movement. This set includes only 8 replacement parts, which can be done in a short time without the need to detach the frame. You can experience the effect of replacing only half of the 16 parts. There is no increase in unpleasant vibration or noise due to the replacement. There is no change in vehicle height. Useful not only for vehicles with deteriorated mounts, but also for replacement when the vehicle is new. Also effective for body lifted vehicles.





Reinforced Body Mount


separated, but we recommend the full set of reinforced body mounts for those who want more effectiveness



absorber. Two types are available: Sport (direct feel) and Normal (equivalent to stock). The normal type can be used as a substitute for the genuine part.









JB23/33/43 OTHERS



SUSPENSION Suspension Parts for JB23/33/43

High Capacity Bump Rubber For JB23/33/43

Front ¥8.400 each/set of 2

S00068 Hard (hardness 70) S00069 Soft (hardness 60)

sooo70 Super Soft (hardness 50)

Rear ¥6,600 each/set of 2

S00071 Hard (hardness 70) S00072 Soft (hardness 60)

S00073 Super Soft (hardness 50)

Bump rubber with significantly increased capacity compared to stock. Overall length is 125mm, about 65mm longer than stock. Can be easily cut with a cutter knife and adjusted to suit the application. Bolt-on installation. The front bump rubber is about 80mm longer than stock with the included 15mm spacer. If you cut off the plate where the stock bump rubber fits, you can install without using the spacer, and you can install without sacrificing (cutting) the bump rubber capacity for the clearance (15mm) that is created. Choose the hard type (hardness 70) for use in bumping regulations, or the soft type (hardness 60) for shock absorption

in speed competitions. Super soft type (hardness 50) is excellent in shock absorption and can be used for both front and rear bumps in speed competitions, but is especially recommended for rear bumps. For reference, the factory bump rubbers are all hardness 70.





Necessity of larger capacity

First of all, it greatly increases shock absorption. Also, by extending the overall length, bump rubbers can be used more aggressively to prevent contact bump rubber with between the tires and the body, and to reduce body sway. In addition, it can be regarded as a "second spring" with a higher spring rate, and can provide a sense of stability when cornering on-road as well as off-road.

Rear Bump Block Exclusively for high-capacity bump rubber



For JB23/33/43 ¥6,000 right/left set

Aluminum block and bolt set for installing high capacity bump rubbers inside the rear coil

springs. The spring acts as a support and will firmly hit the hosing in any situation. Bolt-on installation, enabling W-bump specification. *A separate high-capacity bump rubber is required.

Rear Bump Extension Block



S00037 Full set ¥7.000 right/left set s00038 50mm ¥4.800 right/left set

S00039 25mm ¥2.800 right/left set and bolts for shortening the

rear high-capacity bump rubber. By shortening the bump rubber, it reduces swaying and bending for a more stable touch. 25mm and 50mm can be used as a set for 3-step adjustment up to a maximum of 75mm.



Coil Spacer For JB23/33/43 S00063 10mm ¥4,900 piece S00064 15mm S00065 20mm

¥5,200 each /piece

Aluminum coil spacers for ride height adjustment (front/rear balance, etc.)

Coil Spacer 5mm For JB23/33/43 ¥2,500 each / set of 2

S00066 For front S00067 For Rear

5mm coil spacers for ride height adjustment. Can be used as 10mm spacers by overlapping. Includes a turn stopper.

Resistant to bending and breaking.

Reinforced Arm For JB23/33/43

Made of STKM13A and 5mm thick, these arms are much stronger than the genuine arms, which tend to bend and break easily. Wheelbase, caster angle, hosing angle, etc. have been corrected. Corrects suspension misalignment caused by inch-up and secures the original performance of suspension. Bushings are already press-fitted. Available in gunmetal, red and black.

Reinforced Leading Arm For front ¥55,000 each / right and left set

For front. Extends +6mm (for 2") and +10mm (for 3") to compensate for wheelbase. It prevents interference between the tires and fenders. Caster angle has also been corrected to 5.2° (for 2-inch) and 7.9° (for 3-inch).









S00091 3 inch

《Reinforced type》



Longer and reinforced compared to normal reinforced trailing arms.

Black S00101 2 inch S00102 3 inch

Reinforced Trailing Arms For rear ¥51,000 each / right and left set

For rear. The hosing part is 22mm thick and shaped to secure load clearance. The horsing angle has been corrected (2.1°) for lift-up.







Reinforced Trailing Arm (Angle Correction Reinforced Type) For rear ¥68,000 each /right and left set

For rear. Compared to the conventional reinforced arms, the ribbed part has been extended to increase durability against bending. Recommended for off-road driving.







High Capacity Figure-8 Bump Rubber

For SJ30 JA11/12/22 JB31/32 front ¥3.300 each/piece

S00015

Hard (hardness 70) Soft S00016

(hardness 60) Super soft S00017

Compared to conventional figure-8 bump rubbers, the hollow nortion has been reduced to 1.5

(hardness 50)

times (50mm) thicker, 1.25 times (100mm) taller, 84mm wider, and 2.4 times larger in capacity. The rigidity of the product itself is increased, so it is less likely to warp or sag, and it hits the

hosing more firmly. The mounting portion has been machined with long holes, allowing adjustment of the contact position. Please choose the hard type for those who want a firm fit, and the soft or super soft type for those who want shock absorption.

《Optional brackets are required for JB23, JB33, and JB43》





omparison with the figure-8 bump rubber sold in the past. Capacity is approximately 2.4 times greater.

Bump Bracket Exclusively for high capacity figure-8 bump rubbers

For JB23/33/43 front ¥6.500 each /right/left set

S00035 For JB23 s00036 For JB33/43

Brackets for installing high-capacity figure-8 bump rubbers on the front. Installation is by welding. Conventional figure-8 bumps can also be installed. Bumps are mounted with button bolts to prevent damage during full bumping. Can be used in conjunction with cylindrical high-capacity bump rubbers for W high-capacity bump specifications.

⟨⟨ QR code is a link to the product video

For JB23/33/43 rear \$00033 **\\$48,800** right/left set



Bracket for installing high capacity figure-8 bump rubber on rear. Height 25mm, figure 8 bumps of conventional products can also be installed. Mounting holes of the bracket are pre-machined with long holes for front/rear position adjustment. Button bolts are used for bump mounting to prevent damage during full bumping.

For JA11 JB31 JA71 SJ30 rear

S00029 For JA71 SJ30 ¥10,000 right/left set S00034 For JA11 JB31 **¥10.000** right/left set



etc. In addition to the high-capacity figure-8 bump rubber, the genuine JA11 front and conventional figure-8 bump rubbers can also be installed. Height: approx. 20mm, fixed by co-tightening with U-bolts. Button bolts are used for bump installation to prevent damage at full bump

Pillow Bush for Pivot, Set of 2 For JB23/33/43

Front Shock Guard For JB23-2 type or later/JB43

¥11,500 each S00504 Gunmetal

S00505 Red S00506 Black

Securely guards the bracket on the underside of the front shock. Protects from impact and improves running performance.



\$00097 **\(\frac{\pma}{2},000\)** each / set of 2 For use on the pivots of the leading arm and trailing arm to strengthen the suspension fan and reduce alignme changes. Sold in sets of 2.

*Two sets (4 pieces) are required for one



OTHERS Other parts for JB23/33/43

Propeller Shaft Spacer 10mm For JB23/33/43 \$00019



Prevents the constant velocity joint part of the rear propeller shaft from coming off at full rebound. Depending on the absorber used, this item is necessary when driving off-road with a ride height increase of 3 inches or more.



¥7.000 unit



D00030 For JA22 freehub D00031 For JA11 free hub ¥11,400 unit

This kit converts the air locking hub Manual Hub Installation Kit For JB23/33/43 adopted from JB23 to the manual hub equipped on JA11 and other vehicles. Since air locking hubs can malfunction due to mechanical problems such as negative pressure leakage and it is difficult to visually check the locking status, we recommend the conversion to a manual hub that is highly reliable and operates reliably when the need arises, *Specifically, a genuine Suzuki freehub for IA11 or IA22 and a cone washer to install the freehub are required

Freehub Bolt Set **Hub Nut Without Brim**

For JB23/33/43 D00032 ¥3,000 piece Repair parts for the manual hub installation kit.

Sold as a single unit. Cannot be used on vehicles with genuine air locking hubs. Instruction manual is not included as this is a repair part.



For JB23/33/43 D00025 ¥3,200 unit 《Compatible with all Jimny models》

Set of high strength bolts, spring washers, and cone washers for fixing the freehub. The bolts are stronger than the genuine ones, and by increasing the tightening torque, the free hub is firmly secured to prevent damage to the bolts



Free Hub Cover Gasket

D00016 ¥180 piece

Suzuki part number 43813-60A00. this gasket is used for the front suspension free hub. One gasket is used on each side and two gaskets are used for one car.

Free Hub Packing General purpose D00015 ¥160 Sheet

Suzuki part number 43842-80001. these gaskets are used for the free hub of the front undercarriage. One packing is used for one side, and two are used for one car.


Free Hub O-ring General purpose

D00014 **¥290** piece

Suzuki part number 43838-60A00. o-rings are used in the free hub of the front undercarriage. One O-ring



Showa GARAGE offers a variety of items to expand the possibilities of car life other than Jimny.







Lightweight Aluminum ROOF RACK Can be installed on various



Includes a special foot that enhances the sense of unity with the rack. Special design model for rain gutters.



Size		Weight (kg)	Number of foo (pcs)	t Dimensions (outside)	Dimensions (inside)	Price
M	E20050	10.5	4	140×105×13cm	110×97cm	¥51,000
M Super Wide	E20008	11.4	4	140×125×13cm	110×117cm	¥56,000
ML Super Wide	E20054	13.0	4	150×140×13cm	120×132cm	¥69,000
L Wide	E20051	14.2	6	170×125×13cm	140×117cm	¥72,000
L Super Wide	E20052	15.4	6	170×140×13cm	140×132cm	¥78,000
LL	E20053	17.8	8	200×125×13cm	169×117cm	¥81,500



Just right for Wrangler!

This special model was developed with the cooperation of Tiger Auto, a long-established four-wheel drive vehicle pecialty store well-known for its Jeep customization.

ML Super Wide **£20054** ¥69,000

Weight: 13.0kg Number of feet: 4 mensions (outside): L 150cm W 140cm H 13cm Dimensions (inside): $120 \text{cm} \times 132 \text{cm}$









Size		Weight (kg)	Dimensions (outside)	Dimensions (inside)	Price
S	E20003	6.5	110×90×13cm	80×82cm	¥34,000
M	E20001	8	140×100×13cm	110×92cm	¥38,000
M Wide	E20007	8.6	140×115×13cm	110×107cm	¥43,000
M Super Wide	E20009	9	140×125×13cm	110×117cm	¥46,000
L	E20005	9.4	170×110×14cm	140×102cm	¥53,000
L Wide	E20010	10.4	170×125×13cm	140×117cm	¥56,000
LL	E20006	11.4	200×120×15cm	169×112cm	¥60,000
ML Half	E20011	6.9	150×62×13cm	120×55cm	¥36,000









Protective cap for U-shaped bolt General purpose for A-x Roof Rack Standard Type

E20106 ¥600 8pcs.

This cap covers the U-shaped bolt on the mounting bracket. Avoids direct contact between the loa and the metal part at the end of the bolt and prevents damage. Please cut off the excess portion according to the amount of protrusion before



This model has a foot-long stay for high-roof vehicles.

It is suitable for vehicles with a roof height of 20 cm or less from the rain gutters. Height can be adjusted.

Size		Weight (kg)	Number of foot (pcs)	Dimensions (outside)	Dimensions (inside)	Price
M Super Wide	E20070	11.4	4 1	140×125×13cm	110×117cm	¥58,000
L Wide	E20071	14.2	6 1	170×125×13cm	140×117cm	¥75,000
LL	E20073	17.8	8 2	200×125×13cm	169×117cm	¥85,500
	I BALL II II WAL			BENEFIT DESIGN	R R SHOW	W. GARAGE







Lightweight Aluminum Roof Rack for High Roof Type Exclusive

ut your luggage on the rooth fective use of various seat arrangements

For N-VAN

Rust-resistant and extremely lightweight aluminum roof rack including the main body and foot sections. The base carrier is not necessary as the foot is included. The shape of the stays has been partially modified to fit the N-VAN and optimized

to fit the N-VAN's distinctive rain gutters. Clearance between the front seats and the sliding door is secured, allowing for safe use without interference.

E20032 For 4 carriers ¥800 4 sheets

Protective sheets to prevent scratches on the

roof caused by mounting on carriers. Can be

be removed cleanly without leaving adhesive

applied to curved surfaces without fail and can

residue. The special transparent sheet is not noticeable

E20034 For 6 carriers ¥1,200 6 sheets

Base Sheet for Hook IN103

*Not compatible with low roof (+STYLECOOL type).



UNIFAS iGuard Anti-theft Bolt/nut General purpose

E20037 For Roof Rack Standard ¥4,500 set of 2

Innovative screw kit with a high degree of security. The use of stainless steel makes it resistant to rust and protects the car in a visually pleasing manner.



140×125×13cm

170×125×13cm



140×117cm **¥75.000**

110×117cm

¥58,000



Full version of the A-x logo emblem, including the Yamagata design. Aluminum-like hairline finish with a extured silver color that changes

expression depending on the angle of view. The nree-dimensional design adds a point of interest to the exterior. Adhesion is made with highly durable double-sided ape. Approximately 140mm×30mm×2mm

M Super Wide E20075 11.4

E20076 14.2

L Wide

A-x emblem 14cm 000161 ¥1,800 General purpose : A-x emblem mountain 14cm General purpose

¥1,600 (稅込) 🗲 Full version of the A-x logo emblem, including the mountain design. Aluminum-like hairline finish with a

textured silver color that changes expression depending on the angle of view. The three-dimensional design adds a point of interest to the exterior. Adhesion is made with highly durable double-sided tape. Approximately 140mm×30mm×2mm

CAMP GEAR Camping Gear



2000×2500mm **¥33,000**

The A-x awning is easy to set up and clean up. It works well with the roof rack, and after storing it, it can be compactly stored on the side of the rack without reducing the load capacity. The canvas is made of 420D oxford and has a water pressure resistance of 3000mm The telescopic aluminum poles are easily height-adjustable and can be used flexibly according to weather and sunlight. The soft

case is also made of a durable material. Can be attached to other manufacturers' roof racks if the size fits. Pegs and guy ropes included. 2.0m(W)x2.5m(L), approx. 8kg





Awning Mounting Stays E20110 Set of 2 ¥7,700

A-x Roof Rack Standard Type Awning Mounting Stays

E20113 Set of 3 ¥17,400 Standard Type. Completely bolt-on,

Stainless steel stays for attaching ar

no modification required. Includes all necessary bolts for attaching to

the roof rack. All bolts are made of

resin with excellent strength and relatively low aggressiveness to

awning to the A-x Roof Rack





Mounting Stays

General purpose E20109 ¥1,500

Stay for attaching A-x awning to general-purpose basecarriers. Please use your own ingenuity to mount the awning by pinching it or drilling a hole to fix it in place. May not be used depending on the car model, base carrier, etc. *Bolts and nuts for attaching the awning are not included. We do not provide advice on how to install the awning. Please install the awning after careful consideration of its strength and other factors in accordance with the environment in which you will be using the awning



After drilling holes in the bars of the with the supplied

Wood Outdoor Chair



Fix the awning to the stays using the bolts and nuts provided

Aluminum Outdoor Chair

General purpose ¥3.900 each

E20112 Set of 2 ¥11,600

000000000000

001005 Blue 001006 Orange

Lightweight and compact. The seat is made of durable oxford. The seat is partially constructed of mesh to ensure ventilation.

- Size (approx.): 105× 59×70cm Seat height: 46cm
- Storage size (approx.): 43×15×15cm
- Weight (approx.): 1.2kg
- Load capacity (approx.): 150kg
- Accessories: main unit / storage bag
- Materials: 7075 aluminum alloy / high-quality plast holder / Oxford (900D)



E20111 Set of 3 ¥9,000 Made of stainless steel, with bolts for attaching to

manufacturers. Mounting pitch 40-50mm, M6, M8, ARB and BLAST TRAIL have already confirmed.

the rack. Compatible with various awning

Awning mounting screws are not included.

rust-resistant stainless steel. The mounting pitch is 35-65mm,

products from various awning manufacturers; products from

and the bolts are M6 or M8. Compatible with awning

ARB and Blast Trail have been tested for compatibility.

*Bolts and nuts for attaching awnings are not included

obiects. Moderate

and fixing force.

for both ease of use

*Compatible roof rack sizes a The size of the corresponding no depending on the actual roof ra-shape and quantity of the cargo size of the product after conside

elasticity of approximately 150%

for washing. ● Size (approx.): 90×52×70cm • Seat height: 45cm • Storage size (approx.): 110×17×15cr

Weight (approx.): 4.2kg Load capacity (approx.): 120kg

Materials: Canvas / Wood Accessories: Main unit / Storage bag



Cargo Net Wire diameter: approx. 8 mm, grid size: approx. 9×9 cm, hooks are movable, allowing adjustment of the cargo hanging angle. Made of

E20045 S size (90cm×90cm) ¥2,700 *Compatible with A-x Roof Rack S size and M size

E20046 M size (100cm×100cm) ¥3,000 *Compatible with A-x Roof Rack M Size Wide, M Size Super Wide

E20047 L size (120cm×100cm) ¥3,300 *Available for A-x Roof Rack L size, L size wide, L super wide, and LL size.

re approximate.	Size (cm)	Maximum dimensions (cm)	Elongation rate (%)
et varies greatly	Size S (90×90)	150×150	166
ick used and the	Size M (100×100)	160×160	160
. Please select the	Size L (120×100)	180×160	150/160

*The elongation rate is measured by hand, so there is a margin of error.



Lighting Design and Technology

All of Lightning's LED lights are compliant with safety standards and have been designed to prevent high-flash.

Jimny LED Tail Lamp For JC74*-JB64/74 ¥31,000 each /right/left set



All LED original tail lamps. Can be installed on the factory bumper or outside bumper. Blinkers (16 LEDs per side) are sequential lighting toward outside (switchable to normal lighting). LED bar type (34 LEDs per side) for the small lights, 25 LEDs per side for the brake lamps, and 6 LEDs per side for the back-up lamps. Includes a resistor to prevent high-flash, ABS lamps, and ESP lamps from lighting up incorrectly.

Jimny LED

For JB23/33/43

Backup Lamp

¥6,000 each /right/left set

Rear fog lights are not available when installed on the Jimny Nomad JC74.







E00166 Light smoke/Red bar



















Jimny LED Tail Lamp

For JB23/33/43 **E00026** Clear **¥25,000** right/left set

With the small light on, 9 LEDs (per side) on the LED tube, 12 LEDs (per side) on the brake, and 8 LEDs (per side) on the turn signal will flash. You can switch between sequential and normal lighting. Measures have been taken to prevent the high-flasher and ABS lamp from

lighting up. If you want to install this on a JB33 or JB43, you will need to modify the wiring on the vehicle side. 1-year warranty. Fogging due to condensation is not covered by the warranty.











E00023 Clear lens

Truck Double LED Tail Lamp All-in-one model that replaces the factory two-lens with a sporty and For Truck ¥53.500 each /right/left set



E30040 Clear/



Light smoke/



E30042 Clear/



stylish look with built-in small, brake, blinker, and back-up lamps and

reflectors. Inner black is available with or without luster to match the








Truck Triple LED Tail Lamp For Truck ¥62,500 right/left set



E30030 Clear



E30032 Light smoke







N-VAN **LED Tail Lamp** For JJ1/JJ2

¥45,000 right/left set

The contrast between the bold bar-type LEDs and the all-black body of the N-VAN makes the Honda N-VAN even more attractive. The mechanical design of the inner parts goes well with the flat and boxy silhouette. All-in-one model with brake, blinker, back, small, and reflector built in. Includes a resistor to

prevent high-flash. Sequential lighting is also available.





Light smoke/Red bar









Light smoke/White bar

PROBOX LED Tail Lamp

For 50/160 series ¥45,000 right/left set



Showa Garage's fully original model exclusively designed for PROBOX, which adds a playful touch to business cars. Clear lens model with

vivid contrast between red bar and inner black. Built-in brake, blinker, reverse, small, and reflector. Equipped with high-flash prevention resistor. sequential lighting is also available.







DELICA D:5 LED Tail Lamp For early model \\ \pm 33,000 \text{ right/left set}



Original all-LED tail lamps with a contrast between the rear garnish and inner black to give the unique tail area an impression. The square design of 4 bar type LEDs placed on one side matches the body shape of DELICA perfectly. Two rows of 6 indicator LEDs on each side turn outward sequentially (switchable to normal lighting). LED bar type for the smokers and 2 rows of 6 LEDs per side for the brake lamps. Resistors are included to E30000 Clear/Red bar prevent high-flash, ABS lamps, and ASC lamps from lighting up incorrectly





- *Light Smoke lens color is a lighter shade of smoke. The inner panel is gloss black, which gives it a tighter black tint and a smoke-like appearance. In bright locations such as daytime, there is not much difference in appearance from clear, but in the evening or in dark locations, it has a darker appearance.
- *A separate resistor may be required depending on the car model and installation method.
- *Depending on the installation method, the product may not be compliant with safety standards. Please check in advance before purchase.



HIJET Truck LED Tail Lamp / LED Backup Lamp



LED tail lamps with variations on the inner body and a lineup of different styles: matte black for clear and gloss black for light smoke. The bar-type blinker that doubles as a small light emits a bright orange light when lit. Smooth sequential lighting and normal lighting can be switched depending on the connection method when wiring. The brake lamps are brightly

illuminated by bulbs in the center and are equipped with a resistor to prevent high-flash. 9 LED back-up lamps use high brightness LEDs and are much brighter than the genuine lamps, making it easier to drive backwards. The combination of tail lamps and backup lamps creates a more stylish rear area.









LED tail lamp 《For S500P.510P》



«late model» ¥33,500 each/right/left set















E30091 Light smoke/Red bar





F30087 Clear/Blac

E30086 Light smoke





E30088 Light smoke/

E30082 Clear/White bar

E30083 Light smoke/White bar

E30080 Clear/Red bar







E30092 Clear/White bar







CARRY LED Tail Lamp / LED Backup Lamp For DA16/63/65



The inner body of the LED tail lamp is available with or without luster to match the lens color. The blinker part, which also serves as a small light, has a three-dimensional structure, creating a style beyond its class both when the light is on and when the light is off. The brake has 9 LED bulbs in the center. The blinkers can be switched between sequential and normal

lighting depending on the connection method used when wiring. Easy installation with just a coupler-on connection. LED back lamps using 12 bulbs of high brightness LEDs are much brighter than the genuine lamps and can be used when backing up. Combination of tail lamps and backup lamps creates a more stylish rear area.

* Wiring modification and a separate reflector are required when installing on DA63/65.

LED tail lamp ¥33,500 each/right/left set



E30050 Clear/Red bar











Backup lamp ¥5.500 each



Light smoke/



Light smoke

INTERIOR Interior for SUPER CARRY

Seat Cover Old Series Exclusive for Super Carry

For DA16

I 00247

Seat cover

The combination of

Old & Check

vintage-style PU leather and

hound's tooth check pattern

gives a British traditional

impression. Set for driver's

Front set ¥24,500 each

seat and front passenger seat.


standard seatback table on the passenger side. **Seat Covers Old Series**

functionality. The material used is PU leather. which is easy to maintain. The vintage style

driver's side. Designed to accommodate the

texture is finished with the prestigious quality of

genuine leather. A rear pocket is provided on the



Front set ¥20,000 each



«QR code is a link to the product video



Outstanding fitting that can only be achieved by designing exclusively for the car model. It protects the genuine seat and creates a comfortable interior space without sacrificing




Greatly improves rice comford SUSPENSION Suspension for HIACE and CARAVAN

High Capacity Soft Bump Rubber

S20001 For 200 series HIACE ¥7,900 each /right/left set S20003 For NV350 CARAVAN





(For 200 series HIACE)

higher capacity

than genuine!



For NV350 CARAVAN.Now on sale!

For NV350 CARAVAN



For low-down customization, camper, welfare vehicles, more comfort, more luxury.

Easy installation with bolt-on design to replace the factory unit. Sold as a left/right rear set.

Adjustable! Easy to cut with a cutter knife! Cutting and adjustment can be made for installation when the gap between the frame and the hosing is small due to the amount of mounting or lowering. *The more it is cut, the less capacity it has to absorb shocks.

Testimonials from installers

▶▶ I had a tool sale van loaded with a large amount of tools The tools used to fly all over the place where there were steps such as railroad c but after installing this product, I don't have to worry about driving anymore.

▶▶ The vehicle, which is 3 inches down Very soft and supple. Even on a road where the rear end always feels like it is going out of control, it is now able to pass through as smoothly as a car with a spring.

(Caution)
Please inspect regularly for possible cracking, shredding, etc. due to age-related deterioration. The effect may not be felt at normal ride height with no loading.



*Light Smoke lens color is a lighter shade of smoke. The inner panel is gloss black, which gives it a tighter black tint and a smoke-like appearance. In bright locations such as daytime, there is not much difference in appearance from clear, but in the evening or in dark locations, it has a darker appearance.

No need to worry about errors even with large-diameter tires! **GPS** speedometer you can use!

Digital Clinometer Type 2

General purpose For 12V and 24V cars 000017 ¥16.300

Face Towel

Versatile size that can be used for anything

Showa Garage

from outdoor activities to daily use.

Size approx.77cm×33cm

000201 ¥1,100

Multifunctional digital clinometer that displays roll (right/left tilt) angle, pitch (front/rear tilt) angle, interior temperature, clock, voltage, speed,

azimuth (8 directions), elevation, etc. on the display. This provides peace of mind in knowing more about the condition of the vehicle and the conditions in which it is placed. Above all, the driver's seat, surrounded by instruments, creates a personal cockpit atmosphere and enhances the driver's mood. Various information is provided through displays and sounds. GPS speedometer function that is not affected by the tire diameter. Selectable display of kilometer or mileage. Installation is as simple as installing the main unit, various antennas and sensors, and plugging the cigar plug into the socket. Instruction manual included. Dimensions:19.0cm $(W) \times 10 cm(D) \times 6 cm(H)$ 1-year warranty



25 1 2022/03/08 25 1 25 1 25 1 25 20 1 2 5

Original Towel

The same design as the side decals of the Showa Garage complete

car is used. Dyed

and woven in Imabari, Shikoku, one of the three major towel production areas in Japan, the texture and feel of the towel is also carefully selected

Muffler Towel

The small size is ideal for events and leisure activities. Size approx.110cm×20cm

000200 ¥1.700

* Please note that the color may fade or migrate in the early stages of use, so please wash separately from other items. Do not use chlorine bleach.

Original Patch & Kev

◆ Showa Garage logo embroidery patch 000180 Approx.115mm×

33mm×1.5mm ¥1,000

Bump Boy name patch バンプボーイ

000178 Approx.80mm× 20mm×1.5mm ¥500



 Bump Boy embroidery patch Approx 90mm×65mm×1.5mm





000130 ¥1,500

◆ Showa GARAGE Logo Sticker (Oval/15cm) ¥500 each

¥2,700each 000500 White 000510 Mixed Gray 000520 Indigo 000530 Light Blue

Original Sticker

◆ Showa GARAGE Logo Sticker White (cut out) 000112 25cm ¥1,500 000110 12cm ¥600

Showa GARAGE Logo Sticker 000111 White 000121 Black

LIGHTNING Logo Sticker White (cutout/20cm) 000160 White ¥800

Sticker White

High Capacity Bump Rubber Metal Sticker

High Capacity Bump Rubber Sticker





Showa GARAGE

◆Bump Boy Sticker Banzai 00 000174 8cm ¥500 000176 4cm ¥300

Bump Boy Sticker Handsome 000173 8cm ¥500

000101





Attack, and of the many prizes we have won. The solid knowledge and skills cultivated through these races are steadily fed back into the development of our original parts, which we deliver to our customers on a daily basis. In addition, we travel all over the country to promote the appeal of Jimny through various motor shows, events, and racing activities. We also organize many events for beginners to enjoy, such as off-road trial experience at our company-sponsored events.

• 2022 Series champion (5 rounds, 3 winners)

TDA (Tactical Dirt Attack)

- 2024 Series Champion (4 rounds, 3 winners)
- 2022 Series Champion (4 rounds, 4 winners)


Off-Road Challenge Speed

- 2024 Series Champion (4 rounds, 3 winners, 1 3rd place)
- 2023 Series Champion (4 rounds, 3 winners, 2nd place)
- 2022 Series Champion, etc.

2024 JAF All Japan Rally Championship Round 7 RALLY HOKKAIDO

• XC-3 class 3rd place

For more information, please visit our website. For the latest information, etc.,













The parts listed on this site are available at Jimny stores, 4WD stores, and mass retailers.

YAHOO! Showa GARAGE Yahoo Shopping https://store.shopping.yahoo.co.jp/showa-garage/





《Corporate Official Shopping Site》 Showa Garage Online Shop https://www.showa-garage-g.shop/



The latest simulation system that allows you to customize your Jimny in a VR space! Please experience it for yourself!



